



Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire de c FCI. Droits de reproduction FCI.


All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER	PEG TYPE	TAIL TYPE	TAIL LGTH. DIM 'A'	PCB THICKNESS±0.20	LOADING CONFIGURATION
73941-X001 *	PRESS	SOLDER	2.90	1.6	FULLY LOADED
73941-X002 *	PRESS	PRESS-FIT	2.90	1.6	
73941-X003 *	PRESS	SOLDER	3.53	2.4	
73941-X004 *	PRESS	PRESS-FIT	3.53	2.4	

* SEE NOTE 11 FOR LEAD FREE OPTIONS

* SPECIFY LOADING P/N SEE PAGE 2 AND 3

PLATING CONTACT AREA:	
DASH NR:	PERFORMANCE LEVEL
-1YYY/1YYLF	TELCORDIA CO
-2YYY/2YYLF	CUSTOMER SPECIAL
-3YYY/3YYLF	CUSTOMER SPECIAL



mat'l. code				tolerances unless otherwise specified				CUSTOMER COPY				www.fciconnect.com	
NOTE 1								COPY					
L	ecdn no	dr	date	Linear	X±.3			projection 	title				
M	DG06-0510	Cenh	12/04/06		.XX±.13				B SERIES R/A SIGNAL RECEPT ASSY,				
N	DG07-0173	Cenh	6/05/07		.XXX±.051				5 ROW, 3 MOD, PF/STB				
P	DG08-0171	TER	9/1/08	angles	0° ±2°				product family METRAL (tm)				code
R	DG09-0068	Cenh	06/06/09	dr	M. FETROW	9/22/98	size dwg no				213		
R	DG-012848	QinDF	09/06/12	engr	C. PENDLETON	9/22/98	scale				1:1		
K	V05-1033	JAM	11/09/05	appr	C. PENDLETON	9/22/98	A				73941		sheet 1 of 4
sheet		revision		R	R	R							
index		sheet		1	2	3							

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire de c FCI. Droits de reproduction FCI.





All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO	TAIL TYPE	PEG TYPE	DIM "A"	ROW	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1			
73941-X020 *	PRESS	PRESS	2.90	E	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
				D	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
				C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
				B	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
				A	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
73941-X021 *	PRESS	PRESS	2.90	E	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X			
				D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
				C	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	
				B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
				A	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	
73941-X022 *	PRESS	PRESS	2.90	E	X	X	X	X	X	X	X	X	X	X	X	X	-	X	-	X	-	X			
				D	X	X	X	X	X	X	X	X	X	X	X	X	X	X	-	-	-	-	-	-	
				C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	-	X	-	X	-	X
				B	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	-	-	-	-	-	-
				A	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	-	X	-	X	-	X
73941-X023 *	PRESS	PRESS	3.53	E	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X			
				D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
				C	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	
				B	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
				A	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	-	X	
73941-X024 *	PRESS	PRESS	3.53	E	X	X	X	X	X	X	X	X	X	X	X	-	X	-	X	-	X				
				D	X	X	X	X	X	X	X	X	X	X	X	X	X	-	-	-	-	-	-		
				C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	-	X	-	X	-	X	
				B	X	X	X	X	X	X	X	X	X	X	X	X	X	X	-	-	-	-	-	-	
				A	X	X	X	X	X	X	X	X	X	X	X	X	X	X	-	X	-	X	-	X	
73941-X025 *	PRESS	PRESS	2.90	E	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
				D	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
				C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
				B	-	-	X	-	-	X	-	-	X	-	-	X	-	-	X	-	-	X	-	-	X
				A	X	X	-	X	X	-	X	X	-	X	X	-	X	X	-	X	X	-	X	X	-

* SEE NOTE 11 FOR LEAD FREE OPTIONS

LOAD PATTERN	
X	LOADED
-	NOT LOADED

mat'l. code -				tolerances unless otherwise specified				CUSTOMER COPY		 www.fciconnect.com	
litr	ecn no	dr	date	linear	X±.3		projection			title B SERIES R/A SIGNAL RECEPT ASSY, 5 ROW, 3 MOD, PF/STB	
R					.XX±.13						
					.XXX±.051					product family METRAL (tm)	
				angles	0° ±2°						
				dr	M. FETROW	11/17/98		scale 1:1		code size dwg no A 73941	
				engr	C. PENDLETON	11/17/98					
				chr	C. PENDLETON	11/17/98				sheet 2 of -	
				appd	C. PENDLETON	11/17/98					
sheet index	revision sheet										

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du Proprietaire de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO	TAIL TYPE	PEG TYPE	DIM "A"	ROW	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
73941-X026 *	PRESS	PRESS	2.90	E	X	X	X	X	X	X	X	-	X	X	-	X	X	X	X	X	X	X
				D	X	X	X	X	X	X	X	-	X	X	-	X	X	X	X	X	X	X
				C	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
				B	X	X	X	X	-	X	X	-	X	X	X	X	X	X	X	X	X	X
				A	X	X	X	X	-	X	X	-	X	X	X	X	X	X	X	X	X	X

* SEE NOTE 11 FOR LEAD FREE OPTIONS



LOAD PATTERN	
X	LOADED
-	NOT LOADED

mat'l. code -				tolerances unless otherwise specified			CUSTOMER COPY				www.fciconnect.com			
ltr	ecr no	dr	date	linear	X±.3			projection 	title B SERIES R/A SIGNAL RECEPT ASSY, 5 ROW, 3 MOD, PF/STB					
R					.XX±.13									
					.XXX±.051									
				angles	0° ±2°				product family METRAL (tm) size dwg no A 73941					
				dr	M. FETROW	11/17/98								
				engr	C. PENDLETON	11/17/98								
				chr	C. PENDLETON	11/17/98	scale 1:1							
				appd	C. PENDLETON	11/17/98								
sheet index	revision sheet													

cage code
22526

NOTES:

- ① CONNECTOR MATERIALS:
HOUSING: LCP, 30% GLASS FILLED,
UL 94-V0 COMPLIANT
TERMINAL: PHOSPHOR BRONZE ALLOY
2. PLATING ON TAIL:
PRESS-FIT TYPE
73941-XXXX IS 0.5-1.5um SnPb
73941-XXXXLF IS 0.5-1.5um Sn (LEAD FREE)
SOLDER-TO-BOARD TYPE
73941-XXXX IS 2-8um SnPb
73941-XXXXLF IS 2-8um Sn (LEAD FREE)
3. PRODUCT SPECIFICATION:
GS-12-002
4. APPLICATION SPECIFICATIONS:
BUS-20-061
GS-20-001
TA-941
- ⑤ PRODUCT MARKING: (PART NUMBER & LOT CODE).
- ⑥ INDICATED HOLES ARE UNPLATED.
- ⑦ DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.
- ⑧ TOP SURFACE OF PRESS BLOCK MAY EXTEND UP TO 0.4MM HIGHER THAN HOUSING. THIS MAY AFFECT THE TAIL LENGTH BEFORE APPLICATION TO A BOARD.
- ⑨ DIMENSION APPLIES TO BOTH PRESS-FIT AND SOLDER TAIL TERMINATIONS.
10. THESE PRODUCTS WHERE THE PART NUMBER ENDS IN "LF" MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- ALL PRODUCTS MANUFACTURED BEFORE APRIL 2006 WILL WITHSTAND EXPOSURE TO 240°C FOR 60 SECONDS IN A CONVECTION, INFAR-RED OR VAPOR PHASE REFLOW OVEN.
- ALL PRODUCTS MANUFACTURED AFTER MARCH 2006 WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFAR-RED OR VAPOR PHASE REFLOW OVEN.
- ⑪ FOR LEAD FREE PART NUMBERS ADD "LF" SUFFIX. EXAMPLE: 73941-XXXXLF.

mat'l. code -				tolerances unless otherwise specified		CUSTOMER COPY		 www.fciconnect.com	
ltr	ecn no	dr	date	linear	X±.3	projection	title		
R					.XX±.13		B SERIES R/A SIGNAL RECEPT ASSY,		
				angles	.XXX±.051		5 ROW, 3 MOD, PF/STB		
				dr	J.R. VOLSTORF	11/15/05		product family METRAL (tm)	
				eng	J.R. VOLSTORF	11/15/05		code	
				chr	J.R. VOLSTORF	11/15/05		213	
				app	J.R. VOLSTORF	11/15/05	scale	size dwg no	
							1:1	A	73941
sheet	revision								
index	sheet								

 cage code
22526


Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru