

Adhesive Tape S1278 / S1305




Table of Dimensions:

PART NUMBER	W ± 0.15 (3.8)	T ± 0.15 (3.8)	L (Standard Roll Ref.)
S1278-01	1.00 (25.4)	0.062 (1.574)	25 ft (7.62m)
S1305-01	1.00 (25.4)	0.062 (1.574)	25 ft (7.62m)

Notes:

Gray butyl tape sealant
 Blocking prevented by release paper
 Shelf life for S1278 from date of manufacture: 12 years
 Shelf life for S1305 from date of manufacture: 12 years

Material Properties:

Item	Specification Reference
S1278	RW2020
S1305	RW2020

Specification Control Drawing

		Tyco Electronics Corporation 300 Constitution Drive Menlo Park, CA 94025 USA		Raychem	Title Adhesive Tape S1278 / S1305		
Tyco Electronics reserves the right to amend this drawing at any time. Users should evaluate the suitability of the product for their application				Document No. S1278-S1305			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. METRIC DIMENSIONS ARE SHOWN IN BRACKETS				Rev.: A		Rev. Date: February 8, 2005	
DRAWN BY: UNGUYEN	CAGE CODE: 06090	Org. Date: 2/8/05	File name: S1278-S1305.doc	SCALE: None		SIZE: A	SHEET: 1 of 2

Table 2: Properties

	TEST METHOD	S1305	S1278
Physical			
Water absorption	ASTM D570	.75% (nom.)	.1% (nom.)
Specific gravity	ASTM D792	1.56 (nom.)	1.49 (nom.)
Elongation	ASTM D1002	350% - 400%	350% - 400%
Electrical			
Dielectric strength	ASTM D149	250 V/mil (min.)	250 V/mil (min.)
Volume resistivity	ASTM D257	10 ¹⁰ ohm-cm (min.)	10 ¹⁴ ohm-cm (min.)
Thermal			
Low-temperature flexibility (non-cracking on ½-inch radius)		-40°C	-40°C
Chemical			
Corrosion	ASTM D2671	Halogen-free, noncorrosive	Noncorrosive (16 hrs. @ 150°C)
Acid gas generation HCl equivalent	MIL-C-24643	1.5% (max.)	1.5% (max.)

Specification Control Drawing

Rev. Date: 2/8/05	Rev.: A	Document No. S1278-S1305	Sheet: 2 of 2
----------------------	------------	------------------------------------	------------------

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru