




OPTION "F"



MINIMUM FEED THROUGH CONDITION
WITH 1mm CLEARANCE ALL AROUND
SHOWN WITH OPTION WIRESHIELD



SCALE 2:1



SCALE 1:1

1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):
FOR TIN APPLICATIONS: 1393367 AND 1393366.
FOR GOLD APPLICATIONS: 1393365 AND 1393364.
FOR TERMINATION AND REELING OPTIONS
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
2. COMPATIBLE WIRE SIZE FOR MAT SEAL DESIGN 1.19 TO 2.06 O.D.
(22-18 AWG, 0.35-0.75 mm2)
3. TPA IS SHIPPED IN IT'S PRE-LOADED POSITION. ALL ASSEMBLIES ARE
TO BE TRAY PACKAGED.
4. CUSTOMER PART NUMBER AND TRACEABILITY CODE (YY = TWO DIGIT YEAR,
JJJ = JULIAN DAY, HH = TWO DIGIT MILITARY HOUR, A = ASSEMBLY
PROCESS USED) ARE PRINTED IN THIS LOCATION.
5. PART ASSEMBLY WEIGHT WITHOUT TERMINALS AND WITH STANDARD PIN-OUT
CONFIGURATION IS 14.39 GRAMS.
6. OPTIONAL WIRESHIELD P/N 7-1419157-8 (SOLD SEPARATELY). PLEASE CONTACT
YOUR TE SALES REPRESENTATIVE FOR AVAILABILITY AND PRICING.

ITEM	DESCRIPTION	MATERIAL	FINISH/COLOR
------	-------------	----------	--------------

THIS DRAWING IS A CONTROLLED DOCUMENT.						DWN M FORSKA 16APR2002 CHK M FORSKA 16APR2002 APP'D A VALASEK 16APR2002		 TE Connectivity	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME		24 WAY ARM,			
mm				PRODUCT SPEC		PLUG ASSEMBLY WITHOUT SHORTING BARS,			
				APPLICATION SPEC		CUSTOMER SPEC.			
MATERIAL		FINISH	+3*	WEIGHT	SEE NOTE 5	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
SEE CHART ABOVE	-	-	-	-	A1	00779	C=3-1419157-9	-	-
CUSTOMER DRAWING						SCALE	3:1	SHEET	1 OF 3 REV B

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG M FORISKA 16APR2002 CHK M FORISKA 16APR2002 REV'D A VALASKA 16APR2002	 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0. PLC ±.1 1. PLC ±0.3 2. PLC ±0.10 3. PLC ±. 4. PLC ±.		
		NAME 24 WAY ARM, PRODUCT SPEC PLUG ASSEMBLY WITHOUT SHORTING BARS, APPLICATION SPEC CUSTOMER SPEC.		
MATERIAL - SEE CHART ABOVE		SIZE - CASE CODE - DRAWING NO. A1 00779 C=3-1419157-9		RESTRICTED TO -
FINISH -		WEIGHT -		CUSTOMER DRAWING
		SCALE 3:1	SHEET 2 OF 3	REV BK

PIN-OUT CHART																							
12	13	14	15	16	17	18	19	20	21	22	23	24	1-1438103-5	KEY "A"									
12	13	14	15	16	17	18	19	20	21	22	23	24	1-1438356-2	KEY "D"									
12	13	14	15	16	18	19	20	21	22	23	24	2-1438095-3	KEY "B"										
12	13	14	15	16	17	18	19	20	21	22	23	24	1-1438103-4	KEY "A"									
13	14	15	16	17	18	19	20	21	22	23	24	1438582-3	KEY "E"										
13	14	15	16	17	18	19	20	21	22	23	24	1-1438356-1	KEY "D"										
12	13	14	15	16	18	19	20	21	22	23	24	1-1438096-4	KEY "C"										
12	13	14	15	16	18	19	20	21	22	23	24	1-1438103-3	KEY "A"										
13	14	15	16	17	18	19	20	21	22	23	24	1-1438356-0	KEY "D"										
12	13	14	15	16	18	19	20	21	22	23	24	2-1438095-2	KEY "B"										
12	13	14	15	16	18	19	20	21	22	23	24	1-1438096-3	KEY "C"										
12	13	14	15	16	18	19	20	21	22	23	24	1-1438096-2	KEY "C"										
12	13	14	15	16	18	19	20	21	22	23	24	1-1438096-1	KEY "C"										
13	14	15	16	17	18	19	20	21	22	23	24	1438583-3	KEY "F"										
13	14	15	16	17	18	19	20	21	22	23	24	1438583-2	KEY "F"										
13	14	15	16	17	18	19	20	21	22	23	24	1438583-1	KEY "F"										
13	14	15	16	17	18	19	20	21	22	23	24	1438582-2	KEY "E"										
13	14	15	16	17	18	19	20	21	22	23	24	1438582-1	KEY "E"										
13	14	15	16	17	18	19	20	21	22	23	24	1-1438103-2	KEY "A"										
12	13	14	15	16	18	19	20	21	22	23	24	2-1438095-1	KEY "B"										
12	13	14	15	16	18	19	20	21	22	23	24	2-1438095-0	KEY "B"										
12	13	14	15	16	18	19	20	21	22	23	24	1-1438095-9	KEY "B"										
13	14	15	16	17	18	19	20	21	22	23	24	1-1438103-1	KEY "A"										
12	13	14	15	16	18	19	20	21	22	23	24	1-1438095-8	KEY "B"										
12	13	14	15	16	18	19	20	21	22	23	24	1-1438095-7	KEY "B"										
12	13	14	15	16	17	18	19	20	21	22	23	24	1-1438103-0	KEY "A"									
13	14	15	16	17	18	19	20	21	22	23	24	2-1438103-0	KEY "A"										
13	14	15	16	17	18	19	20	21	22	23	24	1438356-9	KEY "D"										
12	13	14	15	16	18	19	20	21	22	23	24	1438356-8	KEY "D"										
12	13	14	15	16	18	19	20	21	22	23	24	1438103-9	KEY "A"										
12	13	14	15	16	18	19	20	21	22	23	24	1-1438095-6	KEY "B"										
12	13	14	15	16	18	19	20	21	22	23	24	1-1438095-5	KEY "B"										
12	13	14	15	16	18	19	20	21	22	23	24	1-1438095-4	KEY "B"										
12	13	14	15	16	18	19	20	21	22	23	24	1438356-7	KEY "D"										
12	13	14	15	16	17	18	19	20	21	22	23	1438356-6	KEY "D"										
12	13	14	15	16	18	19	20	21	22	23	24	1438356-5	KEY "D"										
12	13	14	15	16	17	18	19	20	21	22	23	1438356-4	KEY "D"										
12	13	14	15	16	18	19	20	21	22	23	24	1-1438095-3	KEY "B"										
12	13	14	15	16	18	19	20	21	22	23	24	1-1438095-2	KEY "B"										
13	14	15	16	17	18	19	20	21	22	23	24	1438103-8	KEY "A"										
12	13	14	15	16	17	18	19	20	21	22	23	24	1438356-3	KEY "D"									
13	14	15	16	17	18	19	20	21	22	23	24	1-1438095-1	KEY "B"										
13	14	15	16	17	18	19	20	21	22	23	24	1-1438096-0	KEY "C"										
13	14	15	16	17	18	19	20	21	22	23	24	1438096-9	KEY "C"										
13	14	15	16	17	18	19	20	21	22	23	24	1438096-8	KEY "C"										
13	14	15	16	17	18	19	20	21	22	23	24	1438096-7	KEY "C"										
13	14	15	16	17	18	19	20	21	22	23	24	1438096-6	KEY "C"										
13	14	15	16	17	18	19	20	21	22	23	24	1438096-5	KEY "C"										
13	14	15	16	17	18	19	20	21	22	23	24	1438096-4	KEY "C"										
13	14	15	16	17	18	19	20	21	22	23	24	1438096-3	KEY "C"										
13	14	15	16	17	18	19	20	21	22	23	24	1438096-2	KEY "C"										
13	14	15	16	17	18	19	20	21	22	23	24	1-1438095-0	KEY "B"										
13	14	15	16	17	18	19	20	21	22	23	24	1438095-9	KEY "B"										
13	14	15	16	17	18	19	20	21	22	23	24	1438095-8	KEY "B"										
13	14	15	16	17	18	19	20	21	22	23	24	1438095-7	KEY "B"										
12	13	14	15	16	18	19	20	21	22	23	24	1438095-6	KEY "B"										
12	13	14	15	16	18	19	20	21	22	23	24	1438095-5	KEY "B"										
12	13	14	15	16	18	19	20	21	22	23	24	1438095-4	KEY "B"										
12	13	14	15	16	18	19	20	21	22	23	24	1438095-3	KEY "B"										
12	13	14	15	16	18	19	20	21	22	23	24	1438095-2	KEY "B"										
12	13	14	15	16	18	19	20	21	22	23	24	1438356-2	KEY "D"										
12	13	14	15	16	18	19	20	21	22	23	24	1438103-7	KEY "A"										
12	13	14	15	16	18	19	20	21	22	23	24	1438103-6	KEY "A"										
13	14	15	16	17	18	19	20	21	22	23	24	1438103-5	KEY "A"										
12	13	14	15	16	18	19	20	21	22	23	24	1438103-4	KEY "A"										
13	14	15	16	17	18	19	20	21	22	23	24	1438096-5	KEY "C"										
13	14	15	16	17	18	19	20	21	22	23	24	1438103-3	KEY "A"										
13	14	15	16	17	18	19	20	21	22	23	24	1438103-2	KEY "A"										
13	14	15	16	17	18	19	20	21	22	23	24	7-1419157-7	KEY "A"										
13	14	15	16	17	18	19	20	21	22	23	24	1438096-6	KEY "C"										
13	14	15	16	17	18	19	20	21	22	23	24	1438103-1	KEY "A"										
13	14	15	16	17	18	19	20	21	22	23	24	1438356-1	KEY "D"										
13	14	15	16	17	18	19	20	21	22	23	24	4-1419171-1	KEY "C"										
13	14	15	16	17	18	19	20	21	22	23	24	4-1419171-0	KEY "B"										
13	14	15	16	17	18	19	20	21	22	23	24	3-1419171-9	KEY "A"										
12	13	14	15	16	17	18	19	20	21	22	23	24	ASSEMBLY PART NUMBER	PLUG KEYING OPTION									
HOLE POSITION																							
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																							
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																							

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru