










REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



PART 8-5530843-6

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN AWF/GRZYBOWSKI	30OCT2009	 TE Connectivity	
DIMENSIONS: INCHES		CHK E.HOWARD	-		
		APVD M.PERCHEK	30OCT2009	NAME CONNECTOR ASSEMBLY STANDARD EDGE II, .100 CENTERLINE	
		PRODUCT SPEC 108-9039			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC 114-13018		SIZE A100779	
0 PLC 1 PLC 2 PLC 3 PLC 4 PLC ANGLES FINISH		± ± ±.005 ± ± #2 -			
MATERIAL -		WEIGHT -		CAGE CODE 5530843	
-		-			
CUSTOMER DRAWING				SCALE 4:1	SHEET 2 OF 4
				REV F8	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

OBSOLETE	8-5530843-2
OBSOLETE	8-5530843-1
OBSOLETE	4-5530843-1
OBSOLETE	1-5530843-9
OBSOLETE	1-5530843-2
	PART NUMBER

F8	3, 4, 21, 22, 25, 26, 29, 30, 33, 34	-		1.886	,125	1.700	1.900	1.950	2.060	17	18	9-5530843-2
	9, 10, 11, 12, 19, 20, 21, 22, 29, 30, 31, 32	-		2.086	,125	1.900	2.100	2.150	2.260	19	20	9-5530843-1
F6	13, 14, 15, 16, 27, 28, 29, 30	-		2.086	,125	1.900	2.100	2.150	2.260	19	20	9-5530843-0
	3, 4, 5, 6, 9, 10, 13, 14, 17, 18, 19, 20, 21, 22	-		1.286	,125	1.100	1.300	1.350	1.460	11	12	8-5530843-9
F4	11, 12, 23, 24, 29, 30, 35, 36, 37, 38	-		2.086	,125	1.900	2.100	2.150	2.260	19	20	8-5530843-8
	17, 18, 19, 20	-		1.286	,125	1.100	1.300	1.350	1.460	11	12	8-5530843-7
				0.686	-	.500	.700	-	-	5	6	8-5530843-6
				1.286	,187	1.100	1.300	1.350	1.460	11	12	8-5530843-5
	19, 20, 21, 22, 23, 24, 27, 28, 31, 32, 35, 36, 39 40, 43, 44, 45, 46, 47, 48, 51, 52, 55, 56, 59, 60	-		3.186	,125	3.000	3.200	3.250	3.360	30	31	8-5530843-4
	3, 4, 5, 6, 19, 20, 21, 22			1.286	,125	1.100	1.300	1.350	1.460	11	12	8-5530843-3
	-			.386	,125	.200	.400	.450	.560	2	3	7-5530843-7
	-			.686	,187	.500	.700	.750	.860	5	6	7-5530843-6
	-			.686	,125	.500	.700	.750	.860	5	6	7-5530843-5
	-			3.186	,125	3.000	3.200	3.250	3.360	30	31	7-5530843-0
	-			3.186	,125	3.000	3.200	3.250	3.360	30	31	6-5530843-5
	-			6.086	,125	5.900	6.100	6.150	6.260	59	60	5-5530843-5
	-			2.086	,125	1.900	2.100	2.150	2.260	19	20	5-5530843-4
	-			1.786	,125	1.600	1.800	1.850	1.960	16	17	5-5530843-3
	-			1.086	,125	.900	1.100	1.150	1.260	9	10	5-5530843-0
	-			1.886	,125	1.700	1.900	1.950	2.060	17	18	2-5530843-7
	-			3.586	,125	3.400	3.600	3.650	3.760	34	35	2-5530843-3
	-			5.086	,187	4.900	5.100	5.150	5.260	49	50	2-5530843-2
	-			4.086	,187	3.900	4.100	4.150	4.260	39	40	2-5530843-0
	-			3.086	,187	2.900	3.100	3.150	3.260	29	30	1-5530843-8
	-			2.586	,187	2.400	2.600	2.650	2.760	24	25	1-5530843-6
	-			4.386	,125	4.200	4.400	4.450	4.560	42	43	1-5530843-0
	-			3.686	,125	3.500	3.700	3.750	3.860	35	36	5530843-8
	-			3.086	,125	2.900	3.100	3.150	3.260	29	30	5530843-7
	-			2.886	,125	2.700	2.900	2.950	3.060	27	28	5530843-6
	-			2.586	,125	2.400	2.600	2.650	2.760	24	25	5530843-5
	-			2.286	,125	2.100	2.300	2.350	2.460	21	22	5530843-4
	-			1.886	,125	1.700	1.900	1.950	2.060	17	18	5530843-3
	-			1.586	,125	1.400	1.600	1.650	1.760	14	15	5530843-2
	-			1.286	,125	1.100	1.300	1.350	1.460	11	12	5530843-1
	OMITTED PIN	BOARD RETENTION FEATURE LOCATION (SEE DETAIL Y)	FINISH	Z	J	D	C	B	A	X	NO. OF DUAL POSITIONS	PART NUMBER

OBSOLETE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
INCHES

MATERIAL

-

-

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±"
1 PLC ±.005
2 PLC ±"
3 PLC ±"
4 PLC ±"
ANGLES #2
FINISH

-

-

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
AWF/GRZYBOWSKI

CHK
E.HOWARD

APVD
M.PERCHEK

PRODUCT SPEC

APPLICATION SPEC

114-13018

WEIGHT

-

CUSTOMER DRAWING

30OCT2009

30OCT2009

NAME

CONNECTOR ASSEMBLY
STANDARD EDGE 11,
.100 CENTERLINE

SIZE

A1

CAGE CODE

00779

DRAWING NO

5530843

RESTRICTED TO

-

SCALE

4:1

SHEET

3

OF



4

REV

F8

TE Connectivity

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN AWF/GRZYBOWSKI	30OCT2009	TE Connectivity	
DIMENSIONS: INCHES		CHK E.HOWARD	-		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M.PERCHEK	30OCT2009	NAME CONNECTOR ASSEMBLY STANDARD EDGE II, .100 CENTERLINE	
0 PLC 1 PLC 2 PLC 3 PLC 4 PLC ANGLES FINISH		±" ±.005 ±" ±" ±" #2	PRODUCT SPEC 108-9039 APPLICATION SPEC 114-13018 WEIGHT -	SIZE A1	
MATERIAL -		CAGE CODE 00779		DRAWING NO 5530843	
CUSTOMER DRAWING		SCALE 4:1		SHEET 4 OF 4	
				REV F8	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru