

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0740572503

Status:

Active

Overview:

[vhdm](#)

Description:

2.00mm (.079") Pitch VHDM® Board-to-Board Backplane Header, Vertical, 6-Row, Open Signal Module, 150 Circuits, 25 Columns, Pin Length 4.25mm (.167"), 0.76µm (30µ") Gold (Au) Plating

Documents:

[3D Model](#)

[Drawing \(PDF\)](#)

[RoHS Certificate of Compliance \(PDF\)](#)

Agency Certification

UL

E29179

General

Product Family

Backplane Connectors

Series

[74057](#)

Application

Backplane

Application Tooling Documents

Tooling Manual

Comments

Open Header

Component Type

PCB Header

Overview

[vhdm](#)

Product Name

VHDM®

Style

N/A

Physical

Circuits (Loaded)

150

Circuits (maximum)

150

Color - Resin

Black

Durability (mating cycles max)

200

First Mate / Last Break

No

Flammability

94V-0

Guide to Mating Part

No

Keying to Mating Part

None

Material - Metal

Beryllium Copper, High Performance Alloy (HPA)

Material - Plating Mating

Gold

Material - Plating Termination

Tin-Lead

Material - Resin

High Temperature Thermoplastic

Number of Columns

N/A

Number of Pairs

Open Pin Field

Number of Rows

6

Orientation

Vertical

PC Tail Length (in)

0.098 In

PC Tail Length (mm)

2.50 mm

PCB Locator

No

PCB Retention

None

PCB Thickness Recommended (in)

0.071 In

PCB Thickness Recommended (mm)

1.80 mm

Packaging Type

Tube

Pitch - Mating Interface (in)

0.079 In

Pitch - Mating Interface (mm)

2.00 mm

Pitch - Term. Interface (in)

0.079 In

Pitch - Term. Interface (mm)

2.00 mm

Plating min: Mating (µin)

30

Plating min: Mating (µm)

0.75




image - Reference only

Series

EU RoHS

RoHS Compliant by Exemption

REACH SVHC

Contains SVHC: No

Halogen-Free

Status

Not Reviewed

China RoHS

Pb

Need more information on product environmental compliance?

Email productcompliance@molex.com

For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

74057Series

Mates With

[74030](#) VHDM® Board-to-Board Daughtercard Receptacle

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.




Global

Description	Product #
Flat Rock Tooling for Pneumatic Press	0622013700
VHDM® Signal Pin Inserter Repair Tool	0622015700
VHDM® 6 Row Pin and Shield Repair Tool	0622015800

Plating min: Termination (µin)	30	VHDM® 6 Row Shield Extraction Tool	0622016000
Plating min: Termination (µm)	0.75	VHDM® Insertion Module for Advanced Mate Signal Header, 6 Row by 25 Wide, 50.00mm (1.97")	0622020204
Polarized to PCB	Yes	VHDM® Insertion Module for Standard Shield Signal Header, 6 Row by 25 Wide, 50.00mm (1.97")	0622020208
Stackable	Yes		
Surface Mount Compatible (SMC)	Yes		
Temperature Range - Operating	105°C		
Termination Interface: Style	Through Hole - Compliant Pin		
Electrical			
Current - Maximum per Contact	1A		
Data Rate	3.125 Gbps		
Real Signals (per 25mm)	75		
Shield Type	Ground Plane Shield		
Shielded	Yes		
Voltage - Maximum	120V AC (RMS)/DC		
Material Info			
Reference - Drawing Numbers			
Packaging Specification	PK-74057-003		
Sales Drawing	SD-74057-002		
VHDM and Very High Density Metric are trademarks of Amphenol Corporation			

This document was generated on 05/19/2010



PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION




BACKPLANE HOLE PATTERN RECOMMENDED DIMENSIONS

NOTES:

1. MATERIALS:
HOUSING - LIQUID CRYSTAL POLYMER (LCP),
GLASS-FILLED, UL 94V-0, COLOR: BLACK
SIGNAL PIN & SHIELD - COPPER ALLOY
2. FINISHES:
CONTACT AREA: SELECTIVE GOLD (Au)
PCB TAILS: SELECTIVE TIN/LEAD (Sn/Pb)
OR SELECTIVE MATTE TIN (Sn)
NICKEL (Ni) OVERALL.
3. THIS PART CONFORMS TO MOLEX PRODUCT
SPECIFICATION PS-74031-999
4. FOR MIXED CONTACT LENGTHS CONSULT
MOLEX FOR AVAILABILITY
5. FOR SPECIFIC MATERIAL NUMBERS & MATING
INFORMATION REFER TO SHEET 2
6. PACKAGE PER PK-74057-003
7. EITHER MARK PART WITH PART NUMBER & DATE
CODE APPROXIMATELY WHERE SHOWN OR PLACE
LABEL ON THE TUBE.



ADDED 15 COLUMN EC NO: UCP2006-1491 DRWN: JONIAK 2006/01/19 CHKD: JONIAK 2006/01/19 APPR: CBIXLER 2006/01/23			QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 2.5:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
					mm	INCH	DRAWN BY	DATE	VHDM 6 ROW OPEN END BACKPLANE SALES ASSEMBLY MOLEX INCORPORATED		
				4 PLACES	± ---	± ---	MWANG	1998/11/09			
				3 PLACES	± ---	± ---	CHECKED BY	DATE			
				2 PLACES	± ---	± ---	JLAURX	1998/11/09			
1 PLACE		± ---	± ---	APPROVED BY	DATE	MOLEX INCORPORATED					
ANGULAR ±1/2°		CBIXLER		1998/11/09							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.			DOCUMENT NO.		SHEET NO.				
		SEE SHEET 3			SD-74057-002		1 OF 3				
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									



MATERIAL NUMBER ASSIGNMENT

74057-*** ** SEE TABLES (SHEET 3)

- NUMBER OF COLUMNS/PLATING
- 10 = 10 COLUMN TIN/LEAD
 - 15 = 15 COLUMN TIN/LEAD
 - 25 = 25 COLUMN TIN/LEAD
 - 90 = 10 COLUMN MATTE TIN
 - 95 = 15 COLUMN MATTE TIN
 - 85 = 25 COLUMN MATTE TIN

ADDED 15 COLUMN EC NO: UCP2006-1491 DRWN: JONIAK 2006/01/19 CHKD: JONIAK 2006/01/19 APPR: CBIXLER 2006/01/23 K	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	
				mm	INCH	DRAWN BY MWANG	DATE 1998/11/09	TITLE VHDM 6 ROW OPEN END BACKPLANE SALES ASSEMBLY		
			4 PLACES	± ---	± ---	CHECKED BY JLAURX	DATE 1998/11/09			
			3 PLACES	± ---	± ---	APPROVED BY CBIXLER	DATE 1998/11/09			
			2 PLACES	± ---	± ---	MATERIAL NO. SEE SHEET 3				DOCUMENT NO. SD-74057-002
			1 PLACE	± ---	± ---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				
			ANGULAR ±1/2°		MOLEX INCORPORATED					
					THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																													
F	<table><tr><th>PART NUMBER</th><th>COLUMN</th><th>NUMBER OF SIGNAL</th><th>OF PIN</th><th>NUMBER OF SHIELD</th><th>A</th><th>B</th><th>M</th><th>Au (um) THICKNESS</th></tr><tr><td>74057-1001</td><td rowspan="2">10</td><td rowspan="2">60</td><td rowspan="2">10</td><td rowspan="2">20.00</td><td rowspan="2">18.00</td><td rowspan="6">4.75</td><td rowspan="6"></td><td>0.76</td></tr><tr><td>74057-1006</td><td>1.27</td></tr><tr><td>74057-1501</td><td rowspan="2">15</td><td rowspan="2">90</td><td rowspan="2">15</td><td rowspan="2">30.00</td><td rowspan="2">28.00</td><td>0.76</td></tr><tr><td>74057-1506</td><td>1.27</td></tr><tr><td>74057-2501</td><td rowspan="2">25</td><td rowspan="2">150</td><td rowspan="2">25</td><td rowspan="2">50.00</td><td rowspan="2">48.00</td><td>0.76</td></tr><tr><td>74057-2501</td><td>1.27</td></tr><tr><td>74057-1002</td><td rowspan="2">10</td><td rowspan="2">60</td><td rowspan="2">10</td><td rowspan="2">20.00</td><td rowspan="2">18.00</td><td>0.76</td></tr><tr><td>74057-1007</td><td>1.27</td></tr><tr><td>74057-1502</td><td rowspan="2">15</td><td rowspan="2">90</td><td rowspan="2">15</td><td rowspan="2">30.00</td><td rowspan="2">28.00</td><td>0.76</td></tr><tr><td>74057-1507</td><td>1.27</td></tr><tr><td>74057-2502</td><td rowspan="2">25</td><td rowspan="2">150</td><td rowspan="2">25</td><td rowspan="2">50.00</td><td rowspan="2">48.00</td><td>0.76</td></tr><tr><td>74057-2507</td><td>1.27</td></tr><tr><td>74057-1003</td><td rowspan="2">10</td><td rowspan="2">60</td><td rowspan="2">10</td><td rowspan="2">20.00</td><td rowspan="2">18.00</td><td rowspan="6">4.25</td><td rowspan="6"></td><td>0.76</td></tr><tr><td>74057-1008</td><td>1.27</td></tr><tr><td>74057-1503</td><td rowspan="2">15</td><td rowspan="2">90</td><td rowspan="2">15</td><td rowspan="2">30.00</td><td rowspan="2">28.00</td><td>0.76</td></tr><tr><td>74057-1508</td><td>1.27</td></tr><tr><td>74057-2503</td><td rowspan="2">25</td><td rowspan="2">150</td><td rowspan="2">25</td><td rowspan="2">50.00</td><td rowspan="2">48.00</td><td>0.76</td></tr><tr><td>74057-2508</td><td>1.27</td></tr><tr><td>74057-1004</td><td rowspan="2">10</td><td rowspan="2">60</td><td rowspan="2">10</td><td rowspan="2">20.00</td><td rowspan="2">18.00</td><td rowspan="6">5.15</td><td rowspan="6"></td><td>0.76</td></tr><tr><td>74057-1009</td><td>1.27</td></tr><tr><td>74057-1504</td><td rowspan="2">15</td><td rowspan="2">90</td><td rowspan="2">15</td><td rowspan="2">30.00</td><td rowspan="2">28.00</td><td>0.76</td></tr><tr><td>74057-1509</td><td>1.27</td></tr><tr><td>74057-2504</td><td rowspan="2">25</td><td rowspan="2">150</td><td rowspan="2">25</td><td rowspan="2">50.00</td><td rowspan="2">48.00</td><td>0.76</td></tr><tr><td>74057-2509</td><td>1.27</td></tr></table>								PART NUMBER	COLUMN	NUMBER OF SIGNAL	OF PIN	NUMBER OF SHIELD	A	B	M	Au (um) THICKNESS	74057-1001	10	60	10	20.00	18.00	4.75		0.76	74057-1006	1.27	74057-1501	15	90	15	30.00	28.00	0.76	74057-1506	1.27	74057-2501	25	150	25	50.00	48.00	0.76	74057-2501	1.27	74057-1002	10	60	10	20.00	18.00	0.76	74057-1007	1.27	74057-1502	15	90	15	30.00	28.00	0.76	74057-1507	1.27	74057-2502	25	150	25	50.00	48.00	0.76	74057-2507	1.27	74057-1003	10	60	10	20.00	18.00	4.25		0.76	74057-1008	1.27	74057-1503	15	90	15	30.00	28.00	0.76	74057-1508	1.27	74057-2503	25	150	25	50.00	48.00	0.76	74057-2508	1.27	74057-1004	10	60	10	20.00	18.00	5.15		0.76	74057-1009	1.27	74057-1504	15	90	15	30.00	28.00	0.76	74057-1509	1.27	74057-2504	25	150	25	50.00	48.00	0.76	74057-2509	1.27	<table><tr><th>PART NUMBER</th><th>COLUMN</th><th>NUMBER OF SIGNAL</th><th>OF PIN</th><th>NUMBER OF SHIELD</th><th>A</th><th>B</th><th>M</th><th>Au (um) THICKNESS</th></tr><tr><td>74057-9001</td><td rowspan="2">10</td><td rowspan="2">60</td><td rowspan="2">10</td><td rowspan="2">20.00</td><td rowspan="2">18.00</td><td rowspan="6">4.75</td><td rowspan="6"></td><td>0.76</td></tr><tr><td>74057-9006</td><td>1.27</td></tr><tr><td>74057-9501</td><td rowspan="2">15</td><td rowspan="2">90</td><td rowspan="2">15</td><td rowspan="2">30.00</td><td rowspan="2">28.00</td><td>0.76</td></tr><tr><td>74057-9506</td><td>1.27</td></tr><tr><td>74057-8501</td><td rowspan="2">25</td><td rowspan="2">150</td><td rowspan="2">25</td><td rowspan="2">50.00</td><td rowspan="2">48.00</td><td>0.76</td></tr><tr><td>74057-8501</td><td>1.27</td></tr><tr><td>74057-9002</td><td rowspan="2">10</td><td rowspan="2">60</td><td rowspan="2">10</td><td rowspan="2">20.00</td><td rowspan="2">18.00</td><td>0.76</td></tr><tr><td>74057-9007</td><td>1.27</td></tr><tr><td>74057-9502</td><td rowspan="2">15</td><td rowspan="2">90</td><td rowspan="2">15</td><td rowspan="2">30.00</td><td rowspan="2">28.00</td><td>0.76</td></tr><tr><td>74057-9507</td><td>1.27</td></tr><tr><td>74057-8502</td><td rowspan="2">25</td><td rowspan="2">150</td><td rowspan="2">25</td><td rowspan="2">50.00</td><td rowspan="2">48.00</td><td>0.76</td></tr><tr><td>74057-8507</td><td>1.27</td></tr><tr><td>74057-9003</td><td rowspan="2">10</td><td rowspan="2">60</td><td rowspan="2">10</td><td rowspan="2">20.00</td><td rowspan="2">18.00</td><td rowspan="6">4.25</td><td rowspan="6"></td><td>0.76</td></tr><tr><td>74057-9008</td><td>1.27</td></tr><tr><td>74057-9503</td><td rowspan="2">15</td><td rowspan="2">90</td><td rowspan="2">15</td><td rowspan="2">30.00</td><td rowspan="2">28.00</td><td>0.76</td></tr><tr><td>74057-9508</td><td>1.27</td></tr><tr><td>74057-8503</td><td rowspan="2">25</td><td rowspan="2">150</td><td rowspan="2">25</td><td rowspan="2">50.00</td><td rowspan="2">48.00</td><td>0.76</td></tr><tr><td>74057-8508</td><td>1.27</td></tr><tr><td>74057-9004</td><td rowspan="2">10</td><td rowspan="2">60</td><td rowspan="2">10</td><td rowspan="2">20.00</td><td rowspan="2">18.00</td><td rowspan="6">5.15</td><td rowspan="6"></td><td>0.76</td></tr><tr><td>74057-9009</td><td>1.27</td></tr><tr><td>74057-9504</td><td rowspan="2">15</td><td rowspan="2">90</td><td rowspan="2">15</td><td rowspan="2">30.00</td><td rowspan="2">28.00</td><td>0.76</td></tr><tr><td>74057-9509</td><td>1.27</td></tr><tr><td>74057-8504</td><td rowspan="2">25</td><td rowspan="2">150</td><td rowspan="2">25</td><td rowspan="2">50.00</td><td rowspan="2">48.00</td><td>0.76</td></tr><tr><td>74057-8509</td><td>1.27</td></tr></table>								PART NUMBER	COLUMN	NUMBER OF SIGNAL	OF PIN	NUMBER OF SHIELD	A	B	M	Au (um) THICKNESS	74057-9001	10	60	10	20.00	18.00	4.75		0.76	74057-9006	1.27	74057-9501	15	90	15	30.00	28.00	0.76	74057-9506	1.27	74057-8501	25	150	25	50.00	48.00	0.76	74057-8501	1.27	74057-9002	10	60	10	20.00	18.00	0.76	74057-9007	1.27	74057-9502	15	90	15	30.00	28.00	0.76	74057-9507	1.27	74057-8502	25	150	25	50.00	48.00	0.76	74057-8507	1.27	74057-9003	10	60	10	20.00	18.00	4.25		0.76	74057-9008	1.27	74057-9503	15	90	15	30.00	28.00	0.76	74057-9508	1.27	74057-8503	25	150	25	50.00	48.00	0.76	74057-8508	1.27	74057-9004	10	60	10	20.00	18.00	5.15		0.76	74057-9009	1.27	74057-9504	15	90	15	30.00	28.00	0.76	74057-9509	1.27	74057-8504	25	150	25	50.00	48.00	0.76	74057-8509	1.27	
PART NUMBER	COLUMN	NUMBER OF SIGNAL	OF PIN	NUMBER OF SHIELD	A	B	M	Au (um) THICKNESS																																																																																																																																																																																																																																																															
74057-1001	10	60	10	20.00	18.00	4.75		0.76																																																																																																																																																																																																																																																															
74057-1006								1.27																																																																																																																																																																																																																																																															
74057-1501	15	90	15	30.00	28.00			0.76																																																																																																																																																																																																																																																															
74057-1506								1.27																																																																																																																																																																																																																																																															
74057-2501	25	150	25	50.00	48.00			0.76																																																																																																																																																																																																																																																															
74057-2501								1.27																																																																																																																																																																																																																																																															
74057-1002	10	60	10	20.00	18.00	0.76																																																																																																																																																																																																																																																																	
74057-1007						1.27																																																																																																																																																																																																																																																																	
74057-1502	15	90	15	30.00	28.00	0.76																																																																																																																																																																																																																																																																	
74057-1507						1.27																																																																																																																																																																																																																																																																	
74057-2502	25	150	25	50.00	48.00	0.76																																																																																																																																																																																																																																																																	
74057-2507						1.27																																																																																																																																																																																																																																																																	
74057-1003	10	60	10	20.00	18.00	4.25		0.76																																																																																																																																																																																																																																																															
74057-1008								1.27																																																																																																																																																																																																																																																															
74057-1503	15	90	15	30.00	28.00			0.76																																																																																																																																																																																																																																																															
74057-1508								1.27																																																																																																																																																																																																																																																															
74057-2503	25	150	25	50.00	48.00			0.76																																																																																																																																																																																																																																																															
74057-2508								1.27																																																																																																																																																																																																																																																															
74057-1004	10	60	10	20.00	18.00	5.15		0.76																																																																																																																																																																																																																																																															
74057-1009								1.27																																																																																																																																																																																																																																																															
74057-1504	15	90	15	30.00	28.00			0.76																																																																																																																																																																																																																																																															
74057-1509								1.27																																																																																																																																																																																																																																																															
74057-2504	25	150	25	50.00	48.00			0.76																																																																																																																																																																																																																																																															
74057-2509								1.27																																																																																																																																																																																																																																																															
PART NUMBER	COLUMN	NUMBER OF SIGNAL	OF PIN	NUMBER OF SHIELD	A	B	M	Au (um) THICKNESS																																																																																																																																																																																																																																																															
74057-9001	10	60	10	20.00	18.00	4.75		0.76																																																																																																																																																																																																																																																															
74057-9006								1.27																																																																																																																																																																																																																																																															
74057-9501	15	90	15	30.00	28.00			0.76																																																																																																																																																																																																																																																															
74057-9506								1.27																																																																																																																																																																																																																																																															
74057-8501	25	150	25	50.00	48.00			0.76																																																																																																																																																																																																																																																															
74057-8501								1.27																																																																																																																																																																																																																																																															
74057-9002	10	60	10	20.00	18.00	0.76																																																																																																																																																																																																																																																																	
74057-9007						1.27																																																																																																																																																																																																																																																																	
74057-9502	15	90	15	30.00	28.00	0.76																																																																																																																																																																																																																																																																	
74057-9507						1.27																																																																																																																																																																																																																																																																	
74057-8502	25	150	25	50.00	48.00	0.76																																																																																																																																																																																																																																																																	
74057-8507						1.27																																																																																																																																																																																																																																																																	
74057-9003	10	60	10	20.00	18.00	4.25		0.76																																																																																																																																																																																																																																																															
74057-9008								1.27																																																																																																																																																																																																																																																															
74057-9503	15	90	15	30.00	28.00			0.76																																																																																																																																																																																																																																																															
74057-9508								1.27																																																																																																																																																																																																																																																															
74057-8503	25	150	25	50.00	48.00			0.76																																																																																																																																																																																																																																																															
74057-8508								1.27																																																																																																																																																																																																																																																															
74057-9004	10	60	10	20.00	18.00	5.15		0.76																																																																																																																																																																																																																																																															
74057-9009								1.27																																																																																																																																																																																																																																																															
74057-9504	15	90	15	30.00	28.00			0.76																																																																																																																																																																																																																																																															
74057-9509								1.27																																																																																																																																																																																																																																																															
74057-8504	25	150	25	50.00	48.00			0.76																																																																																																																																																																																																																																																															
74057-8509								1.27																																																																																																																																																																																																																																																															
E											E																																																																																																																																																																																																																																																												
D											D																																																																																																																																																																																																																																																												
C											C																																																																																																																																																																																																																																																												
B	TIN/LEAD CHART					LEAD FREE CHART						B																																																																																																																																																																																																																																																											
A	<table><tr><td rowspan="10">ADDED 15 COLUMN EC NO: UCP2006-1491 DRWN: JONI AK 2006/01/19 CHKD: JONI AK 2006/01/19 APPR: CBI XLER 2006/01/23 REV</td><td rowspan="10">QUALITY SYMBOLS ▽=0 ▽=0</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE ---</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td rowspan="4">4 PLACES 3 PLACES 2 PLACES 1 PLACE</td><td rowspan="4">± --- ± --- ± --- ± ---</td><td rowspan="4">mm INCH</td><td rowspan="4">± --- ± --- ± --- ± ---</td><td rowspan="4">DRAWN BY J JONI AK CHECKED BY J JONI AK APPROVED BY J JONI AK</td><td rowspan="4">DATE 2006/01/10 2006/01/10 2006/01/10</td><td rowspan="4">TITLE VHDM 6 ROW OPEN END BACKPLANE SALES ASSEMBLY</td><td rowspan="4">MOLEX MOLEX INCORPORATED</td><td rowspan="4">SHEET NO. 3 OF 3</td></tr><tr><td colspan="2">ANGULAR ±1/2°</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE CHARTS</td><td colspan="2">SD-74057-002</td></tr><tr><td colspan="2">MATERIAL NO.</td><td colspan="2">DOCUMENT NO.</td></tr><tr><td colspan="2">SIZE B</td><td colspan="7">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>											ADDED 15 COLUMN EC NO: UCP2006-1491 DRWN: JONI AK 2006/01/19 CHKD: JONI AK 2006/01/19 APPR: CBI XLER 2006/01/23 REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		4 PLACES 3 PLACES 2 PLACES 1 PLACE	± --- ± --- ± --- ± ---	mm INCH	± --- ± --- ± --- ± ---	DRAWN BY J JONI AK CHECKED BY J JONI AK APPROVED BY J JONI AK	DATE 2006/01/10 2006/01/10 2006/01/10	TITLE VHDM 6 ROW OPEN END BACKPLANE SALES ASSEMBLY	MOLEX MOLEX INCORPORATED	SHEET NO. 3 OF 3	ANGULAR ±1/2°		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHARTS		SD-74057-002		MATERIAL NO.		DOCUMENT NO.		SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																										
ADDED 15 COLUMN EC NO: UCP2006-1491 DRWN: JONI AK 2006/01/19 CHKD: JONI AK 2006/01/19 APPR: CBI XLER 2006/01/23 REV	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																																																																																																																																																																																																															
		4 PLACES 3 PLACES 2 PLACES 1 PLACE	± --- ± --- ± --- ± ---	mm INCH	± --- ± --- ± --- ± ---	DRAWN BY J JONI AK CHECKED BY J JONI AK APPROVED BY J JONI AK	DATE 2006/01/10 2006/01/10 2006/01/10	TITLE VHDM 6 ROW OPEN END BACKPLANE SALES ASSEMBLY	MOLEX MOLEX INCORPORATED	SHEET NO. 3 OF 3																																																																																																																																																																																																																																																													
											ANGULAR ±1/2°																																																																																																																																																																																																																																																												
											DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE CHARTS		SD-74057-002																																																																																																																																																																																																																																																							
											MATERIAL NO.			DOCUMENT NO.																																																																																																																																																																																																																																																									
		SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																																																																			
			10	9	8	7	6	5	4	3	2			1																																																																																																																																																																																																																																																									

ADDED 15 COLUMN

EC NO: UCP2006-1491

DRWN: JJONIAK 2006/01/19

CHKD: JJONIAK 2006/01/19

APPR: CBI XLER 2006/01/23

REV

QUALITY SYMBOLS

▽=0

▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± ---	± ---
1 PLACE	± ---	± ---
ANGULAR ±1/2°		

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE
MM ONLY

DRAWN BY	DATE
JJONIAK	2006/01/10
CHECKED BY	DATE
JJONIAK	2006/01/10
APPROVED BY	DATE
JJONIAK	2006/01/10

MATERIAL NO.

SEE CHARTS

SIZE
B

SCALE

DESIGN UNITS
METRIC

THIRD ANGLE
PROJECTION

VHDM 6 ROW
OPEN END BACKPLANE
SALES ASSEMBLY

MOLEX INCORPORATED

DOCUMENT NO.
SD-74057-002

SHEET NO.
3 OF 3

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru