


D

C

B


A



TYPE 1: LOW CONSTRUCTION, SIDE ENTRY  
WITH STEEL LOCKING

NOTES:  
1. TECHNICAL CHARACTERISTICS:  
HOOD MATERIAL: DIE CAST ALUMINIUM ALLOY  
SURFACE: POWDER COATED, GREY  
OPERATION TEMPERATURE: -40-+125°C  
DEGREE OF PROTECTION: IP65 (MATED)

注释:  
1. 技术参数:  
上壳材料: 铝合金  
表面处理: 粉末涂层, 灰色  
工作温度: -40-+125°C  
防护等级: IP65(配合)



TYPE 2: LOW CONSTRUCTION, TOP ENTRY  
WITH STEEL LOCKING  
OTHER SPEC REFER TO TYPE 1

|                 |        |               |      |      |
|-----------------|--------|---------------|------|------|
| T1250102116-000 | TYPE 1 | H10B-TSB-PG16 | PG16 | -    |
| T1250102120-000 |        | H10B-TSB-M20  | M20  | -    |
| T1250102125-000 |        | H10B-TSB-M25  | M25  | -    |
| T1260102116-000 | TYPE 2 | H10B-TGB-PG16 | -    | PG16 |
| T1260102120-000 |        | H10B-TGB-M20  | -    | M20  |
| T1260102121-000 |        | H10B-TGB-PG21 | -    | PG21 |
| T1260102125-000 |        | H10B-TGB-M25  | -    | M25  |
| PART NUMBER     | TYPE   | DESCRIPTION   | IG1  | IG2  |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

24JUN2015

David Wang

CHK

24JUN2015

Chris Wang

APVD

24JUN2015

Xiang Xu

PRODUCT SPEC

108-137013

APPLICATION SPEC

114-137013

WEIGHT

-

Customer Drawing

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±-

2 PLC ±-

3 PLC ±-

4 PLC ±-

ANGLES ±-

FINISH

-

-

TE Connectivity

NAME

H10B-TSB/TGB/TSBH/TGBH-M/PG

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A200779

C

T12X01021XX000

-

SCALE

1:1

SHEET

1

OF

2

REV

A

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|-----|-------------|------|-----|------|
|   | -   | SEE SHEET 1 | -    | -   | -    |
|   |     |             |      |     |      |
|   |     |             |      |     |      |
|   |     |             |      |     |      |

72

45

43

(56)

NOTES:  
SEE SHEET 1

73

(101)

IG4

STE

4X M3  
THREAD

27

57

IG3

STE

TYPE 3: HIGH CONSTRUCTION, SIDE ENTRY  
WITH STEEL LOCKING

TYPE 4: HIGH CONSTRUCTION, TOP ENTRY  
WITH STEEL LOCKING  
OTHER SPEC REFER TO TYPE 3

|                 |        |                |      |      |
|-----------------|--------|----------------|------|------|
| T1270102121-000 | TYPE 3 | H10B-TSBH-PG21 | PG21 | -    |
| T1270102125-000 |        | H10B-TSBH-M25  | M25  | -    |
| T1270102129-000 |        | H10B-TSBH-PG29 | PG29 | -    |
| T1270102132-000 |        | H10B-TSBH-M32  | M32  | -    |
| T1270102140-000 |        | H10B-TSBH-M40  | M40  | -    |
| T1280102121-000 | TYPE 4 | H10B-TGBH-PG21 | -    | PG21 |
| T1280102125-000 |        | H10B-TGBH-M25  | -    | M25  |
| T1280102129-000 |        | H10B-TGBH-PG29 | -    | PG29 |
| T1280102132-000 |        | H10B-TGBH-M32  | -    | M32  |
| PART NUMBER     | TYPE   | DESCRIPTION    | IG3  | IG4  |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN 24JUN2015  
David Wang

CHK 24JUN2015  
Chris Wang

APVD 24JUN2015  
Xiang Xu

PRODUCT SPEC

108-137013

APPLICATION SPEC

114-137013

WEIGHT

-

Customer Drawing

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±-

2 PLC ±-

3 PLC ±-

4 PLC ±-

ANGLES ±-

FINISH

-

-

STE

TE Connectivity

NAME H10B-TSB/TGB/TSBH/TGBH-M/PG

SIZE CAGE CODE DRAWING NO

A200779C-T12X01021XX000

RESTRICTED TO

-

SCALE 1:1

SHEET 2 OF 2

REV A

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)

[www.lifeelectronics.ru](http://www.lifeelectronics.ru)