GE SERIES HIGH PERFORMANCE IEC CONNECTOR FILTERS

INTRODUCTIONS

1. A high performance general purpose filter with an IEC connector providing effective EMI suppression.
2. Bleeder resistor can be added with suffix "-R" on part numbers, except "G3H","G3V","W3V","G3J","W3J",types.
3. All part numbers are UL recognized, CAS certified and VDE approved.
4. With optional Y-Cap from 100pF to 3300pF.

SPECIFICATIONS


1. Maximum leakage current each
   line-to-ground @ 115VAC 60Hz: 0.25mA
   @ 250VAC 50Hz: 0.45mA
2. Hipot rating (one minute)
   line-to-ground: 2250VDC
   line-to-line: 1450VDC
3. Operating frequency: 50/60Hz
4. Rated voltage: 115/250VAC

COMPONENTS

PART NO.	Cx (uF)	L (mH)	Cy (pF)	R (Ω)
01GEEG3E/W3E/-R	0.1	6.5	2200	1M
01GEEG3H/G3V/W3V		3	3300	–
01GEEG3S/-R		10.5	2200	1M
03GEEG3E/W3E/W3ES/-R		2.5		
03GEEG3U/-R				
• **03GEEW3ES/-R**				
03GEEG3H/G3V/W3V			3300	–
03GEEG3S/-R		4	2200	1M
• **03GEEG3Q/W3Q-R**				
03GEEW3J		2.4		–
03GEHG3J				
06GEEG3E/W3E/W3ES/-R		0.8		1M
06GEEG3U/-R				
06GEEG3H/G3V/W3V			3300	–
06GEEG3S/-R		1.05	2200	1M
•• **06GEEG3Q/W3Q-R**		1.5		
••• **10GEEG3C/W3C/-R**		0.4		
10GEEG3E/W3E/W3ES/-R		0.2		
10GEEG3S/-R				
* **10GEEG3Q/W3Q/-R**		0.3		
10GEEG3U/-R				
** **15GEEG3E/W3E/-R**		0.2		
*** **20GEEG3E/W3E/-R**		0.3		

• UL, CSA approved to 4A 115/250V
•• UL, CSA approved to 8A 115/250V
••• VDE approved to 8A/250V
* UL, CSA approved to 13A 115/250V
** VDE approved to 10A/250V
*** VDE approved to 16A/250V


ELECTRICAL SCHEMATIC




R : 1MΩ /-R ONLY

INSERTION LOSS (TYPICAL)

03GEEG3E ----- COMMON MODE ------- DIFF. MODE
06GEEG3E -.-.- COMMON MODE ——— DIFF. MODE




20GEEG3E ····· COMMON MODE ····· DIFF. MODE



MINIMUM INSERTION LOSS IN dB

COMMON MODE (L-G) IN 50 OHM SYSTEM						
CURRENT RATING	FREQUENCY-MHz					
	.15	.50	1.0	5.0	10	30
1A(E)(S)	28	35	38	38	40	40
1A(H)	26	36	44	54	55	55
1A(G3V)	24	35	42	50	55	55
1A(W3V)	24	35	42	50	55	55
3A(E)(S)(Q)	20	25	30	38	40	40
3A(H)	24	30	38	50	55	40
3A(G3J,W3J)	20	25	30	38	40	40
3A(G3V)(W3V)	20	29	36	48	46	50
6A(E)(S)	12	18	24	35	40	40
6A(H)	15	25	28	35	45	45
6A(Q)	15	20	24	35	40	55
6A(G3V)(W3V)	14	23	30	42	45	50
10A(E)(S)	4	10	13	28	35	40
10A(C)	10	15	15	25	30	35
10A(Q)	10	12	15	30	32	45
15A(E)	4	10	13	28	35	40
20A	8	10	15	25	30	35



ASSEMBLY FROM FRONT


MECHANICAL CONSTRUCTION




EG3E, EG3Q (Optional soldering lug or wire type)



EG3S




EG3U (With Compact Size)




EG3V





EW3V




SUGGESTED MOUNTING CUTOUT
(MOUNTING FROM FRONT)








SUGGESTED MOUNTING CUTOUT
(MOUNTING FROM BEHIND)



SUGGESTED MOUNTING CUTOUT
(SAME AS ABOVE)

WIRE LENGTH : 4.0" MIN.

UNIT: INCH / mm





ASSEMBLY FROM FRONT

MECHANICAL CONSTRUCTION





EW3J






SUGGESTED MOUNTING CUTOUT
(MOUNTING FROM FRONT)









EW3ES




SUGGESTED MOUNTING CUTOUT



HG3J







SUGGESTED MOUNTING CUTOUT
(MOUNTING FROM BEHIND)



20GEEG3E (Optional wire type)



WIRE LENGTH : 4.0" MIN.



SUGGESTED MOUNTING CUTOUT
(MOUNTING FROM REVERSE)

UNIT: INCH / mm

LifeElectronics
Живое партнерство

ООО «ЛайфЭлектроникс» **“LifeElectronics” LLC**

ИНН 7805602321 КПП 780501001 Р/С 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 30101810900000000703 БИК 044030703

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- *Конкурентоспособные цены и скидки постоянным клиентам.*
- *Специальные условия для постоянных клиентов.*
- *Подбор аналогов.*
- *Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.*

- *Приемлемые сроки поставки, возможна ускоренная поставка.*
- *Доставку товара в любую точку России и стран СНГ.*
- *Комплексную поставку.*
- *Работу по проектам и поставку образцов.*
- *Формирование склада под заказчика.*

- *Сертификаты соответствия на поставляемую продукцию (по желанию клиента).*
- *Тестирование поставляемой продукции.*
- *Поставку компонентов, требующих военную и космическую приемку.*
- *Входной контроль качества.*
- *Наличие сертификата ISO.*

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- *Регистрацию проекта у производителя компонентов.*
- *Техническую поддержку проекта.*
- *Защиту от снятия компонента с производства.*
- *Оценку стоимости проекта по компонентам.*
- *Изготовление тестовой платы монтаж и пусконаладочные работы.*

Тел: +7 (812) 336 43 04 (многоканальный)
Email: org@lifeelectronics.ru

www.lifeelectronics.ru