






LOC	DIST	REVISIONS					
AD	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			2	ADDED -2 TO BOM	26SEP2011	RG	JE
			A	RELEASED	24FEB2012	BC	DY
			A1	REV PER ECO-13-004688	14MAR2013	BC	DD





- 1 MATERIAL:
HOUSING: LCP, GLASS FILLED, UL94V-0.
TERMINALS: HIGH PERFORMANCE COPPER ALLOY.
- 2 FINISH:
30μ" MIN GOLD IN CONTACT AREA. SELECTIVE TIN
ON PCB TAILS, NICKEL OVERALL.
- 3 FINISH:
30μ" MIN GOLD IN CONTACT AREA. SELECTIVE TIN-LEAD
ON PCB TAILS, NICKEL OVERALL.
4. SCREWS PACKAGED IN END OF PACKAGING TUBE.
- 5 FOR GROUNDED GUIDE PIN USE Ø3.56±0.08 PTH,
Ø3.66 DRILL, AND Ø6.5 PAD.



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. K. SHOBER 26SEPT2011	TE Connectivity	
DIMENSIONS:		CHK J. EABY 26SEPT2011		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD J. EABY 26SEPT2011	NAME IMPACT, 2 PAIR, 10 COLUMN, HEADER	
	0 PLC ±	PRODUCT SPEC	LEFT GUIDED, OPEN END WALL	
	1 PLC ±0.25	APPLICATION SPEC	SELECT LOAD, SIGNAL MODULE, 0.39 PTH	
MATERIAL	2 PLC ±0.13	SIZE CAGE CODE DRAWING NO	A100779C=2180311	
	3 PLC ±	WEIGHT	CUSTOMER DRAWING	
	4 PLC ±	SCALE 6:1	SHEET 1 OF 2	
ANGLES	FINISH SEE TABLE	REV A1		

LOC	DIST	REVISIONS					
AD	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	SEE SHEET 1		-	-	-

2180311-1											
PART NUMBER										FINISH	
CONTACT LAYOUT											
A = 4.5mm (DIM M)											
B = 4.9mm (DIM M)											
C = 5.5mm (DIM M)											
COLUMNS											
	1	2	3	4	5	6	7	8	9	10	
GUIDE PIN 	A	C	C	C	C	C	C	C	C	C	
	B	C	C	C	C	C	C	C	C	C	
	C	C	C	C	C	C	C	C	C	C	
	D	C	C	C	C	C	C	C	C	C	
	E	C	C	C	C	C	C	C	C	C	
	F	A	C	C	C	C	C	C	C	C	C

2180311-2											
PART NUMBER										FINISH	
COLUMNS											
	1	2	3	4	5	6	7	8	9	10	
GUIDE PIN 	A	C	C	C	C	C	C	C	C	C	
	B	C	C	C	C	C	C	C	C	C	
	C	C	C	C	C	C	C	C	C	C	
	D	C	C	C	C	C	C	C	C	C	
	E	C	C	C	C	C	A	C	C	C	
	F	C	C	C	C	C	C	C	C	C	C

REFER TO WWW.TE.COM
FOR PRODUCT AVAILABILITY

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	J. K. SHOBER	26SEPT2011	 TE Connectivity		
		CHK	J. EABY	26SEPT2011			
DIMENSIONS:	mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	J. EABY	26SEPT2011	
		0 PLC ±.25		NAME			
		1 PLC ±0.25		PRODUCT SPEC			
		2 PLC ±0.13		APPLICATION SPEC			
MATERIAL	-	3 PLC ±.		SIZE			
		4 PLC ±.		CAGE CODE			
		ANGLES		DRAWING NO			
		FINISH		RESTRICTED TO			
		SEE TABLE		A100779C=2180311			
		-		CUSTOMER DRAWING			
				SCALE			
				5:1			
				SHEET			
				2			
				OF			
				2			
				REV			
				A1			

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru