


B-CD-503-02

- STUD SIZES: ($\alpha=0.05$)

WIRE SIZE: 16-14 AWG
1.0-2.5 MM²



ALL DIMENSIONS = $\frac{\text{INCHES}}{\text{MM}}$
(MWID) = DENOTES MAXIMUM WIRE INSULATION DIAMETER

PART NUMBER	"W" ±.010	"C" MIN.	"L" MAX.	AVAILABLE STUD SIZES
B - 507 -	$\frac{.245}{6.22}$	$\frac{.209}{5.31}$	$\frac{.930}{23.62}$	04, 06
B - 524 -	$\frac{.295}{7.49}$	$\frac{.211}{5.36}$	$\frac{.927}{23.55}$	04, 06, 08
B - 527 -	$\frac{.362}{9.19}$	$\frac{.269}{6.83}$	$\frac{1.062}{26.97}$	06, 08, 10

DIMENSIONAL TOLERANCES UNLESS OTHERWISE SPECIFIED				REFERENCE	SCALE:	NTS	DATE	TITLE:
FRAC.	DEC.	ANG.		REV A 02/10/30 Rev 1/6/98	DRWN. BY: KJ		11-12-84	SPADE TONGUE TERMINAL AVIKRIMP 500-SERIES
±	±	±			CHKD. BY: GZ		12-4-84	
					APPRD. BY:			

DWG. NO.	A	CUSTOMER DWG
-------------	---	-----------------




ETCmolex
INCORPORATED


ETC
INCORPORATED
molex

DWG. NO.	A	CUSTOMER DWG
-------------	----------	-----------------

	10		9		8		7		6		5	
	MATERIAL NUMBER	ALTERNATE NUMBER	STUD SIZE	"S" ±.005/(0.13)	"W" ±.010/(0.25)	"C"	"L"	PACKAGING				
F	191960024	B-507-04	4	.119/(3.02)	.245/(6.22)	.209/(5.31)	.930/(23.62)	LOOSE PIECE				
	191960026	B-507-06	6	.146/(3.71)	.245/(6.22)	.209/(5.31)	.930/(23.62)					
	191960030	B-524-04	4	.119/(3.02)	.295/(7.49)	.211/(5.36)	.927/(23.55)					
	191960032	B-524-06	6	.146/(3.71)	.295/(7.49)	.211/(5.36)	.927/(23.55)					
	191960034	B-524-08	8	.173/(4.39)	.295/(7.49)	.211/(5.36)	.927/(23.55)					
E	191960037	B-527-06	6	.146/(3.71)	.362/(9.19)	.269/(6.83)	1.062/(26.97)	TAPE MOUNTED				
	191960039	B-527-08	8	.173/(4.39)	.388/(9.85)	.269/(6.83)	1.062/(26.97)					
	191960041	B-527-10	10	.198/(5.03)	.388/(9.85)	.269/(6.83)	1.062/(26.97)					
	191960025	B-507-04T	4	.119/(3.02)	.245/(6.22)	.209/(5.31)	.930/(23.62)					
	191960028	B-507-06T	6	.146/(3.71)	.245/(6.22)	.209/(5.31)	.930/(23.62)					
D	191960031	B-524-04T	4	.119/(3.02)	.295/(7.49)	.211/(5.36)	.927/(23.55)					
	191960033	B-524-06T	6	.146/(3.71)	.295/(7.49)	.211/(5.36)	.927/(23.55)					
	191960036	B-524-08T	8	.173/(4.39)	.295/(7.49)	.211/(5.36)	.927/(23.55)					
	191960038	B-527-06T	6	.146/(3.71)	.362/(9.19)	.269/(6.83)	1.062/(26.97)					
	191960040	B-527-08T	8	.173/(4.39)	.388/(9.85)	.269/(6.83)	1.062/(26.97)					
	191960043	B-527-10T	10	.198/(5.03)	.388/(9.85)	.269/(6.83)	1.062/(26.97)					






PARTS ON TAPE



NOTES:

1. MATERIAL: COPPER .031/ (.79) THICK.
2. PLATING: ELECTRO-TIN.
3. INSULATION: MOLDED NYLON (BLUE)
4. TIN-PLATED BRASS FUNNEL FERRULE.
5. ALL DIMENSIONS IN INCHES/(MM).
6. MWID=MAXIMUM WIRE INSULATION DIAMETER.

DIMENSIONS SHOWN (METRIC) INCH			REVISE ONLY ON CAD SYSTEM																															
UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ± 1/2°			TITLE SPADE TONGUE TERMINAL 16-14 AWG AVIKRIMP, 500-SERIES																															
<table><tr><td></td><td>INCH</td><td>METRIC</td></tr><tr><td>3 PLACE</td><td>± .005</td><td>± ---</td></tr><tr><td>2 PLACE</td><td>± .01</td><td>± 0.13</td></tr><tr><td>1 PLACE</td><td>± ---</td><td>± 0.25</td></tr></table>				INCH	METRIC	3 PLACE	± .005	± ---	2 PLACE	± .01	± 0.13	1 PLACE	± ---	± 0.25	<table><tr><td colspan="2"> INC. PINELLAS PARK, FLA. 33781 U.S.A.</td><td>SHEET NO. 1 OF 1</td><td colspan="2">DATE 99/11/12</td></tr><tr><td colspan="2">PART NO. SEE TABLE</td><td colspan="3">DRWG. NO. SD-19196-001</td></tr><tr><td>FILE NAME 19196001 DGN</td><td colspan="3">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX-ETC INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.</td><td>DIV. ET</td><td>SIZE B</td></tr></table>				 INC. PINELLAS PARK, FLA. 33781 U.S.A.		SHEET NO. 1 OF 1	DATE 99/11/12		PART NO. SEE TABLE		DRWG. NO. SD-19196-001			FILE NAME 19196001 DGN	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX-ETC INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.			DIV. ET	SIZE B
	INCH	METRIC																																
3 PLACE	± .005	± ---																																
2 PLACE	± .01	± 0.13																																
1 PLACE	± ---	± 0.25																																
 INC. PINELLAS PARK, FLA. 33781 U.S.A.		SHEET NO. 1 OF 1	DATE 99/11/12																															
PART NO. SEE TABLE		DRWG. NO. SD-19196-001																																
FILE NAME 19196001 DGN	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX-ETC INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.			DIV. ET	SIZE B																													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																																		
DRWG. BY	HEB	CHK'D. BY	RWD																															
APP'D. BY	RWD	SCALE	4: 1																															

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru