



Quality Products. Service Excellence.

20 Amp Horizontal Rackmount Outlet Strip 1589-RF-RR Series

Front or Rear Mounted Receptacles

Features

- Designed for power distribution from front or rear of the unit.
- 1U horizontal 19" rackmount installation.
- Available with on/off switch or red pilot light to indicate power on.
- Available in black powder coat finish.



Specifications

- Heavy duty 12 gauge wire cord - 12/3 SJT type for extreme temperature ranges and integral molded plug.
- Heavy-duty black receptacles rated for 20A, 125VAC service (NEMA 5-20R, Single T-Slot).
- Plug types available are NEMA 5-20P straight blade or NEMA L5-20P locking type.
- Includes 20 Amp, 125 VAC circuit breaker to prevent accidental overload.
- CSA certified, Standards C22.2 (No. 21-95 and No. 42-99)
- UL/cUL recognized Standard UL1363 file No. E166039 & CSA C22.2 No. 308-14



Accessories

- Mounting Hardware
- Rail Depth Adapter Kit



| On/Off Switch Part No. | Illuminated Light Only Part No. | Overall Dimensions | | | Number of Outlets | | NEMA Type | | Plug Blade Type | Cord Length | Rack Units |
|---------------------------|---------------------------------------|--------------------|-------|-------|-------------------|------|-----------|--------|-----------------------|----------------|---------------|
| | | Height | Width | Depth | Front | Rear | Outlet | Plug | | | |
| 1589H6C1BKRF | 1589T6C1BKRF | 1.72 | 19.00 | 2.66 | 6 | 0 | 5-20R | L5-20P | Locking | 6 ft | 1U |
| 1589H6D1BKRF | 1589T6D1BKRF | 1.72 | 19.00 | 2.66 | 6 | 0 | 5-20R | L5-20P | Locking | 15 ft | 1U |
| 1589H6F1BKRF | 1589T6F1BKRF | 1.72 | 19.00 | 2.66 | 6 | 0 | 5-20R | 5-20P | Straight | 6 ft | 1U |
| 1589H6G1BKRF | 1589T6G1BKRF | 1.72 | 19.00 | 2.66 | 6 | 0 | 5-20R | 5-20P | Straight | 15 ft | 1U |
| 1589H8C1BKRF | 1589T8C1BKRF | 1.72 | 19.00 | 2.66 | 8 | 0 | 5-20R | L5-20P | Locking | 6 ft | 1U |
| 1589H8D1BKRF | 1589T8D1BKRF | 1.72 | 19.00 | 2.66 | 8 | 0 | 5-20R | L5-20P | Locking | 15 ft | 1U |
| 1589H8F1BKRF | 1589T8F1BKRF | 1.72 | 19.00 | 2.66 | 8 | 0 | 5-20R | 5-20P | Straight | 6 ft | 1U |

| On/Off Switch Part No. | Illuminated Light Only Part No. | Overall Dimensions | | | Number of Outlets | | NEMA Type | | Plug Blade Type | Cord Length | Rack Units |
|---------------------------|---------------------------------------|--------------------|-------|-------|-------------------|------|-----------|--------|-----------------------|----------------|---------------|
| | | Height | Width | Depth | Front | Rear | Outlet | Plug | | | |
| 1589H8G1BKRF | 1589T8G1BKRF | 1.72 | 19.00 | 2.66 | 8 | 0 | 5-20R | 5-20P | Straight | 15 ft | 1U |
| 1589H6C1BKRR | 1589T6C1BKRR | 1.72 | 19.00 | 2.66 | 0 | 6 | 5-20R | L5-20P | Locking | 6 ft | 1U |
| 1589H6D1BKRR | 1589T6D1BKRR | 1.72 | 19.00 | 2.66 | 0 | 6 | 5-20R | L5-20P | Locking | 15 ft | 1U |
| 1589H6F1BKRR | 1589T6F1BKRR | 1.72 | 19.00 | 2.66 | 0 | 6 | 5-20R | 5-20P | Straight | 6 ft | 1U |
| 1589H6G1BKRR | 1589T6G1BKRR | 1.72 | 19.00 | 2.66 | 0 | 6 | 5-20R | 5-20P | Straight | 15 ft | 1U |
| 1589H8C1BKRR | 1589T8C1BKRR | 1.72 | 19.00 | 2.66 | 0 | 8 | 5-20R | L5-20P | Locking | 6 ft | 1U |
| 1589H8D1BKRR | 1589T8D1BKRR | 1.72 | 19.00 | 2.66 | 0 | 8 | 5-20R | L5-20P | Locking | 15 ft | 1U |
| 1589H8F1BKRR | 1589T8F1BKRR | 1.72 | 19.00 | 2.66 | 0 | 8 | 5-20R | 5-20P | Straight | 6 ft | 1U |
| 1589H8G1BKRR | 1589T8G1BKRR | 1.72 | 19.00 | 2.66 | 0 | 8 | 5-20R | 5-20P | Straight | 15 ft | 1U |

Data subject to change without notice

© 2020. Hammond Manufacturing Ltd. All rights reserved.

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru