


THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.



**NOTES, UNLESS OTHERWISE SPECIFIED:**

**FULLY AUTOMATIC PUMP SPECIFICATIONS**

**MOTOR:**

Type: Commutator  
 RPM: 1200  
 Voltage: AC 120V  
 Frequency: 50/60 Hz  
 Current: 6.5A  
 Horsepower: 1/2

**PUMP:**

Low Pressure: 20kg/cm<sup>2</sup> (300 psi)  
 Delivery: 2.6 Liters/Min.  
 High Pressure: 600 Kg/cm<sup>2</sup> (10,000 psi)  
 Delivery: .32 Liters/Min.  
 Oil Tank Cap.: 2 Liters  
 Weight: 15 kg (33 lbs.)  
 Fluid Type: Shell Tellus S2V15 Hydraulic Oil  
 Housing Color: Orange

**SEE SHEET 2 FOR FEATURES**

F:\wrkgrp\rvusers\ENGR DOCS\CUST DWGS\TP24507A01\_02 CT-901HP CD.doc

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN	<b>CT-901HP HYDRAULIC PUMP</b>				
							CUSTOMER DRAWING				
							ITEM REVISION NAME:			<b>PANDUIT</b>	
							<b>TP24507A01_02</b>				
							UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE:			MATERIAL:	
							(.x) ± --- (.xxx) ± ---			NONE	
							(.xx) ± --- ANGLES ± ---				
							<b>THIRD ANGLE PROJECTION</b>			DRAWING NUMBER: TP24507A01	
		DRAWN BY:	DATE:	CHK	SCALE	SHT 1 OF 2	SIZE				
		BLR	8-03-07	BJPU	NONE		<b>A</b>				
---	-----	----	----	----	UPD PHOTO, UPD BRANDING AND DWG.	----					
02	5-23-13	BLR	<i>[Signature]</i>	<i>[Signature]</i>	TEMPLATE; CHNG TO SHELL TELLUS S2V15 OIL	4609					
01	8-03-07	BLR	BJPU	ABJ	REDRAWN	4255					

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

**NOTE: Used with separate crimping head, hydraulic pump and hose**


- Crimps with CT-930CH, CT-940CH, and CT-980CH remote crimping heads:
  - CT-930CH – Accepts up to 750MCM Copper (600MCM Aluminum) lugs (400MCM Copper and Aluminum splices). Also specific C-Taps and H-Taps.
  - CT-940CH – Accepts up to 1500MCM Copper (1000MCM Aluminum) lugs and splices. Also specific C-Taps and H-Taps.
  - CT-980CH – Accepts 4 AWG to 750MCM Copper and Aluminum lugs and splices.
  
- CT-900HPH pre-filled hydraulic 10 foot hose

**FEATURES:**

- Manual Control
- Remote pump control
- Pressure adjustment 300 to 10,000 psi
- Visual fluid level
- External air vent and filler port
- Heavy gauge steel protective cover
- Two stage pumping action
- Automatic bypass when predetermined pressure is reached – pump shuts off automatically
- Built-in electrical solenoid switch to allow quick release of any cutter or crimper
- Small, compact, portable unit with carrying handle – standard 3/8” connection

**SEE SHEET 1 FOR TOOL SPECIFICATIONS**

F:\wrkgrp\rvusers\ENGR DOCS\CUST DWGS\TP24507A01\_02 CT-901HP CD.doc

						<b>CT-901HP HYDRAULIC PUMP</b>						
						CUSTOMER DRAWING						
						ITEM REVISION NAME: <b>TP24507A01_02</b>			<b>PANDUIT</b>			
						UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: (.x) ± ---      (.xxx) ± --- (.xx) ± ---      ANGLES ± ---			MATERIAL:  <b>NONE</b>			
						 <b>THIRD ANGLE PROJECTION</b>			DRAWING NUMBER: <b>TP24507A01</b>			
02	5-22-13	----	----	----	SEE SHEET 1	----	DRAWN BY: BLR	DATE: 8-03-07	CHK BJPU	SCALE NONE	SHT 2 OF 2	SIZE <b>A</b>
REV	DATE	BY	CHK	APR	DESCRIPTION	ECN	DRAWN BY:	DATE:	CHK	SCALE	SHT	SIZE

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)  
Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)