





Amphenol
FCI

© 2016 APCI


spec ref		-		dr		Leborn Luo		2017/09/22		projection		MM		size		A2		scale		4:1			
tolerance std		ISO 406		eng		Leborn Luo		2017/10/11						ecn no		-		rel level		Released			
ISO 1101		TOLERANCES UNLESS OTHERWISE SPECIFIED		chr		Kaka Zhang		2017/10/11														appr	
surface		-		linear		0.X		±0.50		Amphenol FCI		title		HPCE R/A REC		dwg no		10145584		rev		A	
ISO 1302				0.XX		±0.25		26LP16S OMITTED 10LP															
		angular		0°		±2°		cat. no.															



RECOMMENDED MATING BOARD
FOOTPRINT

spec ref		-		dr		Leborn Luo		2017/09/22		projection				MM		size		A2		scale		4:1	
tolerance std		ISO 406		eng		Leborn Luo		2017/10/11		chr		Kaka Zhang		2017/10/11		ecn no		-		rel level		Released	
ISO 1101		TOLERANCES UNLESS OTHERWISE SPECIFIED		appr		Pei-Ming Zheng		2017/10/11		product family		-		-		-		-		-		-	
surface		linear		0.X		±0.50		Amphenol FCI		title		HPCE R/A REC		dwg no		10145584		rev		A			
ISO 1302		0.XX		±0.25		26LP16S OMITTED IOLP		cat. no.		-		Product - Customer Drw		sheet 3 of 4									
		0.XXX		±0.10																			
		angular		0°		±2°																	

HPCE PART NUMBER (TABLE 2)				
PART NUMBER	TAIL TYPE	HOLD-DOWN OPTION	ORIENTATION KEY	DIM "T" TYPICAL TAIL LENGTH
10145584-001LF	SOLDER TAIL	YES	YES	2.60±0.25
10145584-002LF			NO	
10145584-003LF		NO	YES	
10145584-004LF			NO	
10145584-005LF	SOLDER TAIL	YES	YES	3.25±0.25
10145584-006LF			NO	
10145584-007LF		NO	YES	
10145584-008LF			NO	



NOTES:

- ① PRODUCT MARK:
PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE .
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
2. MATERIALS:
-HOUSING : HIGH TEMPERATURE THERMOPLASTIC WITH GLASS FIBER, UL94V-0, BLACK.
-CONTACT : COPPER ALLOY.
3. CONTACT FINISH REF: GS-12-604 SECTION 5.2.
- ④ DENOTES CONNECTOR KEEP OUT ZONE.
- ⑤ ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- ⑥ MOUNTING HOLES ARE UNPLATED
Ø2.18 +/- 0.03 FOR SOLDER TAILS
7. THE HOUSING WILL WITHSTAND EXPOSURE TO 245°C PEAK TEMPERATURE FOR 10 SECONDS
IN A WAVE SOLDER APPLICATION .
8. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY
REGULATIONS AS DESCRIBED IN GS-47-0004.
9. PRODUCT SPECIFICATION : GS-12-604.
APPLICATION SPECIFICATION : GS-20-128.
PACKAGING SPECIFICATION: GS-14-937.

spec ref -				dr Leborn Luo		2017/09/22		projection		MM		size A2		scale 4:1	
tolerance std				eng Leborn Luo		2017/10/11						ecn no -			
ISO 406 ISO 1101				TOLERANCES UNLESS OTHERWISE SPECIFIED		2017/10/11						rel level Released			
				chr Kaka Zhang		2017/10/11		product family -							
				appr Pei-Ming Zheng		2017/10/11									
surface ISO 1302				linear		0.X ±0.50 0.XX ±0.25 0.XXX ±0.10		Amphenol FCI		title HPCE R/A REC 26LPI6S OMITTED 10LP		dwg no 10145584		rev A	
				angular		0° ±2°									
								cat. no. -		Product - Customer Drw				sheet 4 of 4	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru