








# Panel cutting




Connector pitches on panel = 35 mm  
Receptacle mating face according to  
IEC 61076-3-106 - variant 04  
A, B, C jack references according to  
IEC 60603-7

Screwing by x4 M3 screws with torque 0,5 N.m  
with flat washer under the screw


|       |             |      |                               | Dat.      | Name |  |                                                                             |                            |
|-------|-------------|------|-------------------------------|-----------|------|--|-----------------------------------------------------------------------------|----------------------------|
| 33812 | 23/oct/06   | JFB  | Detail.                       | 19/dec/05 | JFB  |  | Push-pull RJ Industrial<br>Easy install IP 67 receptacle<br>for other jacks | Maßstab/<br>Scale<br>1,5:1 |
| 33468 | 27/April/06 | JFB  | Insp.                         |           |      |  |                                                                             |                            |
| 33447 | 24/march/06 | JFB  | Stand.                        |           |      |  |                                                                             |                            |
| 33405 | 20/dec/05   | BD   | HARTING EURL<br>F-95972 Paris |           |      |  | TB 09 45 545 0030                                                           | Blatt/ Page<br>1           |
| 33289 | 19/dec/05   | BD   |                               |           |      |  |                                                                             |                            |
| Mod.  | Dat.        | Name |                               |           |      |  | Sub.                                                                        |                            |



|       |           |      |                               |          |      |                                                                                                                               |                                                                                                                                   |                            |
|-------|-----------|------|-------------------------------|----------|------|-------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|----------------------------|
|       |           |      |                               | Dat.     | Name | <br>All Dim. in mm<br>Orig. Size DIN A 4 | Push-Pull RJ industrial<br>Easy install IP 67 receptacle<br>With position dimensions of<br>Harting SMD jack<br>P/N 09 45 551 1100 | Maßstab/<br>Scale<br>1,5/1 |
|       |           |      | Detail.                       | 10/05/06 | JFB  |                                                                                                                               |                                                                                                                                   |                            |
|       |           |      | Insp.                         |          |      |                                                                                                                               |                                                                                                                                   |                            |
|       |           |      | Stand.                        |          |      |                                                                                                                               |                                                                                                                                   |                            |
| 33812 | 23/oct/06 | JFB  | HARTING EURL<br>F-95972 Paris |          |      |                                          | TB 09 45 545 0030                                                                                                                 | Blatt/ Page<br>2           |
| 33468 | 10/may/06 | JFB  |                               |          |      |                                                                                                                               |                                                                                                                                   |                            |
| Mod.  | Dat.      | Name |                               |          |      |                                                                                                                               | Sub.                                                                                                                              |                            |



## Panel cutting




Connector pitches on panel = 35 mm  
Receptacle mating face according to  
IEC 61076-3-106 - variant 04

Jack B Ref according to IEC 60603-7


Position dimensions for  
Harting right angle jack.  
PCB layout see TB 0945 551 1102.  
Screwing by x4 M3 screws with torque 0,5 N.m  
with flat washer under the screw

Panel thickness 0.8 to 10 mm

|       |           |      |                               |          |      |                                                                                                                               |                                                                                                                                           |                                |                  |  |  |
|-------|-----------|------|-------------------------------|----------|------|-------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|------------------|--|--|
|       |           |      |                               | Dat.     | Name | <br>All Dim. in mm<br>Orig. Size DIN A 4 | Push-Pull RJ industrial<br>Easy install IP 67 receptacle<br>With position dimensions<br>of Harting right angle jack<br>P/N 09 45 551 1102 | Maßstab/<br>Scale<br><br>1,5/1 |                  |  |  |
|       |           |      | Detail.                       | 21/04/06 | JFB  |                                                                                                                               |                                                                                                                                           |                                |                  |  |  |
|       |           |      | Insp.                         |          |      |                                                                                                                               |                                                                                                                                           |                                |                  |  |  |
|       |           |      | Stand.                        |          |      |                                                                                                                               |                                                                                                                                           |                                |                  |  |  |
| 33812 | 23/oct/06 | JFB  | HARTING EURL<br>F-95972 Paris |          |      |                                                                                                                               |                                                      | TB 09 45 545 0030              | Blatt/ Page<br>3 |  |  |
| 33468 | 27/apr/06 | JFB  |                               |          |      |                                                                                                                               |                                                                                                                                           |                                |                  |  |  |
| Mod.  | Dat.      | Name |                               |          |      |                                                                                                                               |                                                                                                                                           |                                |                  |  |  |



Screwing by x4 M3 screws with torque 0,5 N.m  
with flat washer under the screw



|       |          |      |                               |          |      |                                                                                                                               |                                                                                        |                                |                   |
|-------|----------|------|-------------------------------|----------|------|-------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|--------------------------------|-------------------|
|       |          |      |                               | Dat.     | Name | <br>All Dim. in mm<br>Orig. Size DIN A 3 | Push-pull RJ Industrial<br>Easy install IP 67 receptacle<br>for vertical modular jack. | Maßstab/<br>Scale<br><br>1,5:1 |                   |
|       |          |      | Detail.                       | 29/No/07 | JFB  |                                                                                                                               |                                                                                        |                                |                   |
|       |          |      | Insp.                         |          |      |                                                                                                                               |                                                                                        |                                |                   |
|       |          |      | Stand.                        |          |      |                                                                                                                               |                                                                                        |                                |                   |
|       |          |      | HARTING EURL<br>F-95972 Paris |          |      |                                                                                                                               |   | TB 09 45 545 0030              | Blatt/Page<br>4 / |
| 34780 | 29/No/07 | JFB  |                               |          |      |                                                                                                                               |                                                                                        |                                |                   |
| Mod.  | Dat.     | Name |                               |          |      |                                                                                                                               |                                                                                        |                                |                   |

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)

[www.lifeelectronics.ru](http://www.lifeelectronics.ru)