




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.


| LOC | | DIST | | REVISIONS | | | |
|-----|-----|-------------|---------------------------|-----------|-----|------|--|
| P | LTR | DESCRIPTION | | DATE | DWN | APVD | |
| AD | 00 | W | REVISED PER ECO-12-008030 | 31JUL12 | KH | MM | |



$.025 \pm .001$ TYP
 $\phi .015 \text{ (M)}$ TYP AT POST TIPS



SECTION X-X



$B \pm .003$
 $.100 \pm .003$ TYP TOLERANCE NON-CUMULATIVE

$\phi .035 \pm .003$ TYP

RECOMMENDED HOLE LAYOUT FOR MANUAL INSERTION

- 1 STANDOFFS: UP TO 9 POS-(2 REQD) ON THE OUTSIDE ENDS OF THE HOUSING 10 TO 19 POS-(3 REQD) TWO ON THE OUTSIDE ENDS AND ONE CENTERED ON THE HOUSING. 19 POS AND LARGER-(4 REQD) TWO ON THE OUTSIDE ENDS AND TWO SPACED EVENLY WITHIN THE REMAINING LENGTH OF THE HOUSING.
- 2 POINT OF MEASUREMENT FOR PLATING THICKNESS.
- 3 FOR 3 POS (3--4 & 3--9 ONLY) ONE SLOT, .215 WIDE.
- 4 INDICATED PARTS ARE PACKAGED IN "GANG-OF-TUBES".
- 5 RECESSED DATE CODE
- 6 INDICATED PARTS ARE PACKAGED IN "SINGLE TUBES".
- 7 .000015 GOLD ON THE CONTACT AREA, .000100-.000200 MATTE TIN-LEAD ON THE SOLDER TAIL, ALL OVER .000050 NICKEL.
- 8 .000015 GOLD ON THE CONTACT AREA, .000100-.000200 MATTE TIN ON THE SOLDER TAIL, ALL OVER .000050 NICKEL.
- 9 PRELIMINARY PART
- 10 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

| | | | | | | | |
|---|--|--|-----------|--|-----------|------------|---------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN | 11JUN85 | TE TE Connectivity | | | |
| | | CHK | 11JUN85 | | | | |
| DIMENSIONS: INCHES | | TOLERANCES UNLESS OTHERWISE SPECIFIED: | | NAME ASSEMBLY, MOD II, HEADER, SINGLE ROW .100 C/L, RIGHT ANGLE, WITH .025 SQ POST | | | |
| | | 0 PLC | ± - | | | | |
| | | 1 PLC | ± - | | | | |
| | | 2 PLC | ± - | | | | |
| | | 3 PLC | ± .005 | | | | |
| MATERIAL: RETARDANT THERMOPLASTIC, COLOR-BLACK, POSTS-PHOS BRONZE | | FINISH | SEE TABLE | SIZE | CAGE CODE | DRAWING NO | RESTRICTED TO |
| | | WEIGHT | - | A2 | 00779 | C=102203 | - |
| | | CUSTOMER DRAWING | | SCALE | 4:1 | SHEET | 1 of 2 |
| | | | | REV | W | | |

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

| LOC | | DIST | | REVISIONS | | | | |
|-----|-----|-------------|--|-----------|------|-----|------|--|
| P | LTR | DESCRIPTION | | | DATE | DWN | APVD | |
| - | - | SEE SHEET 1 | | | - | - | - | |

| | | | | | | | | | |
|--------------------------|----|----------|-------|-------|------|------|------------|------------|------------|
| 9 | 8 | 1.720 | 1.640 | 1.500 | 15 | 16 | 4-102203-0 | | |
| SUPERSEDED BY 8-102203-4 | | 8 | .420 | .340 | .200 | 2 | 3 | 3-102203-9 | |
| 9 | 8 | 1.020 | .940 | .800 | 8 | 9 | 3-102203-8 | | |
| SUPERSEDED BY 5-102203-1 | | 8 | .520 | .440 | .300 | 3 | 4 | 3-102203-7 | |
| 6 | 10 | OBSOLETE | 7 | .820 | .740 | .600 | 6 | 7 | 3-102203-6 |
| SUPERSEDED BY 103361-8 | | 7 | 1.120 | 1.040 | .900 | 9 | 4 | 10 | 3-102203-5 |

| | | | | | | | |
|---------|-------|-------|-------|----|-----------|----------------------|-------------|
| 8 | .820 | .740 | .600 | 6 | 7 | 8-102203-6 | OBSOLETE |
| 8 | .420 | .340 | .200 | 2 | 3 | 8-102203-4 | |
| 8 | 2.620 | 2.540 | 2.400 | 24 | 25 | 7-102203-2 | OBSOLETE 10 |
| 8 | 2.520 | 2.440 | 2.300 | 23 | 24 | 7-102203-1 | OBSOLETE 10 |
| 8 | 2.420 | 2.340 | 2.200 | 22 | 23 | 7-102203-0 | OBSOLETE 10 |
| 8 | 2.320 | 2.240 | 2.100 | 21 | 22 | 6-102203-9 | |
| 8 | 2.220 | 2.140 | 2.000 | 20 | 21 | 6-102203-8 | OBSOLETE 10 |
| 8 | 2.120 | 2.040 | 1.900 | 19 | 20 | 6-102203-7 | |
| 8 | 2.020 | 1.940 | 1.800 | 18 | 19 | 6-102203-6 | OBSOLETE 10 |
| 8 | 1.920 | 1.840 | 1.700 | 17 | 18 | 6-102203-5 | |
| 8 | 1.820 | 1.740 | 1.600 | 16 | 17 | 6-102203-4 | OBSOLETE 10 |
| 8 | 1.720 | 1.640 | 1.500 | 15 | 16 | 6-102203-3 | |
| 8 | 1.620 | 1.540 | 1.400 | 14 | 15 | 6-102203-2 | |
| 8 | 1.520 | 1.440 | 1.300 | 13 | 14 | 6-102203-1 | |
| 8 | 1.420 | 1.340 | 1.200 | 12 | 13 | 6-102203-0 | |
| 8 | 1.320 | 1.240 | 1.100 | 11 | 12 | 5-102203-9 | |
| 8 | 1.220 | 1.140 | 1.000 | 10 | 11 | 5-102203-8 | |
| 8 | 1.120 | 1.040 | .900 | 9 | 10 | 5-102203-7 | |
| 8 | 1.020 | .940 | .800 | 8 | 9 | 5-102203-6 | OBSOLETE 10 |
| 8 | .920 | .840 | .700 | 7 | 8 | 5-102203-5 | |
| 8 | .820 | .740 | .600 | 6 | 7 | 5-102203-4 | |
| 8 | .720 | .640 | .500 | 5 | 6 | 5-102203-3 | |
| 8 | .620 | .540 | .400 | 4 | 5 | 5-102203-2 | |
| 8 | .520 | .440 | .300 | 3 | 4 | 5-102203-1 | |
| PLATING | D | C | B | A | NO OF POS | ASSEMBLY PART NUMBER | |

| | | | | | | | |
|--------|-------|-------|-------|----|-----------|----------------------|--|
| 7 | .420 | .340 | .200 | 2 | 3 | 3-102203-4 | |
| 7 | 3.720 | 3.640 | 3.500 | 35 | 36 | 3-102203-3 | |
| 7 | 3.620 | 3.540 | 3.400 | 34 | 35 | 3-102203-2 | |
| 7 | 3.520 | 3.440 | 3.300 | 33 | 34 | 3-102203-1 | |
| 7 | 3.420 | 3.340 | 3.200 | 32 | 33 | 3-102203-0 | |
| 7 | 3.320 | 3.240 | 3.100 | 31 | 32 | 2-102203-9 | |
| 7 | 3.220 | 3.140 | 3.000 | 30 | 31 | 2-102203-8 | |
| 7 | 3.120 | 3.040 | 2.900 | 29 | 30 | 2-102203-7 | |
| 7 | 3.020 | 2.940 | 2.800 | 28 | 29 | 2-102203-6 | |
| 7 | 2.920 | 2.840 | 2.700 | 27 | 28 | 2-102203-5 | |
| 7 | 2.820 | 2.740 | 2.600 | 26 | 27 | 2-102203-4 | |
| 7 | 2.720 | 2.640 | 2.500 | 25 | 26 | 2-102203-3 | |
| 10 | 2.620 | 2.540 | 2.400 | 24 | 25 | 2-102203-2 | |
| 7 | 2.520 | 2.440 | 2.300 | 23 | 24 | 2-102203-1 | |
| 10 | 2.420 | 2.340 | 2.200 | 22 | 23 | 2-102203-0 | |
| 7 | 2.320 | 2.240 | 2.100 | 21 | 22 | 1-102203-9 | |
| 10 | 2.220 | 2.140 | 2.000 | 20 | 21 | 1-102203-8 | |
| 7 | 2.120 | 2.040 | 1.900 | 19 | 20 | 1-102203-7 | |
| 10 | 2.020 | 1.940 | 1.800 | 18 | 19 | 1-102203-6 | |
| 7 | 1.920 | 1.840 | 1.700 | 17 | 18 | 1-102203-5 | |
| 10 | 1.820 | 1.740 | 1.600 | 16 | 17 | 1-102203-4 | |
| 7 | 1.720 | 1.640 | 1.500 | 15 | 16 | 1-102203-3 | |
| 7 | 1.620 | 1.540 | 1.400 | 14 | 15 | 1-102203-2 | |
| 7 | 1.520 | 1.440 | 1.300 | 13 | 14 | 1-102203-1 | |
| 7 | 1.420 | 1.340 | 1.200 | 12 | 13 | 1-102203-0 | |
| 7 | 1.320 | 1.240 | 1.100 | 11 | 12 | 102203-9 | |
| 7 | 1.220 | 1.140 | 1.000 | 10 | 11 | 102203-8 | |
| 7 | 1.120 | 1.040 | .900 | 9 | 10 | 102203-7 | |
| 7 | 1.020 | .940 | .800 | 8 | 9 | 102203-6 | |
| 7 | .920 | .840 | .700 | 7 | 8 | 102203-5 | |
| 7 | .820 | .740 | .600 | 6 | 7 | 102203-4 | |
| 7 | .720 | .640 | .500 | 5 | 6 | 102203-3 | |
| 7 | .620 | .540 | .400 | 4 | 5 | 102203-2 | |
| 7 | .520 | .440 | .300 | 3 | 4 | 102203-1 | |
| FINISH | D | C | B | A | NO OF POS | ASSEMBLY PART NUMBER | |

THIS DRAWING IS A CONTROLLED DOCUMENT.

| | | |
|------------------|----------|---------|
| DWN | D.RINGLY | 11JUN85 |
| CHK | D.DUPLER | 11JUN85 |
| APVD | - | - |
| PRODUCT SPEC | - | |
| APPLICATION SPEC | - | |
| WEIGHT | - | - |
| CUSTOMER DRAWING | - | |

STE TE Connectivity

ASSEMBLY, MOD II, HEADER, SINGLE ROW
 .100 C/L, RIGHT ANGLE, WITH .025 SQ POST

SIZE: A2 CAGE CODE: 00779 DRAWING NO: C=102203 RESTRICTED TO: -

SCALE: 1:1 SHEET: 2 OF 2 REV: W

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru