

Marker carriers - PAB-SK 15 - 1013287

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)

Marker carriers, transparent, Unlabeled, Mounting type: Adhesive, Lettering field: 15 x 4 mm



Product Features

- These carrier materials can be fitted, e.g., with UC-WMT ... and EMT ...
- Powerful adhesion and optimum grip on standard device surfaces
- Self-adhesive marker carriers for marking devices and components

Key commercial data

Packing unit	1 PCE
Minimum order quantity	500 PCE
GTIN	 4 017918 013691
Weight per Piece (excluding packing)	0.35 GRM
Custom tariff number	39269097
Country of origin	Italy

Technical data

Dimensions

Length (b)	15 mm
Width (a)	9 mm

Ambient conditions

Ambient temperature (operation)	-40 °C ... 60 °C
---------------------------------	------------------

General

Color	transparent
Components	Silicone-free
Inflammability class according to UL 94	V0
Material	PVC

Marker carriers - PAB-SK 15 - 1013287

Classifications

eCl@ss

eCl@ss 4.0	24190218
eCl@ss 4.1	24190218
eCl@ss 5.0	27141137
eCl@ss 5.1	27141137
eCl@ss 6.0	27141137
eCl@ss 7.0	27141137
eCl@ss 8.0	27141137

ETIM

ETIM 2.0	EC000761
ETIM 3.0	EC000761
ETIM 4.0	EC000761
ETIM 5.0	EC000761

UNSPSC

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410
UNSPSC 11	39121410
UNSPSC 12.01	39121410
UNSPSC 13.2	39121410

Accessories

Accessories

Conductor marking

Cable marker - UC-WMT (15X4) - 0819398



Cable marker, Sheet, white, Unlabeled, Can be labeled with: BLUEMARK CLED, BLUEMARK LED, Plotter, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Cable marker - UC-WMT (15X4) YE - 0819408



Cable marker, Sheet, yellow, Unlabeled, Can be labeled with: BLUEMARK CLED, BLUEMARK LED, Plotter, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Marker carriers - PAB-SK 15 - 1013287

Accessories

Cable marker - UC-WMT (15X4) BU - 0821030



Cable marker, Sheet, blue, Unlabeled, Can be labeled with: BLUEMARK CLED, BLUEMARK LED, Plotter, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Cable marker - UC-WMT (15X4) RD - 0821043



Cable marker, Sheet, red, Unlabeled, Can be labeled with: BLUEMARK CLED, BLUEMARK LED, Plotter, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Cable marker - UC-WMT (15X4) OG - 0824037



Cable marker, Sheet, orange, Unlabeled, Can be labeled with: BLUEMARK CLED, BLUEMARK LED, Plotter, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Cable marker - UC-WMT (15X4) GN - 0824040



Cable marker, Sheet, green, Unlabeled, Can be labeled with: BLUEMARK CLED, BLUEMARK LED, Plotter, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Cable marker - UC-WMT (15X4) VT - 0825361



Cable marker, Sheet, violet, Unlabeled, Can be labeled with: BLUEMARK CLED, BLUEMARK LED, Plotter, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Marker carriers - PAB-SK 15 - 1013287

Accessories

Cable marker - UC-WMT (15X4) BN - 0829475



Cable marker, Sheet, brown, Unlabeled, Can be labeled with: BLUEMARK CLED, BLUEMARK LED, Plotter, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Conductor marking - UCT-WMT (15X4) - 0801446




Conductor marking, Sheet, white, Unlabeled, Can be labeled with: THERMOMARK CARD PLUS, THERMOMARK CARD, BLUEMARK CLED, BLUEMARK LED, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Conductor marking - UCT-WMT (15X4) YE - 0801447



Conductor marking, Sheet, yellow, Unlabeled, Can be labeled with: THERMOMARK CARD PLUS, THERMOMARK CARD, BLUEMARK CLED, BLUEMARK LED, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Conductor marking - UCT-WMT (15X4) RD - 0801448



Conductor marking, Sheet, red, Unlabeled, Can be labeled with: THERMOMARK CARD PLUS, THERMOMARK CARD, BLUEMARK CLED, BLUEMARK LED, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Conductor marking - UCT-WMT (15X4) OG - 0801449



Conductor marking, Sheet, orange, Unlabeled, Can be labeled with: THERMOMARK CARD PLUS, THERMOMARK CARD, BLUEMARK CLED, BLUEMARK LED, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Marker carriers - PAB-SK 15 - 1013287

Accessories

Conductor marking - UCT-WMT (15X4) GN - 0801450



Conductor marking, Sheet, green, Unlabeled, Can be labeled with: THERMOMARK CARD PLUS, THERMOMARK CARD, BLUEMARK CLED, BLUEMARK LED, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Conductor marking - UCT-WMT (15X4) VT - 0801451



Conductor marking, Sheet, violet, Unlabeled, Can be labeled with: THERMOMARK CARD PLUS, THERMOMARK CARD, BLUEMARK CLED, BLUEMARK LED, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Conductor marking - UCT-WMT (15X4) BU - 0801452



Conductor marking, Sheet, blue, Unlabeled, Can be labeled with: THERMOMARK CARD PLUS, THERMOMARK CARD, BLUEMARK CLED, BLUEMARK LED, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Insert label - EMT (15X4)R - 0817329



Insert label, Roll, white, Unlabeled, Can be labeled with: THERMOMARK ROLL, THERMOMARK X, THERMOMARK S1.1, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Insert label - EMT (15X4)R RD - 0816249



Insert label, Roll, red, Unlabeled, Can be labeled with: THERMOMARK ROLL, THERMOMARK X, THERMOMARK S1.1, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Marker carriers - PAB-SK 15 - 1013287

Accessories

Insert label - EMT (15X4)R BU - 0817332



Insert label, Roll, blue, Unlabeled, Can be labeled with: THERMOMARK ROLL, THERMOMARK X, THERMOMARK S1.1, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Insert label - EMT (15X4)R YE - 0817358



Insert label, Roll, yellow, Unlabeled, Can be labeled with: THERMOMARK ROLL, THERMOMARK X, THERMOMARK S1.1, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Labeled conductor marker

Cable marker - UC-WMT (15X4) CUS - 0824812



Cable marker, Can be ordered: By sheet, white, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Cable marker - UC-WMT (15X4) YE CUS - 0824815



Cable marker, Can be ordered: By sheet, yellow, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Cable marker - UC-WMT (15X4) BU CUS - 0824813




Cable marker, Can be ordered: By sheet, blue, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Marker carriers - PAB-SK 15 - 1013287


Accessories

Cable marker - UC-WMT (15X4) RD CUS - 0824814



Cable marker, Can be ordered: By sheet, red, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Cable marker - UC-WMT (15X4) OG CUS - 0824821



Cable marker, Can be ordered: By sheet, orange, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Cable marker - UC-WMT (15X4) GN CUS - 0824820



Cable marker, Can be ordered: By sheet, green, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Cable marker - UC-WMT (15X4) VT CUS - 0826791



Cable marker, Can be ordered: By sheet, violet, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Cable marker - UC-WMT (15X4) BN CUS - 0829478



Cable marker, Can be ordered: By sheet, brown, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Marker carriers - PAB-SK 15 - 1013287

Accessories

Conductor marking - UCT-WMT (15X4) CUS - 0801530




Conductor marking, Can be ordered: By sheet, white, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Conductor marking - UCT-WMT (15X4) YE CUS - 0801531



Conductor marking, Can be ordered: By sheet, yellow, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Conductor marking - UCT-WMT (15X4) RD CUS - 0801533



Conductor marking, Can be ordered: By sheet, red, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Conductor marking - UCT-WMT (15X4) OG CUS - 0801534



Conductor marking, Can be ordered: By sheet, orange, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Conductor marking - UCT-WMT (15X4) GN CUS - 0801535



Conductor marking, Can be ordered: By sheet, green, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Marker carriers - PAB-SK 15 - 1013287


Accessories

Conductor marking - UCT-WMT (15X4) VT CUS - 0801536



Conductor marking, Can be ordered: By sheet, violet, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Conductor marking - UCT-WMT (15X4) BU CUS - 0801537



Conductor marking, Can be ordered: By sheet, blue, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Insert label - EMT (15X4)R CUS - 0824375



Insert label, Can be ordered: By line, white, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Insert label - EMT (15X4)R BU CUS - 0824376



Insert label, Can be ordered: By line, blue, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Insert label - EMT (15X4)R RD CUS - 0824377



Insert label, Can be ordered: By line, red, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Marker carriers - PAB-SK 15 - 1013287

Accessories

Insert label - EMT (15X4)R YE CUS - 0824378



Insert label, Can be ordered: By line, yellow, Labeled according to customer specifications, Mounting type: Insert, Cable diameter: 0.6-50 mm, Lettering field: 15 x 4 mm

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru