








- | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|---|------------|------------------------|---------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.
DIMENSIONING AND TOLERANCING
PER ASME Y14.5M-2019 | | | | | | DWG
M_SHIRK
24FEB2012 | |  | | TE Connectivity | |
| DIMENSIONS:
mm | | | | | | TOLERANCES UNLESS OTHERWISE SPECIFIED: | | CHK
D_SZCZESNY
24FEB2012 | | APPRD | |
|  <p>0 PLC ±
±0.25
2 PLC ±
±0.15
2 PLC ±
±0.15
2 PLC ±
ANGLES ±
FINISH</p> | | | | | | NAME | | CAGE AND CONNECTOR ASSEMBLY,
WITH EMI GASKET, 2X2,
ZOSFP+ STACKED | | | |
| | | | | | | PRODUCT SPEC | | | | | |
| | | | | | | PART NO. | | 108-60102 | | | |
| | | | | | | APPLICATION SPEC | | 114-60015 | | | |
| MATERIAL | | | | | | SIZE | | CASE CODE | DRAWING NO | | RESTRICTED TO |
| SEE NOTE 1 | | | | | | SEE NOTE 2 | | A100779 | | C=2214593 | |
| WEIGHT | | | | | | CUSTOMER DRAWING | | SCALE | | 4:1 SHEET 1 OF 4 REV A | |


LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
		-		SEE SHEET 1	-	-




2214593-1 / 2214593-4
NO LIGHTPIPE IN ASSEMBLY
SCALE 3:1




2214593-2 / 2214593-5
LEFT LIGHTPIPE INDICATOR
POINTING TO UPPER PORT
SCALE 3:1



2214593-3 / 2214593-6
LEFT LIGHTPIPE INDICATOR
POINTING TO LOWER PORT
SCALE 3:1



VIEW Y-Y




RECOMMENDED PANEL CUTOUT
AND PC BOARD, PANEL POSITION
SCALE 3:1

0.19
BOTTOM OF CUTOUT
IN PANEL TO TOP
OF PC BOARD

6.00±0.30
DISTANCE BETWEEN BACK
OF PANEL AND FRONT OF
PC BOARD


SECTION U-U




SECTION V-V
SCALE 3:1

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN M. SHIRK 24FEB2012	TE Connectivity	
DIMENSIONS: mm		CHK D. SZCZESNY 24FEB2012	NAME CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZQSFP+ STACKED	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	SIZE A100779	
0 PLC ± 1 PLC ±0.25 2 PLC ±0.15 3 PLC ± 4 PLC ±		PRODUCT SPEC 108-60102	DRAWING NO C=2214593	
ANGLES ± FINISH		APPLICATION SPEC 114-60015	RESTRICTED TO	
MATERIAL SEE NOTE 1		WEIGHT -	SCALE 4:1	
SEE NOTE 2		CUSTOMER DRAWING	SHEET 2 OF 4	
			REV A	

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	



RECOMMENDED PC BOARD LAYOUT
COMPONENT SIDE OF BOARD
(PCB TOLERANCE ± 0.05)
SCALE 5:1



THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN M. SHIRK 24FEB2012	24FEB2012		TE Connectivity	
DIMENSIONS: mm		CHK D. SZCZESNY	APVD		NAME CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZQSFP+ STACKED	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC 108-60102		APPLICATION SPEC		RESTRICTED TO
0 PLC 1 PLC 2 PLC 3 PLC 4 PLC ANGLES FINISH		108-60102 114-60015		SIZE CAGE CODE DRAWING NO		
MATERIAL SEE NOTE 1		WEIGHT -		A100779C-2214593		
SEE NOTE 2		CUSTOMER DRAWING		SCALE 4:1		SHEET 3 OF 4 REV A

D

C

B


A

D


C

B


A




KEEPOUT AREAS
COMPONENT SIDE OF BOARD
SCALE 5:1




DETAIL H
SCALE 10:1



DETAIL J
LED PADS
SCALE 10:1



DETAIL K
SCALE 10:1



DETAIL L
SCALE 10:1

THIS DRAWING IS A CONTROLLED DOCUMENT.
DIMENSIONING AND TOLERANCING
PER ASME Y14.5M-2009

DIMENSIONS:
mm
TOLERANCES UNLESS
OTHERWISE SPECIFIED:
0 PLC ±.25
1 PLC ±0.25
2 PLC ±0.15
3 PLC ±.
4 PLC ±.
ANGLES ±.
FINISH

MATERIAL
SEE NOTE 1

SEE NOTE 2

CUSTOMER DRAWING

DWN
M. SHIRK
24FEB2012

CHK
D. SZCZESNY
24FEB2012

APVD

PRODUCT SPEC
108-60102

APPLICATION SPEC
114-60015

WEIGHT

SCALE
4:1

NAME
CAGE AND CONNECTOR ASSEMBLY,
WITH EMI GASKET, 2X2,
ZQSFP+ STACKED

SIZE
A100779

CAGE CODE
C=2214593

RESTRICTED TO

SHEET
4

OF
4

REV
A

TE Connectivity

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru