









LOC	DIST	REVISIONS					
ES	00	P	LTN	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1			



VENT HOLE




△ CONFIGURATION WITH VENT FEATURE  
 PART NUMBER 1-6600383-4

FOR PART NUMBER 1-6600383-0, 1-6600383-3 OTHER DIMENSION PLEASE SEE TABLE ON SHEET 1.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. RINGLER 05APR2006	
DIMENSIONS: INCH		CHK M. PERCHERKE 05APR2006	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M. PERCHERKE 05APR2006	NAME VERTICAL HEADER ASSEMBLY, W/LATCH RECEIVER, PRESS FIT, TYPE PSP, MULTI-BEAM XLE
0 PLC ±	1 PLC ±.01	PRODUCT SPEC	SIZE A100779C=6600383
2 PLC ±.01	3 PLC ±.005	APPLICATION SPEC	RESTRICTED TO
4 PLC ±	ANGLES ±.2°	114-13038	SCALE 4:1 SHEET 2 OF 9 REV C5
MATERIAL	FINISH	WEIGHT	Customer Drawing


LOC	DIST	REVISIONS					
		P	LTN	DESCRIPTION	DATE	OWN	APVD
ES	00	-	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS	POWER						SIGNAL								POWER											
		P1	P2	P3	P4	P5	P6	1	2	3	4	5	6	7	8	P7	P8	P9	P10	P11	P12						
6600383-1	D	VM	VM	VM	VM	VM	VM	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV						
	C							EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	
	B							EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV
	A							EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV
6P+32S+6P		HD																				HD					



RECOMMENDED PCB LAYOUT 6600383-1  
 SCALE 2:1

PART NUMBER	ROWS	POWER						SIGNAL									POWER									
		P1	P2	P3	P4	P5	P6	1	2	3	4	5	6	7	8	9	P7	P8								
6600383-2	D	VM	VM	VM	VM	VM	VM	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV						
	C							EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	
	B							EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV
	A							EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV
6P+36S+2P		HD																		HD						



RECOMMENDED PCB LAYOUT 6600383-2  
 SCALE 2:1

-	RETENTION CLIP	HD
STANDARD	SIGNAL CONTACT	EV
-	POWER CONTACT	VM
MATING SEQUENCE	DESCRIPTION	IDENTIFIER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	OWN: D. RINGLER 05APR2006	CHK: M. PERCHERRE 05APR2006	APVD: M. PERCHERRE 05APR2006
INCH	0 PLC ±.01 2 PLC ±.01 3 PLC ±.01 4 PLC ±.005 ANGLES ±.7°	PRODUCT SPEC: 108-1973	APPLICATION SPEC: 114-13038	WEIGHT: -
MATERIAL: -	FINISH: -	SIZE: A100779	CAGE CODE: C=6600383	RESTRICTED TO: -


Customer Drawing SCALE 4:1 SHEET 3 OF 9 REV C5

**STE** TE Connectivity  
 NAME: VERTICAL HEADER ASSEMBLY, W/LATCH RECEIVER, PRESS FIT, TYPE PSP, MULTI-BEAM XLE


LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	DMN	APVD
ES	00	SEE SHEET 1			

PART NUMBER	ROWS	POWER		SIGNAL						POWER	
		P1	P2	1	2	3	4	5	6	P3	P4
6600383-3	D	VM	VM	EV	EV	EV	EV	EV	EV	VM	VM
	C			EV	EV	EV	EV	EV	EV		
	B			EV	EV	EV	EV	EV	EV		
	A			EV	EV	EV	EV	EV	EV		
2P+24S+2P		HD									HD

PART NUMBER	ROWS	POWER				SIGNAL								POWER			
		P1	P2	P3	P4	1	2	3	4	5	6	7	8	P5	P6	P7	P8
6600383-4	D	VM	VM	VM	VM	EV	EV	EV	EV	EV	EV	EV	EV	VM	VM	VM	VM
	C					EV	EV	EV	EV	EV	EV	EV					
	B					EV	EV	EV	EV	EV	EV	EV					
	A					EV	EV	EV	EV	EV	EV	EV					
4P+32S+4P		HD															HD




RECOMMENDED PCB LAYOUT 6600383-3  
SCALE 2:1



RECOMMENDED PCB LAYOUT 6600383-4  
SCALE 2:1

PART NUMBER	ROWS	POWER		SIGNAL				POWER	
		P1	P2	1	2	3	4	P3	P4
6600383-5	D	VM	VM	EV	EV	EV	EV	VM	VM
	C			EV	EV	EV	EV		
	B			EV	EV	EV	EV		
	A			EV	EV	EV	EV		
2P+16S+2P		HD							HD



RECOMMENDED PCB LAYOUT 6600383-5  
SCALE 2:1

MATING SEQUENCE	DESCRIPTION	IDENTIFIER
-	RETENTION CLIP	HD
STANDARD	SIGNAL CONTACT	EV
-	POWER CONTACT	VM

THIS DRAWING IS A CONTROLLED DOCUMENT.


DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DMN: D. RINGLER 05APR2006	CHK: M. PERCHERRE 05APR2006	APVD: M. PERCHERRE 05APR2006
INCH	0 PLC ±.01 2 PLC ±.01 3 PLC ±.01 4 PLC ±.005 ANGLES ±.2°	PRODUCT SPEC: 108-1973	APPLICATION SPEC: 114-13038	WEIGHT: -
MATERIAL:	FINISH:	SIZE: A1	CAGE CODE: 6600383	RESTRICTED TO: -
Customer Drawing		SCALE: 4:1	SHEET: 4 OF 9	REV: C5

**STE** TE Connectivity  
VERTICAL HEADER ASSEMBLY, W/LATCH RECEIVER, PRESS FIT, TYPE PSP, MULTI-BEAM XLE


LOC	DIST	REV	DATE	BY	APPV
ES	00				

PART NUMBER	ROWS	POWER			SIGNAL						POWER		
		P1	P2	P3	1	2	3	4	5	6	P4	P5	P6
6600383-6	D	VM	VM	VM	EV	EV	EV	EV	EV	EV	VM	VM	VM
	C				EV	EV	EV	EV	EV				
	B				EV	EV	EV	EV	EV				
	A				EV	EV	EV	EV	EV				
3ACP+24S+3ACP		HD											

PART NUMBER	ROWS	POWER				SIGNAL						POWER			
		P1	P2	P3	P4	1	2	3	4	5	6	P5	P6	P7	P8
6600383-7	D	VM	VM	VM	VM	EV	EV	EV	EV	EV	EV	VM	VM	VM	VM
	C					EV	EV	EV	EV	EV					
	B					EV	EV	EV	EV	EV					
	A					EV	EV	EV	EV	EV					
4P+24S+4P		HD													




RECOMMENDED PCB LAYOUT 6600383-6  
SCALE 2:1



RECOMMENDED PCB LAYOUT 6600383-7  
SCALE 2:1

PART NUMBER	ROWS	POWER	SIGNAL				POWER
		P1	1	2	3	4	P2
6600383-8	D	VM	EV	EV	EV	EV	VM
	C		EV	EV	EV	EV	
	B		EV	EV	EV	EV	
	A		EV	EV	EV	EV	
IP+16S+IP		HD					



RECOMMENDED PCB LAYOUT 6600383-8  
SCALE 2:1

MATING SEQUENCE	DESCRIPTION	IDENTIFIER
-	RETENTION CLIP	HD
MLBF	SIGNAL CONTACT	ES
STANDARD	SIGNAL CONTACT	EV
-	POWER CONTACT	VM

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	OWN: D. RINGLER 05APR2006	CHK: M. PERCHERRE 05APR2006	APVD: M. PERCHERRE 05APR2006
INCH	0 PLC ±.01 2 PLC ±.01 3 PLC ±.01 4 PLC ±.005 ANGLES ±.2°	PRODUCT SPEC: 108-1973	APPLICATION SPEC: 114-13038	WEIGHT: -
MATERIAL: -	FINISH: -	SIZE: A1	CAGE CODE: 6600383	RESTRICTED TO: -

Customer Drawing


TE Connectivity

NAME: VERTICAL HEADER ASSEMBLY, W/LATCH RECEIVER, PRESS FIT, TYPE PSP, MULTI-BEAM XLE

SCALE: 4:1 SHEET: 5 OF 9 REV: C5

LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	DMN	APVD
ES	00	SEE SHEET 1	-	-	-


PART NUMBER	ROWS	POWER				SIGNAL						POWER			
		P1	P2	P3	P4	1	2	3	4	5	6	P5	P6	P7	P8
6600383-9	D					EV	EV	EV	EV	EV	EV				
	C					EV	EV	EV	EV	EV	EV				
	B	VM	VM	VM	VM	EV	EV	EV	EV	EV	EV	VM	VM	VM	VM
	A					EV	EV	EV	EV	EV	EV				
4ACP+24S+4ACP		HD													HD



RECOMMENDED PCB LAYOUT 6600383-9  
 SCALE 2.5:1

PART NUMBER	ROWS	SIGNAL																
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
1-6600383-0	D	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES
	C	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	EV	EV
	B	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	EV	EV
	A	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES	ES
OP+68S+0P		HD																HD

NO CONTACTS LOADED



RECOMMENDED PCB LAYOUT 1-6600383-0  
 SCALE 3:1



THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN: D. RINGLER 05APR2006	TE Connectivity
DIMENSIONS: INCH		CHK: M. PERCHERRE 05APR2006	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: M. PERCHERRE 05APR2006	NAME: VERTICAL HEADER ASSEMBLY, W/LATCH RECEIVER, PRESS FIT, TYPE PSP, MULTI-BEAM XLE
0 PLC ±. 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±. ANGLES ±7°		PRODUCT SPEC: 108-1973	
MATERIAL: -		APPLICATION SPEC: 114-13038	RESTRICTED TO: -
FINISH: -		WEIGHT: -	SIZE: A100779
Customer Drawing		SCALE: 4:1	SHEET: 6 OF 9
			REV: C5



LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	DWN	APVD
ES	00	SEE SHEET 1	-	-	-

PART NUMBER	ROWS	SIGNAL			
		1	2	3	4
I-6600383-6	D	ES	ES	ES	ES
	C	ES	ES	ES	ES
	B	ES	ES	ES	ES
	A	ES	ES	ES	ES
OP+16S+OP		HD			HD

PART NUMBER	ROWS	POWER		SIGNAL										POWER			
		P1	P2	1	2	3	4	5	6	7	8	9	10	P1	P2		
I-6600383-4	D	VM		EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	VM	
	C	VM		EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	VM	
	B	VM		EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	VM	
	A	VM		EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	EV	VM	
IP+40S+IP		HD													HD		



THIS DRAWING IS A CONTROLLED DOCUMENT.


DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN	D. RINGLER	05APR2006
INCH	0 PLC ± .01	CHK	M. PERCHERRE	05APR2006
	2 PLC ± .005	APVD	M. PERCHERRE	05APR2006
	4 PLC ± .005	PRODUCT SPEC		
	ANGLES ± 7°	APPLICATION SPEC		
MATERIAL	FINISH	SIZE	CAGE CODE	DRAWING NO
		A1100779	C=6600383	
		Customer Drawing	SCALE	4:1
			SHEET	8 OF 9
			REV	C5

TE Connectivity  
 VERTICAL HEADER ASSEMBLY, W/LATCH RECEIVER, PRESS FIT, TYPE PSP, MULTI-BEAM XLE



LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS	POWER		SIGNAL				POWER	
		P1		1	2	3	4	P2	
1-6600383-7	D	VM	VM	EV	EV	EV	EV	VM	
	C			EV	EV	EV	EV		
	B			EV	EV	EV	EV		
	A			EV	EV	EV	EV		
IP+16S+IP		HD						HD	



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D. RINGLER 05APR2006	<b>STE</b> TE Connectivity
DIMENSIONS: INCH		CHK M. PERCHERKE 05APR2006	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M. PERCHERKE 05APR2006	NAME VERTICAL HEADER ASSEMBLY, W/LATCH RECEIVER, PRESS FIT, TYPE PSP, MULTI-BEAM XLE
0 PLC ±.01		PRODUCT SPEC 108-1973	
1 PLC ±.01		APPLICATION SPEC 114-13038	SIZE CAGE CODE DRAWING NO RESTRICTED TO A100779C=6600383
2 PLC ±.005		WEIGHT	
3 PLC ±.005		FINISH	SCALE 4:1 SHEET 9 OF 9 REV C5
4 PLC ±.005		ANGLES ±2°	Customer Drawing

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)