

# SUBMINIATURE SWITCHES

Pushbutton, Rocker & Toggle



TE Connectivity's Subminiature Series line of switches provide a cost savings solution for switching power. Designed with space in mind, the low profile, IP67 sealed subminiature series switches are available in a range of ratings from 0.4 VA up to 3A @ 125 VAC. They are available in Pushbutton, Toggle, Rocker in both surface mount and thru-hole terminations.

## Electrical Specifications

- Contact Rating, Au Plating: 0.4 VA @ 20 VAC or VDC
- Contact Rating, Ag Plating: 3 A (resistive) @ 120 VAC or 28 VDC  
1 A (resistive) @ 250 VAC
- Contact Resistance: 20 mΩ max initial @ 2 - 4 VDC  
100 mA for silver and gold plated
- Insulation Resistance: 1,000 MΩ min.

## Mechanical Specifications

- 30,000 make-and-break mechanical life cycles
- Operating temperature: -30 °C to +85 °C

## Materials

- RoHS Compliant and Lead-Free
- Copper alloy terminals with Gold or Silver Finish
- Thermoplastic Case (UL94 V-0)

## Standards and Specifications

- Sealed switches rated to IP67
- Wave soldering capable to 260 °C ± 5 °C for max 5 seconds

## Key Features

- Compact Design
- IP67 Rated
- Vertical & right angle versions

## Key Benefits

- Lower material cost when replacing existing miniature mechanical switches
- Increased board or panel space and match existing functions
- Reduce maintenance and replacement costs with reliable performance
- Faster assembly time with re-flow or wave solder compatible styles
- Reduce manual assembly time with pick-and-place compatible tape and reel packaging

## Applications

- Set top boxes
- Control panels / boxes
- Light fixtures
- Industrial machinery

## Product Offering

| Push Button Switches |          |                 |                |                            |                   | Rocker Switches |                |                                    |                   |
|----------------------|----------|-----------------|----------------|----------------------------|-------------------|-----------------|----------------|------------------------------------|-------------------|
| Part Number          | Type     | Actuator Height | Bushing Height | Terminations               | Terminal Material | Part Number     | Switch Type    | Terminations                       | Terminal Material |
| 2267072-1            | Off-Mom. | 3.94            | 3.3            | PC thru-hole               | Gold              | 2267087-1       | SP On-None-On  | Solder Lug                         | Sliver            |
| 2267072-2            | Off-Mom. | 3.94            | 3.3            | Right angle, PC thru-hole  | Gold              | 2267087-2       | DP On-None-On  | Solder Lug                         | Sliver            |
| 2267072-3            | Off-Mom. | 4.1             | 3.3            | Right angle, PC thru-hole  | Gold              | 2267087-3       | SP On-None-On  | Right angle, PC thru-hole          | Sliver            |
| 2267072-4            | Off-Mom. | 3.94            | 3.3            | PC thru-hole               | Sliver            | 2267087-4       | DP On-None-On  | Right angle, PC thru-hole          | Sliver            |
| 2267073-1            | Off-Mom. | 3.94            | 5.59           | PC thru-hole               | Gold              | 2267087-5       | SP On-None-On  | Vertical right angle, PC thru-hole | Sliver            |
| 2267073-2            | Off-Mom. | 3.94            | 5.59           | Right angle, PC thru-hole  | Gold              | 2267087-6       | DP On-None-On  | Vertical right angle, PC thru-hole | Sliver            |
| 2267074-1            | Off-Mom. | 3.94            | 5.59           | PC thru-hole               | Gold              | 2267087-7       | SP On-None-On  | V-bracket                          | Sliver            |
| 2267074-2            | Off-Mom. | 3.94            | 5.59           | Right angle, PC thru-hole  | Gold              | 2267087-8       | DP On-None-On  | V-bracket                          | Sliver            |
| 2267074-3            | Off-Mom. | 3.94            | 5.59           | PC thru-hole               | Sliver            | 2267088-1       | SP On-None-On  | PC thru-hole                       | Gold              |
| 2267074-4            | On-Mom.  | 3.94            | 5.59           | PC thru-hole               | Sliver            | 2267088-2       | DP On-None-On  | PC thru-hole                       | Sliver            |
| 2267075-1            | Off-Mom. | 3.94            | 7.87           | PC thru-hole               | Gold              | 2267088-3       | SP On-None-On  | Right angle, PC thru-hole          | Sliver            |
| 2267075-2            | Off-Mom. | 3.94            | 7.87           | Right angle, PC thru-hole  | Gold              | 2267088-4       | DP On-None-On  | Right angle, PC thru-hole          | Sliver            |
| 2267076-1            | Off-Mom. | 3.94            | 7.87           | PC thru-hole               | Gold              | 2267088-5       | SP On-None-On  | Vertical right angle, PC thru-hole | Gold              |
| 2267076-2            | Off-Mom. | 3.94            | 7.87           | Right angle, PC thru-hole  | Gold              | 2267088-6       | DP On-None-On  | Vertical right angle, PC thru-hole | Gold              |
| 2267076-3            | On-Mom.  | 3.94            | 7.87           | PC thru-hole               | Gold              | 2267088-7       | SP On-None-On  | V-bracket                          | Gold              |
| 2267076-4            | Off-Mom. | 3.94            | 7.87           | PC thru-hole               | Sliver            | 2267088-8       | DP On-None-On  | V-bracket                          | Sliver            |
| 2267130-1            | On-Mom.  | 3.94            |                | Right angle, surface mount | Gold              | 2267129-1       | SP On-None-On  | Right angle, surface mount         | Gold              |
| 2267130-2            | On-Mom.  | 3.94            |                | standard                   | Gold              | 2267129-2       | SP On-None-On  | standard                           | Gold              |
| 2267130-3            | Off-Mom. | 3.94            |                | Right angle, surface mount | Gold              | 2267129-3       | DP On-None-Mom | Right angle, surface mount         | Gold              |
| 2267130-4            | Off-Mom. | 3.94            |                | standard                   | Gold              | 2267129-4       | DP On-None-Mom | standard                           | Gold              |

| Toggle Switches |                |                        |                                    |          |
|-----------------|----------------|------------------------|------------------------------------|----------|
| TE Part         | Type           | Bushing Height / Type  | Terminations                       | Terminal |
| 2267077-1       | SP On-None-On  | 7.87 flat threaded     | PC thru-hole                       | Gold     |
| 2267077-2       | DP On-None-On  | 7.87 flat threaded     | PC thru-hole                       | Gold     |
| 2267077-3       | DP On-None-On  | 7.87 flat threaded     | Solder Lug                         | Sliver   |
| 2267078-1       | SP Off-None-On | 5.59 flat non-threaded | PC thru-hole                       | Gold     |
| 2267078-2       | SP On-None-On  | 5.59 flat non-threaded | PC thru-hole                       | Gold     |
| 2267078-3       | SP On-None-On  | 5.59 flat non-threaded | Right angle, PC thru-hole          | Gold     |
| 2267078-4       | SP On-None-On  | 5.59 flat non-threaded | Vertical right angle, PC thru-hole | Gold     |
| 2267078-5       | SP On-Off-On   | 5.59 flat non-threaded | PC thru-hole                       | Gold     |
| 2267078-6       | SP On-Off-On   | 5.59 flat non-threaded | Right angle, PC thru-hole          | Gold     |
| 2267078-7       | SP On-Off-On   | 5.59 flat non-threaded | Vertical right angle, PC thru-hole | Gold     |
| 2267078-8       | DP On-None-On  | 5.59 flat non-threaded | PC thru-hole                       | Gold     |
| 2267078-9       | DP On-None-On  | 5.59 flat non-threaded | Right angle, PC thru-hole          | Gold     |
| 2267079-1       | SP On-None-On  | 5.59 flat threaded     | M5                                 | Gold     |
| 2267079-2       | SP Off-None-On | 5.59 flat threaded     | Solder Lug                         | Sliver   |
| 2267079-3       | SP On-None-On  | 5.59 flat threaded     | Solder Lug                         | Sliver   |
| 2267079-4       | SP On-Off-On   | 5.59 flat threaded     | Solder Lug                         | Sliver   |
| 2267079-5       | DP On-None-On  | 5.59 flat threaded     | Solder Lug                         | Sliver   |
| 2267079-6       | SP On-Off-On   | 5.59 flat threaded     | PC thru-hole                       | Gold     |
| 2267080-1       | SP Off-None-On | 5.59 flat threaded     | Solder Lug                         | Sliver   |
| 2267080-2       | SP On-None-On  | 5.59 flat threaded     | Solder Lug                         | Sliver   |
| 2267131-1       | SP On-None-On  | 4.35 standard          | Right angle, surface mount         | Gold     |
| 2267131-2       | SP On-None-On  | 4.35 standard          | standard                           | Gold     |
| 2267131-3       | SP On-None-On  | 4.35 standard          | Right angle, surface mount         | Gold     |
| 2267131-4       | SP On-None-On  | 4.35 standard          | standard                           | Gold     |
| 2267131-5       | DP On-None-Mom | 4.35 standard          | Right angle, surface mount         | Gold     |
| 2267131-6       | DP On-None-Mom | 4.35 standard          | standard                           | Gold     |

© 2014 TE Connectivity Ltd. family of companies. All Rights Reserved  
TE Connectivity and TE connectivity (logo) are trademarks. Other logos, product and/or company names might be trademarks of their respective owners.

1-1773844-3 JG2 PDF 10/2014

USA: 1-800-522-6752  
Canada: +1-905-475-6222  
Mexico: +52 (0) 55-1106-0800

Latin/S. America: +54 (0) 11-4733-2200  
Germany: +49 (0) 6251-133-1999  
UK: +44 (0) 800-267666

France: +33 (0) 1-3420-8686  
Netherlands: +31 (0) 73-6246-999  
China: +86 (0) 400-820-6015

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)

[www.lifeelectronics.ru](http://www.lifeelectronics.ru)