

54333-3004	54333-***04
54333-2004	
54333-1204	
54333-3003	54333-***03
54333-2003	
54333-1203	
54333-3002	54333-***02
54333-2002	
54333-1202	
54333-3001	54333-***01
54333-2001	
54333-1201	
54333-3000	54333-***00
54333-2000	
54333-1200	
MATERIAL NO.	MODEL NO.

DIMENSIONS:		SHT	REV
☐ mm INCH	☐ INCH mm	☒ mm ONLY	DIFFER ON CAD ONLY

CT ROBOT CONN.
TYPE SOCKET SET

X INCORPORATED

DRAWING NO. SD-54333-002	SHEET NO. 1 OF 5
-----------------------------	---------------------

IT IS PROPRIETARY TO MOLEX
WITHOUT WRITTEN PERMISSION.

SIZE
B

54333002501

DWG. NO.
SD-54333-002

F

D

C

B

DO NOT SCALE DRAWING

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1200	1	56385-2000	1	56385-3000	1
SHELL BODY	56384-1200	1	56384-2000	1	56384-3000	1
RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1
REC. SOCKET HS'G ASS'Y	51238-1212	1	51238-2012	1	51238-3012	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54333-1201		54333-2001		54333-3001	
タイプ TYPE	A TYPE					

1204 NO. DRWN: CH'K: APPR:		1203 NO. DRWN: CH'K: APPR:		1202 NO. DRWN: CH'K: APPR:		1201 NO. DRWN: CH'K: APPR:		SEE SHEET 1 OF 5 1200 NO. DRWN: CH'K: APPR:		DESCRIPTION REV	MATERIAL 材料	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		SCALE	DESIGN UNITS mm INCH	DIMENSIONS: ☐ mm ☐ INCH ☒ mm ONLY DIMENSIONAL ANGLE PROJECTION	SHT REV	REVISE ON CAD ONLY			
FINISH 仕上げ		WIRE RANGE 適用電線範囲		INS. RANGE 被覆外径		10 UNDER 未満		10 OVER 30 UNDER 以上 未満			30 OVER 以上		DRAWN BY & DATE S. Miyama 01/06/21		TITLE: COMPACT ROBOT CONN. W/W TYPE SOCKET SET						
													CHECKED BY & DATE Y. Ota		MOLEX INCORPORATED						
													APPROVED BY & DATE Y. Ota		CAD FILENAME 54333002.S02				MATERIAL NO. DRAWING NO. SD-54333-002		SHEET NO. 2 OF 5
												ANGLE 角度				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.				SIZE B	

DWG. NO.
SD-54333-002

F

D

C

B

DO NOT SCALE DRAWING

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1200	1	56385-2000	1	56385-3000	1
SHELL BODY	56384-1200	1	56384-2000	1	56384-3000	1
RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1
REC. SOCKET HS'G ASS'Y	51238-1213	1	51238-2013	1	51238-3013	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54333-1202		54333-2002		54333-3002	
タイプ TYPE	B TYPE					

1204 NO. DRWN: CH'K: APPR:		1203 NO. DRWN: CH'K: APPR:		1202 NO. DRWN: CH'K: APPR:		1201 NO. DRWN: CH'K: APPR:		SEE SHEET 1 OF 5 1200 NO. DRWN: CH'K: APPR:		DESCRIPTION		MATERIAL 材料		GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差		SCALE		DESIGN UNITS mm INCH		DIMENSIONS: mm INCH mm ONLY		SHT		REV	
										FINISH 仕上げ		—#—		10 UNDER 未満		±0.2		DRAWN BY & DATE S. Miyama 01/06/21		TITLE:					
										WIRE RANGE 適用電線範囲		—#—		10 OVER 30 UNDER 以上 未満		±0.25		CHECKED BY & DATE Y. Ota		COMPACT ROBOT CONN. W/W TYPE SOCKET SET					
										INS. RANGE 被覆外径		—#—		30 OVER 以上		±0.3		APPROVED BY & DATE Y. Ota		MOLEX INCORPORATED					
														ANGLE 角度		±3°		CAD FILENAME 54333002.S03		MATERIAL NO. —#—		DRAWING NO. SD-54333-002		SHEET NO. 3 OF 5	
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.																		SIZE B							

54333002.S03

A

B

C

D

E

F

DO NOT SCALE DRAWING

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1200	1	56385-2000	1	56385-3000	1
SHELL BODY	56384-1200	1	56384-2000	1	56384-3000	1
RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1
REC. SOCKET HS'G ASS'Y	51238-1214	1	51238-2014	1	51238-3014	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54333-1203		54333-2003		54333-3003	
タイプ TYPE	C TYPE					

	104 NO. DRWN: CH'K: APPR:	103 NO. DRWN: CH'K: APPR:	102 NO. DRWN: CH'K: APPR:	101 NO. DRWN: CH'K: APPR:	SEE SHEET 1 OF 5	DESCRIPTION	MATERIAL 材料	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差	SCALE 	DESIGN UNITS ☒ MM ☐ INCH	THIRD ANGLE PROJECTION	DIMENSIONS: ☐ MM ☐ INCH ☒ MM ONLY	SHT 1	REV 1	
								10 UNDER 未満	±0.2	DRAWN BY & DATE S. Phiyama 01/06/21	TITLE: COMPACT ROBOT CONN. W/W TYPE SOCKET SET				
								10 OVER 以上 30 UNDER 未満	±0.25	CHECKED BY & DATE M. Muraoka					
								30 OVER 以上	±0.3	APPROVED BY & DATE Y. Ota	MOLEX INCORPORATED				
							WIRE RANGE 適用電線範囲	ANGLE 角度	±3°	CAD FILENAME 54333002.S04	MATERIAL NO. —	DRAWING NO. SD-54333-002	SHEET NO. 4 OF 5	SIZE B	
							INS. RANGE 被覆外径	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.							

DO NOT SCALE DRAWING

MOLD COVER	51237-1205	2	51237-2005	2	51237-3005	2
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	1	56382-2000	1	56382-3000	1
SHELL COVER	56385-1200	1	56385-2000	1	56385-3000	1
SHELL BODY	56384-1200	1	56384-2000	1	56384-3000	1
RECEPTACLE SHELL	56377-1202	1	56377-2002	1	56377-3002	1
REC. SOCKET HS'G ASS'Y	51238-1215	1	51238-2015	1	51238-3015	1
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	54333-1204		54333-2004		54333-3004	
タイプ TYPE	D TYPE					

104NO. DRWN: CH'K: APPR:	103NO. DRWN: CH'K: APPR:	102NO. DRWN: CH'K: APPR:	101NO. DRWN: CH'K: APPR:	SEE SHEET 1 OF 5	DESCRIPTION	MATERIAL 材料	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差	SCALE	DESIGN UNITS ☒ MM ☐ INCH	THIRD ANGLE PROJECTION	DIMENSIONS: ☐ MM ☐ INCH ☒ MM ONLY	SHT	REV			
						FINISH 仕上げ	10 UNDER 未満	±0.2	DRAWN BY & DATE S. Ishiyama 01/06/21	TITLE: COMPACT ROBOT CONN. W/W TYPE SOCKET SET	MOLEX INCORPORATED	CAD FILENAME 54333002.S05	MATERIAL NO. —	DRAWING NO. SD-54333-002	SHEET NO. 5 OF 5	
						30 OVER 以上	30 UNDER 未満	±0.25	CHECKED BY & DATE M. Maruwa							
						30 OVER 以上		±0.3	APPROVED BY & DATE Y. Ota							
WIRE RANGE 適用電線範囲						ANGLE 角度	±3°	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.						SIZE B		
INS. RANGE 被覆外径																

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru