

### Thermal Transfer Component Labels



- Use for identifying patch panels, faceplates, punchdown blocks and other network systems hardware
- Die-cut labels designed to provide maximum aesthetic quality and appearance
- Available in adhesive polyester and non-adhesive polyester materials
- Use with Panduit thermal transfer resin ribbons

Application Description	Typical Application Page	Code
Boxes – Surface Mount, Outlet, Hybrid	G.24	BX
Faceplates	G.2	FP
GP6™ Category 6 Punchdown Blocks	B.72	GP
Jack Modules	B.12	JM

Application Description	Typical Application Page	Code
Punchdown Blocks – 110	B.80	PB
Patch Panels	B.26 – B.27	PP
Racks and Cabinets	L.11	RK
Cable Marker Holder – SLCT	B.90	SL

Part Number	Part Description	Width		Height		Std. Pkg. Qty.	Std. Ctn. Qty.
		In.	mm	In.	mm		
C061X030YPT	White, adhesive polyester label, Mini-Com® 1-port identifier. Application codes: BX, FP, and PP.	0.61	15.5	0.30	7.6	2500	10000
C125X030YPT	White, adhesive polyester label, Mini-Com® 2-port identifier. Application codes: BX, FP, and PP.	1.25	31.8	0.30	7.6	2500	10000
C138X019YPT	White, adhesive polyester label, Mini-Com® module identifier. Application code: JM.	1.38	35.1	0.19	4.8	2500	10000
C138X019Y0T	Black, adhesive polyester label, Mini-Com® module identifier. Application code: JM.	1.38	35.1	0.19	4.8	2500	10000
C150X030Y1T	White, non-adhesive polyester label, Mini-Com® 3-port identifier. Application code: FP.	1.50	38.1	0.30	7.6	1000	5000
C188X030YPT	White, adhesive polyester label, Mini-Com® 3-port identifier. Application code: FP.	1.88	47.8	0.30	7.6	2500	10000
C195X040Y1T	White, non-adhesive polyester label, single gang faceplate. Application Code: FP.	1.95	49.5	0.40	10.2	2500	10000
C200X100YPT	White, adhesive polyester label, SLCT bundle marker identifier. Application code: SL and RK.	2.00	50.8	1.00	25.4	2500	10000
C200X100Y0T	Black, adhesive polyester label, SLCT bundle marker identifier. Application code: SL and RK.	2.00	50.8	1.00	25.4	2500	10000
C252X030YPT	White, adhesive polyester label, Mini-Com® 4-port identifier. Application codes: BX, FP, and PP.	2.52	64.0	0.30	7.6	2500	10000
C252X030YPT-P*	White, adhesive polyester label, Mini-Com® perforated port identifier. Application codes: BX, FP, and PP.	2.52	64.0	0.30	7.6	2500	10000
C252X030YQT-P*	Blue, adhesive polyester label, Mini-Com® perforated port identifier. Application codes: BX, FP, and PP.	2.52	64.0	0.30	7.6	2500	10000
C252X030YRT-P*	Brown, adhesive polyester label, Mini-Com® perforated port identifier. Application codes: BX, FP, and PP.	2.52	64.0	0.30	7.6	2500	10000
C252X030YST-P*	Green, adhesive polyester label, Mini-Com® perforated port identifier. Application codes: BX, FP, and PP.	2.52	64.0	0.30	7.6	2500	10000
C252X030YTT-P*	Gray, adhesive polyester label, Mini-Com® perforated port identifier. Application codes: BX, FP, and PP.	2.52	64.0	0.30	7.6	2500	10000
C252X030YUT-P*	Orange, adhesive polyester label, Mini-Com® perforated port identifier. Application codes: BX, FP, and PP.	2.52	64.0	0.30	7.6	2500	10000
C252X030YVT-P*	Purple, adhesive polyester label, Mini-Com® perforated port identifier. Application codes: BX, FP, and PP.	2.52	64.0	0.30	7.6	2500	10000
C252X030YWT-P*	Red, adhesive polyester label, Mini-Com® perforated port identifier. Application codes: BX, FP, and PP.	2.52	64.0	0.30	7.6	2500	10000
C252X030Y0T-P*	Black, adhesive polyester label, Mini-Com® perforated port identifier. Application codes: BX, FP, and PP.	2.52	64.1	0.30	7.6	2500	10000
C252X030Y8T-P*	Yellow, adhesive polyester label, Mini-Com® perforated port identifier. Application codes: BX, FP, and PP.	2.52	64.0	0.30	7.6	2500	10000
C252X030Y9T-P*	Gold, adhesive polyester label, Mini-Com® perforated port identifier. Application codes: BX, FP, and PP.	2.52	64.0	0.30	7.6	2500	10000

\*Label is perforated to be used in 1, 2, 3, or 4-position applications.

‡Label is perforated to be used in 1, 2, 3, 4, 5, or 6-position applications.

Order number of labels required in multiples of Std. Pkg. Qty.

Labels roll mounted on 3.00" cores; when using the TDP43ME printer and 3.00" cores, the roll stand (TDP43ME-RS) is required.

Table continues on next page

**Thermal Transfer Component Labels (continued)**

Part Number	Part Description	Width		Height		Std. Pkg. Qty.	Std. Ctn. Qty.
		In.	mm	In.	mm		
<b>C261X030YPT</b>	White, adhesive polyester label, Mini-Com <sup>®</sup> 4-port identifier. Application codes: FP and PP.	2.61	66.3	0.30	7.6	2500	10000
<b>C261X035Y1T</b>	White, non-adhesive polyester label, Mini-Com <sup>®</sup> 4-port identifier. Application codes: FP and PP.	2.61	66.3	0.35	8.9	2500	10000
<b>C275X125YPT</b>	White, adhesive polyester label, general identifier. Application code: RK.	2.75	69.9	1.25	31.8	2500	10000
<b>C275X125Y0T</b>	Black, adhesive polyester label, general identifier. Application code: RK.	2.75	69.9	1.25	31.8	2500	10000
<b>C288X030YPT</b>	White, adhesive polyester label, double gang faceplate identifier. Application code: FP.	2.88	73.2	0.30	7.6	2500	2500
<b>C288X040Y1T</b>	White, non-adhesive polyester label, Mini-Com <sup>®</sup> double-gang faceplate. Application code: FP.	2.88	73.2	0.40	10.2	1000	1000
<b>C315X030YPT</b>	White, adhesive polyester label, Mini-Com <sup>®</sup> 5-port identifier. Application code: FP.	3.15	80.0	0.30	7.6	2500	2500
<b>C379X030YPT</b>	White, adhesive polyester label, Mini-Com <sup>®</sup> 6-port identifier. Application code: FP.	3.79	96.3	0.30	7.6	2500	10000
<b>C379X030YPT-P‡</b>	White, adhesive polyester label, Mini-Com <sup>®</sup> perforated port identifier. Application codes: BX, FP, and PP.	3.79	96.3	0.30	7.6	2500	10000
<b>C379X030YQT-P‡</b>	Blue, adhesive polyester label, Mini-Com <sup>®</sup> perforated port identifier. Application codes: BX, FP, and PP.	3.79	96.3	0.30	7.6	2500	10000
<b>C379X030YRT-P‡</b>	Brown, adhesive polyester label, Mini-Com <sup>®</sup> perforated port identifier. Application codes: BX, FP, and PP.	3.79	96.3	0.30	7.6	2500	10000
<b>C379X030YST-P‡</b>	Green, adhesive polyester label, Mini-Com <sup>®</sup> perforated port identifier. Application codes: BX, FP, and PP.	3.79	96.3	0.30	7.6	2500	10000
<b>C379X030YTT-P‡</b>	Gray, adhesive polyester label, Mini-Com <sup>®</sup> perforated port identifier. Application codes: BX, FP, and PP.	3.79	96.3	0.30	7.6	2500	10000
<b>C379X030YUT-P‡</b>	Orange, adhesive polyester label, Mini-Com <sup>®</sup> perforated port identifier. Application codes: BX, FP, and PP.	3.79	96.3	0.30	7.6	2500	10000
<b>C379X030YVT-P‡</b>	Purple, adhesive polyester label, Mini-Com <sup>®</sup> perforated port identifier. Application codes: BX, FP, and PP.	3.79	96.3	0.30	7.6	2500	10000
<b>C379X030YWT-P‡</b>	Red, adhesive polyester label, Mini-Com <sup>®</sup> perforated port identifier. Application codes: BX, FP, and PP.	3.79	96.3	0.30	7.6	2500	10000
<b>C379X030Y0T-P‡</b>	Black, adhesive polyester label, Mini-Com <sup>®</sup> perforated port identifier. Application codes: BX, FP, and PP.	3.79	96.3	0.30	7.6	2500	10000
<b>C379X030Y8T-P‡</b>	Yellow, adhesive polyester label, Mini-Com <sup>®</sup> perforated port identifier. Application codes: BX, FP, and PP.	3.79	96.3	0.30	7.6	2500	10000
<b>C379X030Y9T-P‡</b>	Gold, adhesive polyester label, Mini-Com <sup>®</sup> perforated port identifier. Application codes: BX, FP, and PP.	3.79	96.3	0.30	7.6	2500	10000
<b>C390X030Y1T</b>	White, non-adhesive polyester label, Mini-Com <sup>®</sup> 6-port identifier. Application code: PP.	3.90	99.1	0.30	7.6	2500	10000
<b>C750X050Y1T</b>	White, non-adhesive polyester label, 110 block identifier. Application code: PB.	7.50	190.5	0.50	12.7	2500	10000
<b>C788X050Y1T</b>	White, non-adhesive polyester label, GP6 System identifier. Application code: GP.	7.88	200.2	0.50	12.7	2500	10000

\*Label is perforated to be used in 1, 2, 3, or 4-position applications.

‡Label is perforated to be used in 1, 2, 3, 4, 5, or 6-position applications.

Order number of labels required in multiples of Std. Pkg. Qty.

Labels roll mounted on 3.00" cores; when using the TDP43ME printer and 3.00" cores, the roll stand (TDP43ME-RS) is required.

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)