



# Improving Hearing Aid Performance with Bourns® Trimpot Trimming Potentiometers

## APPLICATION NOTE



3312

### INTRODUCTION

Hearing aids are devices that amplify sound for people who have hearing impairments. Sound is converted to an electrical signal, amplified and then reconverted to acoustic energy in the inner ear. Hearing aids can be small enough to fit behind the earlobe or within the ear canal. The level of amplification that a person needs will determine the operating range of the hearing aid.

### SYSTEM COMPONENTS:

- **Microphone** – converts acoustic energy to electrical energy
- **Amplifier** – makes the sound louder by increasing the electrical signal strength; maintains the frequency response of the microphone
- **Volume (Gain) Control** – controls the overall signal after the amplifier
- **Earphone** – acts as the receiver by converting electrical energy to acoustic energy
- **Sound Hook** – delivers sound from the receiver to the ear mold
- **Battery** – supplies power to the amplifier contained in the shell
- **Internal Controls** – act as the receiver by converting electrical energy to acoustic energy
- **Shell** – outer casing that contains all internal circuit components

As shown in figure 1, the incoming signal goes through the microphone, where it is filtered to obtain the respective frequency response, and amplified to create a louder sound. The receiver, or earphone, converts the signal back into an acoustical form that can be heard by the ear.




Figure 1. | Functional Block Diagram of a Hearing Aid



# Improving Hearing Aid Performance with Bourns® Trimpot Trimming Potentiometers



3312

## WHERE THE TRIMMER IS LOCATED AND HOW IT FUNCTIONS:

- The trimmer can be used in the internal controls, where the fine tuning adjustment is done by the audiologist.
- The trimmer can be used as a rheostat, in the volume control to alter the current going through the microphone and the amplifier.
- In the amplifier circuit, the trimmer can help to offset the distortion of the input signal from the microphone. This provides for better sound performance.

## WHY MODEL 3312 TRIMMERS ARE THE BETTER CHOICE:

During the assembly of the electronic hardware, the microphone, amplifier, battery compartment and volume control are soldered into place and put through a wash process. The Bourns® Models 3312 is sealed to withstand standard wash processes, unlike open frame trimmers. These 2 mm sealed trimmers are ideal for smaller hearing aids, such as Behind-The-Ear (BTE), In-The-Ear (ITE) and In-The-Canal (ITC) aids.

## ADDITIONAL RESOURCES

For more information on the 3312, including engineering files and other resistive products from Bourns, please visit:

[www.bourns.com](http://www.bourns.com)

COPYRIGHT© 2018 • BOURNS, INC. • 05/18 • e/T1812  
"Bourns" and "Trimpot" are registered trademarks of Bourns, Inc. in the U.S. and other countries.

## MODEL 3312 SPECIFICATIONS

### Electrical Characteristics

Standard Resistance Range	10 Ω to 2 MΩ
Resistance Tolerance	±20 % std.
Adjustability	
Voltage Divider	±0.4 %
Rheostat	±0.8 %
Resolution	Essentially Infinite
Adjustment Angle	255 ° nom.

### Environmental Characteristics

Power Rating (50 volts max.)	
70 °C	100 mW
125 °C	0 watt
Operating Temperature Range	-55 °C to +125 °C
Temperature Coefficient	±100 PPM/°C
Vibration	20 G TRS ±1 %; VRS ±1 %
Shock	100 G TRS ±1 %; VRS ±1 %
Rotational Life	25 cycles TRS ±3 %

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)