


LOC		DIST		REVISIONS			
A	I	P	LFR	DESCRIPTION		DATE	OWN
				REVISED AND REDRAWN FOR ECR-07-014697		02JUL2007	M.P. R.M.






VIEW WITHOUT SLEEVE

I	c	3.70 ±0.15	1.80 ±0.2	3.90 ±0.15	4.70 ±0.15	2.60 ±0.2	4.90 ±0.15	
		2.60 ±0.15	1.20 ±0.2	2.90 ±0.15	3.60 ±0.15	2.00 ±0.2	4.00 ±0.15	
	b	2.00 ±0.15	0.80 ±0.2	2.20 ±0.15	2.80 ±0.15	1.60 ±0.2	3.00 ±0.15	
		a						
	CRIMP TYPE	B _c	D _c	H _c	B _i	D _i	H _i	CRIMP CODE
		CRIMP AREA DIMENSION						

FULL SIZE VIEWS
SCALE 1.000

FULL ASSY VIEW
WATERPROOF
SCALE 2.000



- 1 SUPERSEDES 2-14377709-5
- 2 SUPERSEDES 2-14377709-6
- 3 SUPERSEDES 2-14377709-7

PART AS SUPPLIED							COMPONENTS			MATERIALS			COMPONENTS SUPPLIED APART		TO FIT IN CAVITY	
P/N	PART REV.	DESCRIPTION	WATERPROOF	WIRE CROSS SEC. AREA	CRIMP CODE	CRIMP SPEC.	WEIGHT	TERMINAL	SLEEVE	WIRE SEAL	TERMINAL	SLEEVE	GREASE	WIRE SEAL	TYPE	DESCRIPTION
1-1437709-4	B	TERMINAL FEMALE TIN PLT.	YES	0.22-0.35mm ²	≡		0.402gr.	I	I	SEE CHART	DIN 17670 (CuSn6) TIN PLATED BRIGHT	ALLOY 230 RICH LOW BRASS	LITHIUM SOAP ZINC OXIDE	1-1437713-1 (0.22-0.35) BLACK	AC/T/19/195	CAVITY TERMINAL FEMALE
1-1437709-5		TERMINAL FEMALE TIN PLT.		0.50-1.00mm ²	≡≡		0.422gr.	I	I					1-1437713-2 (0.50-1.00) RED		
1-1437709-6		TERMINAL FEMALE TIN PLT.		1.50-2.50mm ²	≡≡≡		0.443gr.	I	I					1-1437713-3 (1.50) BLUE		
1-1437709-4	B	TERMINAL FEMALE TIN PLT.	NO	0.22-0.35mm ²	≡	AC/T/18/95	0.402gr.	I	I	NOT USED			WITHOUT GREASE			
2-1437709-8	P	TERMINAL FEMALE TIN PLT.		0.50-1.00mm ²	≡≡		0.422gr.	I	I							
1-1437709-5	B	TERMINAL FEMALE TIN PLT.		0.50-1.00mm ²	≡≡		0.422gr.	I	I							
1-1437709-6		TERMINAL FEMALE TIN PLT.		1.50-2.50mm ²	≡≡≡		0.443gr.	I	I							

THIS DRAWING IS A CONTROLLING DOCUMENT FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±0.3
1 PLC	±0.1
2 PLC	±0.1
3 PLC	±0.1
4 PLC	±0.1
ANGLES	±1°

MATERIAL: - FINISH: -

DWN M. PALMA 20JUN2007

CHK R. MARTINI 20JUN2007

APVD A. GENTA 20JUN2007

PRODUCT SPEC 108-20260

APPLICATION SPEC 114-20121

WEIGHT -

CUSTOMER DRAWING


tyco Electronics AMP ITALIA S.p.A. Corso F.lli Cervi, 15 Collegno (TO)

1,6 SYSTEM TERMINAL FEMALE TIN PLATED

SIZE A1 00779 CAGE CODE 1418069

SCALE 10:1 SHEET 1 OF 2 REV P


LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
-	-	-SEE SHEET 1-		-	-	-	






I	c	3.70	1.80	3.90	4.70	2.60	4.90	
		±0.15	±0.2	±0.15	±0.15	±0.2	±0.15	
	b	2.60	1.20	2.90	3.60	2.00	4.00	
		±0.15	±0.2	±0.15	±0.15	±0.2	±0.15	
	a	2.00	0.80	2.20	2.80	1.60	3.00	
		±0.15	±0.2	±0.15	±0.15	±0.2	±0.15	
CRIMP TYPE	Bc	Dc	Hc	Bi	Di	Hi	CRIMP CODE	
	CRIMP AREA DIMENSION							

FULL SIZE VIEWS
SCALE 1.000


FULL ASSY VIEW
WATERPROOF
SCALE 2.000





SECTION C-C



SECTION A-A



SECTION B-B



- 1 SUPERSEDES 2-14377709-0
2 SUPERSEDES 2-14377709-1

PART AS SUPPLIED							COMPONENTS			MATERIALS			COMPONENTS SUPPLIED APART		TO FIT IN CAVITY	
P/N	PART REV.	DESCRIPTION	WATERPROOF	WIRE CROSS SEC. AREA	CRIMP CODE	CRIMP SPEC.	WEIGHT	TERMINAL	SLEEVE	WIRE SEAL	TERMINAL	SLEEVE	GREASE	WIRE SEAL	TYPE	DESCRIPTION
0-14377709-9		TERMINAL FEMALE GOLD PLT.	YES	0.22-0.35mm ²		AC/T/18/95	0.402gr.	I	I	SEE CHART	DIN 17670 (CuSn6)	ALLOY 230 RICH LOW BRASS	INORGANIC GELLED SYNTHETIC HYDROCARBON OIL	I-1437713-1 (0.22-0.35) BLACK	AC/T/19/95	CAVITY TERMINAL FEMALE
1-14377709-0	A	TERMINAL FEMALE GOLD PLT.		0.50-1.00mm ²			0.422gr.	I	I		GOLD PLATED AT LOCATION			I-1437713-2 (0.50-1.00) RED		
1-14377709-7		TERMINAL FEMALE GOLD PLT.		1.50-2.50mm ²			0.443gr.	I	I		(A)			I-1437713-3 (1.50) BLUE		
0-14377709-9		TERMINAL FEMALE GOLD PLT.	NO	0.22-0.35mm ²		AC/T/18/95	0.402gr.	I	I	NOT USED	TIN PLATED MATTE					
1-14377709-0	A	TERMINAL FEMALE GOLD PLT.		0.50-1.00mm ²			0.422gr.	I	I							
1-14377709-7		TERMINAL FEMALE GOLD PLT.		1.50-2.50mm ²			0.443gr.	I	I							

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		DWN M. PALMA 20JUN2007		tyco Electronics tyco Electronics AMP ITALIA S.p.A. Corso F.lli Cervi, 15 Collegno (TO)	
Ø		0 PLC ±0.3		CIR R. MARTINI 20JUN2007		NAME	
Ø		1 PLC ±0.1		APVD A. GENTA 20JUN2007		PRODUCT SPEC	
Ø		2 PLC ±0.1		APPLICATION SPEC		SIZE	
Ø		3 PLC ±0.1		114-20121		CAGE CODE	
Ø		4 PLC ±0.1		WEIGHT		DRAWING NO	
Ø		ANGLES FINISH		CUSTOMER DRAWING		RESTRICTED TO	
Ø				SCALE 10:1		SHEET 2 OF 2	
Ø				REV P			

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru