







LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
GP	00	E1		REVISED PER ECO-11-007052	06APR2011	JY
		F		REVISED PER ECO-14-000886	20FEB2014	JW
		F1		REVISED PER ECO-14-010419	11JUL2014	JW
		G		REVISED PER ECO-15-013594	22SEP2015	JW



1. PADS AND VIAS CHASSIS GROUND
2. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
3. LIGHT PIPE KIT WHICH IS SEPARATE FROM CAGE ASSEMBLY, KIT TO BE ATTACHED AFTER SEATING OF 1761015-1 ON PC BOARD.
4. DATE CODE AND PART NUMBER IN APPROXIMATE AREA SHOWN LABEL ON CAGE ASSEMBLY WILL HAVE PART NUMBER 1761015-1 OR -3.
5. REFERENCE STYLE 1 ON APPLICATION SPECIFICATION 114-13165 FOR ADDITIONAL INFORMATION ON CAGE ASSEMBLIES WITH LIGHT PIPES.
6. REFERENCE APPLICATION SPEC 114-13120, HOLE A, FOR RECOMMENDED DRILL HOLES DIAMETER AND PLATING THICKNESSES.
7. REFERENCE APPLICATION SPEC 114-13120, HOLE B, FOR RECOMMENDED DRILL HOLES DIAMETER AND PLATING THICKNESSES.
8. PATTERN REPEATS FOR EACH PORT. SPACING BETWEEN PORTS IS 14.25mm.
9. MINIMUM PC BOARD THICKNESS = 1.50mm.
10. COMPANY LOGO IN APPROXIMATE AREA SHOWN
11. BOX WILL CONTAIN TRAYS OF CAGES AND TRAYS OF LIGHT PIPE ASSEMBLIES.
12. BOX WILL CONTAIN TRAYS OF CAGES AND TRAYS OF LIGHT PIPE ASSEMBLIES. ONE TRAY OF CAGE AND ONE TRAY OF LIGHT PIPE ASSEMBLIES WILL BE HELD BY A LARGE RUBBER BAND.


SUPERSEDED BY:
1658939-4

SUPERSEDED BY:
1658939-3

1761013-3	1751015-3	1	IX6 ASSEMBLY	1658939-4
1761013-3	1751015-3	2	IX6 ASSEMBLY	1658939-3
1761013-1	1751015-1	3	IX6 ASSEMBLY	1658939-2
1761013-1	1751015-1	4	IX6 ASSEMBLY	1658939-1
LIGHT PIPE KIT	CAGE ASSEMBLY	PACKAGE	POSITION	PART NUMBER


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	M.E. CONNER	21NOV2003	 TE Connectivity	
DIMENSIONS:		CHK	M.J. PHILLIPS	21NOV2003		
mm		APVD	M.J. PHILLIPS	21NOV2003	NAME SFP IX6 GAGE ASSEMBLY WITH LIGHT PIPE	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC				
0 PLC ±0.1		108-1950				
1 PLC ±0.1		APPLICATION SPEC				
2 PLC ±0.1		114-13120				
3 PLC ±0.100		SIZE				
4 PLC ±0.1		CAGE CODE				
ANGLES ±1°		DRAWING NO				
FINISH		RESTRICTED TO				
MATERIAL		WEIGHT			A100779C-1658939	
		Customer Drawing			SCALE 4:1 SHEET 1 OF 3 REV G	

LOC		DIST		REVISIONS					
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	M. E. CONNER	21NOV2003	 TE Connectivity			
		CHK	M. J. PHILLIPS	21NOV2003				
		APVD	M. J. PHILLIPS	21NOV2003	NAME			
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		SIZE		
mm				108-1950				
		0 PLC ±0.1		APPLICATION SPEC		DRAWING NO		
		1 PLC ±0.1		114-13120				
		2 PLC ±0.10				CAGE CODE		
		3 PLC ±0.100						
		4 PLC ±						
ANGLES ±1°								
FINISH				WEIGHT		Customer Drawing		
						SCALE		
						4:1		
						SHEET		
						2		
						OF		
						3		
						REV		
						G		



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG M. F. COMBER 21NOV2003 CHK M. J. PHILLIPS 21NOV2003 APPR M. J. PHILLIPS		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 0.1 1 PLC ± 0.1 2 PLC ± 0.1 3 PLC ± 0.100 4 PLC $\pm$ ANGLES FINISH		NAME SFP 1X6 GAGE ASSEMBLY WITH LIGHT PIPE	
		PRODUCT SPEC 108-1950 APPLICATION SPEC 114-13120		SIZE CAGE CODE DRAWING NO A100779	
MATERIAL -		WEIGHT -		RESTRICTED TO -	
Customer Drawing		SCALE 4:1		SHEET 3 of 3	
		Customer Drawing		REV G	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru