Altech

Isolation Partitions

Isolation partitions provide separation between terminal blocks with different potentials. When used for DC power applications, voltages of up to \pm 600V DC can be used on either side of the isolation partition. They also provide visual separation between groups of blocks.

- Material: polyamide 6.6
- Standard color: gray

PARTITIONS



| Cat. No. | Std. Pk. | Dimensions (H x L x W) | Suitable for: |
|-----------|-------------|---------------------------|-----------------------------|
| | | | |
| PP2.5/4UN | 50 | 37 x 44 x 1.6 | CTS2.5UN/4UN/CTT2.5UK/T/J/E |
| PP6/10U | 50 | 37.5 x 56.5 x 1.5 | CTS6U/CTS10U |
| PP25U | 50 | 46.5 x 62 x 1.5 | CTS25U |
| PP25UN | 50 | 42.5 x 62 x 1 | CTS25UN |
| PP35U | 50 | 50 x 64.5 x 1.5 | CTS35U |
| PP35UN | 50 | 50 x 64.5 x 1 | CTS35UN |
| PPCMT4 | 50 | 32.5 x 37 x 1.6 | CMT4/CMT4S/CMT4SU |
| PPCSFL4U | 50 | 42.5 x 62 x 1.5 | CSFL4U/4U(L)/CSDL4U |
| PPCSC2.5T | 50 | 28 x 58.7 x 1.5 | CSC2.5T/CSCG2.5T |
| PPCSC4T | 50 | 33 x 65 x 1.5 | CSC4T/CSCG4T |
| PPCSC6T | 50 | 36.5 x 72 x 2 | CSC6T/CSCG6T |

Separator Plates

Used for electrical separation of adjacent jumpers. They can be inserted after the terminal blocks have been assembled on DIN rail. There is no loss of width.

SEPARATOR PLATES



| Cat. No. | Std. Pk. | Dimensions (H x L x W) | Suitable for: |
|-----------|-------------|---------------------------|-----------------------------------|
| | | | |
| SP2.5/4UN | 100 | 17.5 x 17.4 x 1.4 | CTS2.5UN/4UN/CTT2.5UK/T/J/E |
| SP6/10U | 100 | 15.4 x 16.2 x 1.5 | CTS6U/CTS10U/16U |
| SPCDL4U | 100 | 15.4 x 16.2 x 1.6 | CDL4U/CDL4U(I.S)/ CDL4U(E) Series |
| SPCMB4 | 100 | 14.5 x 12 x 1.5 | CMB4 |
| SPCDLG2.5 | 100 | 11 x 10.5 x 1 | CDLG2.5 |

Protective Cover / Side Holding Plates

For protection against dust and shock, transparent protective cover can be installed above the terminal block assembly with the aid of side/holding plates. The side holding plates can be fitted on 35 mm and 32 mm Din rails. These plates should be backed by standard end stops.



Assembled Block installed with Protective Cover

CTSPC



For all Rail Mounting Terminals *Other lengths available on request.

CSP1



Mounting Accessories for CTSPC



OOO «ЛайфЭлектроникс" "LifeElectronics" LLC

ИНН 7805602321 КПП 780501001 P/C 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 3010181090000000703 БИК 044030703

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный) Email: org@lifeelectronics.ru