




EtherNet/IP Double-Ended Cord Sets

CAT5e, Moderate-Flex, 2 Twisted Bonded Pair, Solid/Unshielded, 24 AWG, PVC Jacket

Type	0985 705 500 															
Product description	Ethernet I/P, moderate-flex, double-ended cord set, RJ45 male to RJ45 male, 24 AWG, teal PVC jacket, solid/unshielded cable with 2 twisted bonded pairs.															
Technical illustration																
Wiring diagram	<table border="0"> <thead> <tr> <th>RJ45</th> <th>Color</th> <th>RJ45</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>White/Orange</td> <td>1</td> </tr> <tr> <td>2</td> <td>Orange</td> <td>2</td> </tr> <tr> <td>3</td> <td>White/Green</td> <td>3</td> </tr> <tr> <td>6</td> <td>Green</td> <td>6</td> </tr> </tbody> </table>	RJ45	Color	RJ45	1	White/Orange	1	2	Orange	2	3	White/Green	3	6	Green	6
RJ45	Color	RJ45														
1	White/Orange	1														
2	Orange	2														
3	White/Green	3														
6	Green	6														
Face views	RJ45 to RJ45 															
Part number	0985 705 500/...M															
Standard cable lengths	0.5 M / 1 M / 2 M / 5 M / 10 M / 15 M															

Be Certain with Belden



EtherNet/IP Double-Ended Cord Sets

CAT5e, Moderate-Flex, 2 Twisted Bonded Pair, Solid/Unshielded, 24 AWG, PVC Jacket

Type	0985 706 500
Degree of protection	IP20
Operating temperature range	-20°C(-4°F) to +75°C(+167°F)
Mechanical	
Housing	Pre-tinned copper alloy
Insert	Clear polycarbonate
Contacts	50 μ" gold in contact area over nickel plating
Cable specifications	
Cable jacket	PVC, (sun and oil resistant)
Color	Teal
Overall diameter	5.62 mm, nominal
Conductor	24 AWG, solid bare copper
Insulation	Polyolefin
Agency approval	UL rated CMR
Performance	CAT5e, Belden bonded twisted pair cable
Flex	Moderate Noise, Cat5e Industrial Ethernet Cable
Characteristics	



The application of these products in harsh environments should always be checked before use.
Specifications subject to alteration.

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru