

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0558363070](#)
Status: **Active**
Description: CRC™ Shielded Rectangular I/O Plug Assembly Set, Male Terminal, Signal, 30 Circuits, Polarization Type Standard, Lead Free



Series

image - Reference only

Documents:
[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)
[Product Specification PS-51238-018 \(PDF\)](#)

General	
Product Family	I/O Connectors
Series	55836
Application	Wire-to-Wire
Component Type	Kit
Product Name	CRC™
Type	N/A
Physical	
Boot Color	N/A
Circuits (Loaded)	30
Circuits (maximum)	30
Color - Resin	Black, Gray
Durability (mating cycles max)	100
Gender	Plug
Keying to Mating Part	Yes
Lock to Mating Part	Yes
Material - Metal	Phosphor Bronze, Stainless Steel
Material - Plating Mating	Gold
Material - Plating Termination	Tin
Material - Resin	Polycarbonate, Polyester
Number of Rows	6
Orientation	Vertical
PCB Locator	No
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface (in)	0.118 In
Pitch - Mating Interface (mm)	3.00 mm
Polarized to Mating Part	Yes
Polarized to PCB	N/A
Ports	1
Surface Mount Compatible (SMC)	N/A
Temperature Range - Operating	-40°C to +105°C
Termination Interface: Style	Crimp or Compression
Waterproof / Dustproof	No

Electrical	
Current - Maximum per Contact	3A
Shield Type	Full Shield
Shielded	Yes
Voltage - Maximum	250V AC (RMS)/DC

Material Info

Reference - Drawing Numbers	
Product Specification	PS-51238-018, RPS-51238-001
Sales Drawing	SD-55836-006

EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Not Reviewed
Halogen-Free
Status
Not Reviewed

China RoHS



Need more information on product environmental compliance?
Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)
Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[55836Series](#)

Mates With
[54333-3070](#) receptacle assembly set,
[54334-3070](#) receptacle assembly set panel mount

This document was generated on 04/05/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

55836-3074	55836-xx74
55836-2074	
55836-1274	
55836-3073	55836-xx73
55836-2073	
55836-1273	
55836-3072	55836-xx72
55836-2072	
55836-1272	
55836-3071	55836-xx71
55836-2071	
55836-1271	
55836-3070	55836-xx70
55836-2070	
55836-1270	
MATERIAL NO.	MODEL NO.

EN-02JA(021)

	10	9	8	7	6	5	4	3	2	1	
F											F
E											E
D											D
C											C
B											B
A											A

PLUG MOLD COVER B	51236-1205	I	51236-2005	I	51236-3005	I
PLUG MOLD COVER A	51235-1215	I	51235-2015	I	51235-3015	I
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	I	56382-2000	I	56382-3000	I
PLUG SHELL COVER	56381-1228	I	56381-2028	I	56381-3028	I
PLUG SHELL BODY	56380-1228	I	56380-2028	I	56380-3028	I
PLUG PIN HS'G	51234-1202	I	51234-2002	I	51234-3002	I
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	55836-1271		55836-2071		55836-3071	
タイプ TYPE	A TYPE					

RELEASED EC NO: J2006-1791 DRWN:MABEI 2005/11/30 CHKDK:TOYODA 2005/12/01 APPR:NUKITA 2005/12/06 REV 0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY	SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
		10 UNDER	±0.2	DRAWN BY M.NABEI	DATE '05/11/29	COMPACT ROBOT CONN. PLUG PIN SET -LEAD FREE-		
		10 OVER 30 UNDER	±0.25	CHECKED BY K.TOYODA	DATE '05/11/29			
		30 OVER	±0.3	APPROVED BY N.UKITA	DATE '05/11/29	MOLEX INCORPORATED		
		ANGULAR ±3 °		MATERIAL NO.	DOCUMENT NO.			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-55836-006	2 OF 5	

tb_frame_A3_J_ME_S Rev. D 2004/04/02	9	8	7	6	5	4	3	2	EN-02JA(021)
---	---	---	---	---	---	---	---	---	--------------

	10	9	8	7	6	5	4	3	2	1																																																																														
F											F																																																																													
E											E																																																																													
D	<table><tr><td>PLUG MOLD COVER B</td><td>51236-1205</td><td>I</td><td>51236-2005</td><td>I</td><td>51236-3005</td><td>I</td></tr><tr><td>PLUG MOLD COVER A</td><td>51235-1215</td><td>I</td><td>51235-2015</td><td>I</td><td>51235-3015</td><td>I</td></tr><tr><td>CROSS RECESSED HEAD SCREW</td><td>58203-0020</td><td>2</td><td>58203-0020</td><td>2</td><td>58203-0021</td><td>2</td></tr><tr><td>CABLE CLAMP</td><td>56382-1200</td><td>I</td><td>56382-2000</td><td>I</td><td>56382-3000</td><td>I</td></tr><tr><td>PLUG SHELL COVER</td><td>56381-1228</td><td>I</td><td>56381-2028</td><td>I</td><td>56381-3028</td><td>I</td></tr><tr><td>PLUG SHELL BODY</td><td>56380-1228</td><td>I</td><td>56380-2028</td><td>I</td><td>56380-3028</td><td>I</td></tr><tr><td>PLUG PIN HS'G</td><td>51234-1202</td><td>I</td><td>51234-2002</td><td>I</td><td>51234-3002</td><td>I</td></tr><tr><td>部品名称 PART NAME</td><td>部品型番 PART NO.</td><td>数量 QUAN.</td><td>部品型番 PART NO.</td><td>数量 QUAN.</td><td>部品型番 PART NO.</td><td>数量 QUAN.</td></tr><tr><td>極数 CIRCUIT</td><td colspan="2">12</td><td colspan="2">20</td><td colspan="2">30</td></tr><tr><td>セット型番 SET NO.</td><td colspan="2">55836-1271</td><td colspan="2">55836-2071</td><td colspan="2">55836-3071</td></tr><tr><td>タイプ TYPE</td><td colspan="6">A TYPE</td></tr></table>										PLUG MOLD COVER B	51236-1205	I	51236-2005	I	51236-3005	I	PLUG MOLD COVER A	51235-1215	I	51235-2015	I	51235-3015	I	CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2	CABLE CLAMP	56382-1200	I	56382-2000	I	56382-3000	I	PLUG SHELL COVER	56381-1228	I	56381-2028	I	56381-3028	I	PLUG SHELL BODY	56380-1228	I	56380-2028	I	56380-3028	I	PLUG PIN HS'G	51234-1202	I	51234-2002	I	51234-3002	I	部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	極数 CIRCUIT	12		20		30		セット型番 SET NO.	55836-1271		55836-2071		55836-3071		タイプ TYPE	A TYPE						D
PLUG MOLD COVER B	51236-1205	I	51236-2005	I	51236-3005	I																																																																																		
PLUG MOLD COVER A	51235-1215	I	51235-2015	I	51235-3015	I																																																																																		
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2																																																																																		
CABLE CLAMP	56382-1200	I	56382-2000	I	56382-3000	I																																																																																		
PLUG SHELL COVER	56381-1228	I	56381-2028	I	56381-3028	I																																																																																		
PLUG SHELL BODY	56380-1228	I	56380-2028	I	56380-3028	I																																																																																		
PLUG PIN HS'G	51234-1202	I	51234-2002	I	51234-3002	I																																																																																		
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.																																																																																		
極数 CIRCUIT	12		20		30																																																																																			
セット型番 SET NO.	55836-1271		55836-2071		55836-3071																																																																																			
タイプ TYPE	A TYPE																																																																																							
C											C																																																																													
B											B																																																																													
A	<table><tr><td rowspan="7">RELEASED EC NO: J2006-1791 DRAWN:MABEI 2005/11/30 CHKDK:TOYODA 2005/12/01 APPR:NUKITA 2005/12/06 REV 0</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE ---</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td colspan="2">10 UNDER ±0.2</td><td colspan="2">DRAWN BY DATE M.NABEI '05/11/29</td><td colspan="4" rowspan="2">COMPACT ROBOT CONN. PLUG PIN SET -LEAD FREE-</td></tr><tr><td colspan="2">10 OVER 30 UNDER ±0.25</td><td colspan="2">CHECKED BY DATE K.TOYODA '05/11/29</td></tr><tr><td colspan="2">30 OVER ±0.3</td><td colspan="2">APPROVED BY DATE N.UKITA '05/11/29</td><td colspan="4" rowspan="2">MOLEX INCORPORATED</td></tr><tr><td colspan="2">ANGULAR ±3 °</td><td colspan="2">MATERIAL NO.</td><td colspan="2">DOCUMENT NO.</td><td>SHEET NO.</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE CHART</td><td colspan="2">SD-55836-006</td><td colspan="2">2 OF 5</td></tr><tr><td colspan="2">SIZE A3</td><td colspan="6">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>										RELEASED EC NO: J2006-1791 DRAWN:MABEI 2005/11/30 CHKDK:TOYODA 2005/12/01 APPR:NUKITA 2005/12/06 REV 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		10 UNDER ±0.2		DRAWN BY DATE M.NABEI '05/11/29		COMPACT ROBOT CONN. PLUG PIN SET -LEAD FREE-				10 OVER 30 UNDER ±0.25		CHECKED BY DATE K.TOYODA '05/11/29		30 OVER ±0.3		APPROVED BY DATE N.UKITA '05/11/29		MOLEX INCORPORATED				ANGULAR ±3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-55836-006		2 OF 5		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						A																									
RELEASED EC NO: J2006-1791 DRAWN:MABEI 2005/11/30 CHKDK:TOYODA 2005/12/01 APPR:NUKITA 2005/12/06 REV 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																																	
	10 UNDER ±0.2		DRAWN BY DATE M.NABEI '05/11/29		COMPACT ROBOT CONN. PLUG PIN SET -LEAD FREE-																																																																																			
	10 OVER 30 UNDER ±0.25		CHECKED BY DATE K.TOYODA '05/11/29																																																																																					
	30 OVER ±0.3		APPROVED BY DATE N.UKITA '05/11/29		MOLEX INCORPORATED																																																																																			
	ANGULAR ±3 °		MATERIAL NO.						DOCUMENT NO.			SHEET NO.																																																																												
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-55836-006		2 OF 5																																																																																	
	SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																					
	tb_frame_A3_J_ME_S Rev. D 2004/04/02	9	8	7	6	5	4	3	2	EN-02JA(021)																																																																														

[illegible]

	10	9	8	7	6	5	4	3	2	1																																																																														
F											F																																																																													
E											E																																																																													
D	<table><tr><td>PLUG MOLD COVER B</td><td>51236-1205</td><td>I</td><td>51236-2005</td><td>I</td><td>51236-3005</td><td>I</td></tr><tr><td>PLUG MOLD COVER A</td><td>51235-1215</td><td>I</td><td>51235-2015</td><td>I</td><td>51235-3015</td><td>I</td></tr><tr><td>CROSS RECESSED HEAD SCREW</td><td>58203-0020</td><td>2</td><td>58203-0020</td><td>2</td><td>58203-0021</td><td>2</td></tr><tr><td>CABLE CLAMP</td><td>56382-1200</td><td>I</td><td>56382-2000</td><td>I</td><td>56382-3000</td><td>I</td></tr><tr><td>PLUG SHELL COVER</td><td>56381-1228</td><td>I</td><td>56381-2028</td><td>I</td><td>56381-3028</td><td>I</td></tr><tr><td>PLUG SHELL BODY</td><td>56380-1228</td><td>I</td><td>56380-2028</td><td>I</td><td>56380-3028</td><td>I</td></tr><tr><td>PLUG PIN HS'G</td><td>51234-1203</td><td>I</td><td>51234-2003</td><td>I</td><td>51234-3003</td><td>I</td></tr><tr><td>部品名称 PART NAME</td><td>部品型番 PART NO.</td><td>数量 QUAN.</td><td>部品型番 PART NO.</td><td>数量 QUAN.</td><td>部品型番 PART NO.</td><td>数量 QUAN.</td></tr><tr><td>極数 CIRCUIT</td><td colspan="2">I2</td><td colspan="2">20</td><td colspan="2">30</td></tr><tr><td>セット型番 SET NO.</td><td colspan="2">55836-1272</td><td colspan="2">55836-2072</td><td colspan="2">55836-3072</td></tr><tr><td>タイプ TYPE</td><td colspan="6">B TYPE</td></tr></table>										PLUG MOLD COVER B	51236-1205	I	51236-2005	I	51236-3005	I	PLUG MOLD COVER A	51235-1215	I	51235-2015	I	51235-3015	I	CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2	CABLE CLAMP	56382-1200	I	56382-2000	I	56382-3000	I	PLUG SHELL COVER	56381-1228	I	56381-2028	I	56381-3028	I	PLUG SHELL BODY	56380-1228	I	56380-2028	I	56380-3028	I	PLUG PIN HS'G	51234-1203	I	51234-2003	I	51234-3003	I	部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	極数 CIRCUIT	I2		20		30		セット型番 SET NO.	55836-1272		55836-2072		55836-3072		タイプ TYPE	B TYPE						D
PLUG MOLD COVER B	51236-1205	I	51236-2005	I	51236-3005	I																																																																																		
PLUG MOLD COVER A	51235-1215	I	51235-2015	I	51235-3015	I																																																																																		
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2																																																																																		
CABLE CLAMP	56382-1200	I	56382-2000	I	56382-3000	I																																																																																		
PLUG SHELL COVER	56381-1228	I	56381-2028	I	56381-3028	I																																																																																		
PLUG SHELL BODY	56380-1228	I	56380-2028	I	56380-3028	I																																																																																		
PLUG PIN HS'G	51234-1203	I	51234-2003	I	51234-3003	I																																																																																		
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.																																																																																		
極数 CIRCUIT	I2		20		30																																																																																			
セット型番 SET NO.	55836-1272		55836-2072		55836-3072																																																																																			
タイプ TYPE	B TYPE																																																																																							
C											C																																																																													
B											B																																																																													
A	<table><tr><td rowspan="5">RELEASED EC NO.: J2006-1791 DRAWN:MABEI 2005/11/30 CHKDK:TOYODA 2005/12/01 APPR:NUKITA 2005/12/06</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE ---</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td colspan="2">10 UNDER ±0.2</td><td colspan="2">M.NABEI DATE '05/11/29</td><td colspan="4" rowspan="2">COMPACT ROBOT CONN. PLUG PIN SET -LEAD FREE-</td></tr><tr><td colspan="2">10 OVER 30 UNDER ±0.25</td><td colspan="2">CHECKED BY K.TOYODA DATE '05/11/29</td></tr><tr><td colspan="2">30 OVER ±0.3</td><td colspan="2">APPROVED BY N.UKITA DATE '05/11/29</td><td colspan="4" rowspan="2">MOLEX INCORPORATED</td></tr><tr><td colspan="2">ANGULAR ±3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">MATERIAL NO. SEE CHART</td><td colspan="2">DOCUMENT NO. SD-55836-006</td><td>SHEET NO. 3 OF 5</td></tr><tr><td>0</td><td colspan="2"></td><td colspan="2">SIZE A3 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td><td colspan="5"></td></tr></table>										RELEASED EC NO.: J2006-1791 DRAWN:MABEI 2005/11/30 CHKDK:TOYODA 2005/12/01 APPR:NUKITA 2005/12/06	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		10 UNDER ±0.2		M.NABEI DATE '05/11/29		COMPACT ROBOT CONN. PLUG PIN SET -LEAD FREE-				10 OVER 30 UNDER ±0.25		CHECKED BY K.TOYODA DATE '05/11/29		30 OVER ±0.3		APPROVED BY N.UKITA DATE '05/11/29		MOLEX INCORPORATED				ANGULAR ±3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE CHART		DOCUMENT NO. SD-55836-006		SHEET NO. 3 OF 5	0			SIZE A3 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							A																															
RELEASED EC NO.: J2006-1791 DRAWN:MABEI 2005/11/30 CHKDK:TOYODA 2005/12/01 APPR:NUKITA 2005/12/06	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																																																	
	10 UNDER ±0.2		M.NABEI DATE '05/11/29		COMPACT ROBOT CONN. PLUG PIN SET -LEAD FREE-																																																																																			
	10 OVER 30 UNDER ±0.25		CHECKED BY K.TOYODA DATE '05/11/29																																																																																					
	30 OVER ±0.3		APPROVED BY N.UKITA DATE '05/11/29		MOLEX INCORPORATED																																																																																			
	ANGULAR ±3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE CHART						DOCUMENT NO. SD-55836-006		SHEET NO. 3 OF 5																																																																													
0			SIZE A3 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																					
	tb_frame_A3_J_ME_S Rev. D 2004/04/02	9	8	7	6	5	4	3	2	EN-02JA(021)																																																																														

PLUG MOLD COVER B	51236-1205	I	51236-2005	I	51236-3005	I
PLUG MOLD COVER A	51235-1215	I	51235-2015	I	51235-3015	I
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	I	56382-2000	I	56382-3000	I
PLUG SHELL COVER	56381-1228	I	56381-2028	I	56381-3028	I
PLUG SHELL BODY	56380-1228	I	56380-2028	I	56380-3028	I
PLUG PIN HS'G	51234-1204	I	51234-2004	I	51234-3004	I
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	55836-1273		55836-2073		55836-3073	
タイプ TYPE	C TYPE					

RELEASED EC NO: J2006-4791 DRWN:MABEL CHKDK:TOYODA APPR:NUKITA 0	2005/11/30 2005/12/01 2005/12/06	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
			10 UNDER ±0.2	M.NABEI DATE '05/11/29	TITLE COMPACT ROBOT CONN. PLUG PIN SET -LEAD FREE-				
			10 OVER 30 UNDER ±0.25	CHECKED BY DATE '05/11/29					
			30 OVER ±0.3	APPROVED BY DATE '05/11/29					
			ANGULAR ±3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		SD-55836-006		4 OF 5
			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

[illegible]

	10	9	8	7	6	5	4	3	2	1	
F											F
E											E
D											D
C											C
B											B
A											A

PLUG MOLD COVER B	51236-1205	I	51236-2005	I	51236-3005	I
PLUG MOLD COVER A	51235-1215	I	51235-2015	I	51235-3015	I
CROSS RECESSED HEAD SCREW	58203-0020	2	58203-0020	2	58203-0021	2
CABLE CLAMP	56382-1200	I	56382-2000	I	56382-3000	I
PLUG SHELL COVER	56381-1228	I	56381-2028	I	56381-3028	I
PLUG SHELL BODY	56380-1228	I	56380-2028	I	56380-3028	I
PLUG PIN HS'G	51234-1205	I	51234-2005	I	51234-3005	I
部品名称 PART NAME	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.	部品型番 PART NO.	数量 QUAN.
極数 CIRCUIT	12		20		30	
セット型番 SET NO.	55836-1274		55836-2074		55836-3074	
タイプ TYPE	D TYPE					

RELEASED EC NO: J2006-1791 DRWN:MABEI 2005/11/30 CHKDK:TOYODA 2005/12/01 APPR:NUKITA 2005/12/06 REV 0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY	SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
		10 UNDER	±0.2	DRAWN BY M.NABEI	DATE '05/11/29	TITLE COMPACT ROBOT CONN. PLUG PIN SET -LEAD FREE-		
		10 OVER 30 UNDER	±0.25	CHECKED BY K.TOYODA	DATE '05/11/29			
		30 OVER	±0.3	APPROVED BY N.UKITA	DATE '05/11/29	MOLEX INCORPORATED		
		ANGULAR ±3 °	MATERIAL NO. SEE CHART		DOCUMENT NO. SD-55836-006			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

tb_frame_A3_J_ME_S
Rev. D 2004/04/02

98765432EN-02JA(021)

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru