

433.920MHz SURFACE MOUNT SAW FILTER

AFS433.92N03-SE

AFS433.
92N03-
SE



5.0 x 5.0 x 1.5mm



RoHS
Compliant

FEATURES:

- Miniature and light weight
- SMD makes reflow soldering possible

APPLICATIONS:

- Wireless car alarm
- Garage door opener
- Remote Keyless entry

ELECTRONIC SPECIFICATIONS:

PARAMETERS



ABRACON P/N: AFS433.92N03-SE

Item	Units	Minimum	Typical	Maximum
Center Frequency (fo)	MHz	-	433.92	-
Insertion Loss (433.80MHz ~ 434.120MHz)	dB	-	2.0	4.5
Pass Band Ripple (433.80MHz ~ 434.120MHz)	dB	-	1.0	2.0
Attenuation				
10.00MHz ~ 414.00MHz	dB	45.0	50.0	--
414.00MHz ~ 428.00MHz	dB	40.0	45.0	--
428.00MHz ~ 432.92MHz	dB	15.0	20.0	--
434.92MHz ~ 442.00MHz	dB	10.0	15.0	--
442.00MHz ~ 550.00MHz	dB	35.0	40.0	--
550.00MHz ~ 1000.00MHz	dB	45.0	50.0	--
Temperature Coefficient of Frequency	ppm/K ²	-	-0.03	-
External Impedance Match				
Series Inductance L	nH	-	33	-
Shunt Capacitance C	pF	-	5.6	-
Absolute First Year Aging	ppm	-	-	10

ABSOLUTE MAXIMUM RATING

DC Voltage V _{DC}	10V
AC Voltage V _{pp}	10V (50Hz/60Hz)
Operating Temperature Range	-40°C to +85°C
Storage Temperature Range	-45°C to +85°C
Source Power	10dBm

FREQUENCY CHARACTERISTICS:



ABRACON IS
ISO 9001 / QS 9000
CERTIFIED

ABRACON
CORPORATION

Visit www.abracon.com for Terms & Conditions of Sale **Revised: 07.02.07**
30332 Esperanza, Rancho Santa Margarita, California 92688
tel 949-546-8000 | fax 949-546-8001 | www.abracon.com

433.920MHz SURFACE MOUNT SAW FILTER

AFS433.92N03-SE




RoHS
Compliant



5.0 x 5.0 x 1.5mm


OUTLINE DRAWING:



X = Traceability Code


Pin No.	Function
1	Input Ground
2	Input
3	Ground
4	Case Ground
5	Output
6	Output Ground
7	Ground
8	Case Ground

TEST CIRCUIT:





TAPE & REEL:


Taping Structure



Leader part and vacant position specification



Tensile Strength of carrier tape: 4.4N/mm width.
 Top Cover Tape Adhesion
 1) pull off angle: 0-15°
 2) speed: 300mm/min.
 3) force 20-70g



ABRACON IS
 ISO 9001 / QS 9000
 CERTIFIED

ABRACON
 CORPORATION

Visit www.abracon.com for Terms & Conditions of Sale **Revised: 07.02.07**
 30332 Esperanza, Rancho Santa Margarita, California 92688
 tel 949-546-8000 | fax 949-546-8001 | www.abracon.com

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru