

DATA SHEET

HIGH FREQUENCY
SMD type antenna
for BT/802.11b/g application

2.45 GHz
7020 Series



FEATURES

- Omini directional radiation
- Compact size design
- Suitable for wave and reflow soldering
- RoHS compliant

APPLICATIONS

- Bluetooth, WLAN
- 2.4 GHz ISM Band

ORDERING INFORMATION - GLOBAL PART NUMBER, PHYCOMPCTC & I2NC

All part numbers are identified by the series, packing type, material, size, antenna type, working frequency and packing quantity.

YAGEO BRAND ordering code**GLOBAL PART NUMBER (PREFERRED)**

CAN43 11 7 72 05 245 2K
(1) (2) (3) (4) (5) (6) (7)

(1) FAMILY

CAN43 = Antenna products

(2) PACKING STYLE

11 = Reel

(3) MATERIALS

Material Code 7

(4) SIZE

72 = 7.0 * 2.0

(5) ANTENNA TYPE

05 = Type 05

07 = Type 07

(6) WORKING FREQUENCY

245 = 2.4 ~ 2.5 GHz

(7) PACKING QUANTITY

2K = 2,000 pcs per reel

ELECTRICAL CHARACTERISTICS

Table I

DESCRIPTION	VALUE
Centre Frequency	2.45 GHz
Bandwidth	420 MHz (Typ.)
Return Loss	10 dB min
Polarization	Linear
Azimuth Beamwidth	Omni-directional
Peak Gain	2.62 dBi (Typ.)
Impedance	50 Ω
Operating Temperature	- 40 °C to +85 °C
Maximum Power	1 W
Termination	Ni / Sn (Environmentally-Friendly Leadless)
Resistance to Soldering Heats	260°C , 10sec.

NOTE

I. The specification is defined on Yageo evaluation board

DIMENSIONS

Table 2 Machinal Dimension

TYPE	DIMENSION
L (mm)	7.02 $\pm$ 0.20
W (mm)	2.02 $\pm$ 0.20
T (mm)	0.76 $\pm$ 0.20
A (mm)	0.45 $\pm$ 0.20


OUTLINES

Table 3 Termination configuration

TERMINAL NAME	FUNCTION
S1	Feeding Point
S2	Soldering Point

FOOTPRINT DIMENSIONS





Fig. 3 Outlook and dimension of evaluation board



Unit : mm



YNH00121

Fig. 4 Dimension of footprint

ELECTRICAL PERFORMERS



REVISION HISTORY

REVISION	DATE	CHANGE NOTIFICATION	DESCRIPTION
----------	------	---------------------	-------------

Version 0	Dec. 03, 2012	-	- New data sheet for SMD type antenna, 2.45GHz application, 7020 series
-----------	---------------	---	---

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru