





1. MATERIAL:


- 1.1 HOUSING: LCP WITH 30% G.F, UL94 V-0; COLOR: BLACK
- 1.2 CONTACT: PHOSPHOR BRONZE.
- 1.3 FRONT SHELL: STEEL.
- 1.4 BACK SHELL: STEEL.
- 1.5 CLIP: STEEL.
2. FINISH:
 - 2.1 CONTACT:

GOLD PLATING (SEE TABLE) ON CONTACT AREA,
2.54um [100u"] MIN. MATTE-TIN PLATING ON SOLDER TAILS,
1.27um [50u"] MIN. NICKEL UNDERPLATING OVERALL.
 - 2.2 FRONT SHELL: 2.54um [100u"] MIN. NICKEL PLATING.
 - 2.3 BACK SHELL: 2.54um [100u"] MIN. NICKEL PLATING.
 - 2.4 CLIP: 2.54um [100u"] MIN. NICKEL PLATING.
3. RECOMMENDED P.C.B THICKNESS : 1.2~1.8mm
4. WAVE SOLDER CAPABLE TO 265°C PER TE SPEC. 109-202. CONDITION B.



RECOMMENDED P.C.B. LAYOUT △3
TOP VIEW(TOLERANCE:±0.05)

EOL	-0.762um [30u"]	1775315-2
	0.381um [15u"]	1775315-1
	MIN. GOLD THICKNESS	PART NUMBER




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. LEE	05JUL2006	 TE Connectivity			
		CHK S. HOU	05JUL2006				
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD W.J. KF	05JUL2006	NAME			
	0 PLC ± — 1 PLC ± 0.3 2 PLC ± 0.2 3 PLC ± 0.15 4 PLC ± — ANGLES ± 3°	PRODUCT SPEC 108-57519		USB, A TYPE, HIGH RISE, R/A, DIP			
		APPLICATION SPEC		SIZE	CAGE CODE	DRAWING NO	RESTRICTED
MATERIAL		WEIGHT 5.03 GRAMS		A3	00779	C-1775315	—
SEE NOTE		CUSTOMER DRAWING		SCALE		SHEET 1 OF 2	REV C






LOC		DIST		REVISIONS				
P	LTR	DESCRIPTION			DATE	DWN	APVD	
		SEE SHEET 1.						

NOTE:

1. MATERIAL:
TRAY: PVC.
SHIPPING CARTON: CORRUGATED FIBERBOARD.
2. DIMENSION:
TRAY: SEE DRAWING.
SHIPPING CARTON: SEE DRAWING.
3. QUANTITY: SEE TABLE.
4. WEIGHT: SEE TABLE.



120 PCS/TRAY



7.0 KG	6.0 KG	120	10	1200
GROSS WEIGHT	NET WEIGHT	PCS /TRAY	TRAYS /CARTON	QUANTITY (PCS)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		
		CHK		
		APVD		
DIMENSIONS: mm		PRODUCT SPEC	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		APPLICATION SPEC		
MATERIAL		WEIGHT		
FINISH		CUSTOMER DRAWING		
		SIZE	CAGE CODE	DRAWING NO
		A3	00779	C-1775315
		SCALE	SHEET	REV
			2 OF 2	C

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru