






GIGABIT MAGNETIC JACK 1x1 LED



FRONT VIEW
NON LED VERSION
P/N 85793-1020





FRONT VIEW
LED VERSION
P/N SEE BOM ON SHEET 3





- NOTES:
- 1 - SHIELD MATERIAL: STAINLESS STEEL
(GROUND PINS ARE SOLDER DIPPED)
 - 2 - PLASTIC MATERIAL: PBT, BLACK, UL 94V-0
 - 3 - RJ45 TERMINALS MATERIAL: COPPER ALLOY
CONTACT PLATING: 0.76 MICROMETER GOLD
OVER 1.9 MICROMETER NICKEL
PHY TERMINALS: TIN PLATED
 - 4 - MATING INTERFACE ACCORDING TO IEC 60603-7
 - 5 - PRODUCT SPECIFICATION: PS-85793-001
 - 6 - PACKAGING SPECIFICATION: PK-85759-001
 - 7 - STAND OFF TO SYSTEM BOARD
 - 8 - RECOMMENDED PCB THICKNESS: 1.6mm
 - 9 - SHIELD LATCHES: AVOID TO ROUTE
TRACES OR TO PLACE ANY VIAS OR PADS
BELOW THESE LATCHES
 - 10 - INSCRIPTION MARKED BY LASER:
UL LOGO
1st : MOLEX
2st : P/N (SEE BOM)
3rd : DATE CODE(WEEK/YEAR)

SCALE 1:1



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
EC DESCRIPTION EC NO: 101432 DRWN: MFURKEL CHK'D: APPR:		2015/09/24	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION UNITS		SCALE		molex						
					MM		2:1								
			 = 0		ANGULAR TOL ± 0.5 °	DRWN BY		DATE		GIGABIT MAGNETIC JACK 1X1 LED					
			 = 0			MFURKEL		2015/06/15							
			 = 0			CHK'D BY		DATE							
 = 0	4 PLACES	±	APPR BY			DATE		PRODUCT CUSTOMER DRAWING							
 = 0	3 PLACES	±													
 = 0	2 PLACES	± 0.25													
 = 0	1 PLACE	± 0.5	DRAWING SIZE		THIRD ANGLE PROJECTION		SERIES		MATERIAL NUMBER		CUSTOMER				
 = 0	0 PLACES	±					85793		SEE BOM/ SHEET 3/4						
 = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						A3				DOCUMENT NUMBER			DOC TYPE	DOC PART
D	REV								857931001		PSD	000	1 OF 4		



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	
EC DESCRIPTION EC NO: 101432 DRWN: MFURKEL CHK'D: APPR:			QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION UNITS	SCALE	molex										
					MM	2:1											
			= 0	ANGULAR TOL ± 0.5 °	DRWN BY		DATE		GIGABIT MAGNETIC JACK 1X1 LED								
			= 0		MFURKEL		2015/06/15										
			= 0	4 PLACES	±	CHK'D BY		DATE		PRODUCT CUSTOMER DRAWING							
			= 0	3 PLACES	±												
			= 0	2 PLACES	± 0.25	APPR BY		DATE		SERIES		MATERIAL NUMBER		CUSTOMER			
			= 0	1 PLACE	± 0.5	RSILLER		2015/07/02		85793		SEE BOM/ SHEET 3/4					
= 0	0 PLACES	±	DRAWING SIZE	THIRD ANGLE PROJECTION				DOCUMENT NUMBER		DOC TYPE	DOC PART	SHEET NUMBER					
= 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	A3			857931001		PSD	000	2 OF 4								
= 0																	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru