







		2	3	4	5	6	7	8																											
		REV.			ECN NO.	DATE	SIGN	DESCRIPTION																											
F	ALTW CONFIDENTIAL 2016-06-14 R&D DEPT.																																		
E																																			
D																																			
C	ALTW DCC. DEPT. CONFIDENTIAL 2016.07.22 ISSUED					Note: *  Important Dimension. * Waterproof Rate: IP68. * Housing: Nylon+GF, Black. * Male Pin: Copper Alloy, Gold Plated. * Shell: Copper Alloy, Nickel Plated. * Ground Lug: Copper Alloy, Nickel Plated. * Screw Nut: Copper Alloy, Nickel Plated. * Panel O-Ring: Viton, Green. * Rated Voltage: 2 & 3Pin 60V dc. or ac. 4 ~ 6Pin 30V dc. or ac. * Rated Current: 2 ~ 4Pin 3A 5 & 6Pin 1.5A * Operating Temperature: -20~85°C * For Panel Thickness: Min=2.0mm, Max=4.0mm. * For PCB Thickness: Max=1.6mm. * Recommended Nut Torque: 4~6kgf.cm.																													
B	 Recommended Panel Cut-Out																																		
A	UNIT:mm  TOLERANCE <table><tr><td>.X</td><td>±0.25</td></tr><tr><td>.XX</td><td>±0.1</td></tr><tr><td>.XXX</td><td>±0.05</td></tr><tr><td>ANGLES</td><td>±1°</td></tr></table>		.X	±0.25	.XX	±0.1	.XXX	±0.05	ANGLES	±1°	TITLE M8 Male Conn. Panel 90° PCB Type With Key (Shielded) <table><tr><td>SCALE</td><td>2:1</td><td>SIZE</td><td>A4</td><td>SHEET</td><td>1</td><td>OF</td><td>2</td></tr><tr><td>REV.</td><td>A</td><td>WC-REV.</td><td>A.5</td><td colspan="4">:Inspection item</td></tr></table>			SCALE	2:1	SIZE	A4	SHEET	1	OF	2	REV.	A	WC-REV.	A.5	 :Inspection item				Amphenol LTW 安費諾亮泰企業股份有限公司		ITEM NO		DRAWN BY Yulong_wang	DATE 2016-06-14
.X	±0.25																																		
.XX	±0.1																																		
.XXX	±0.05																																		
ANGLES	±1°																																		
SCALE	2:1	SIZE	A4	SHEET	1	OF	2																												
REV.	A	WC-REV.	A.5	 :Inspection item																															
					DWG NO M8AS-XXPMMR-SF8001	CHECKED BY Jinhai	DATE 2016-06-14																												
					CUSTOMER ALTW	APPROVED BY Jerry	DATE 2016-06-14																												
							8 FMW10702-01-02A1																												

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS CONFIDENTIAL AND A PROPERTY OF Amphenol LTW. DISCLOSURE TO THIRD PARTY HAS TO BE AUTHORIZED BY Amphenol LTW.

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS CONFIDENTIAL AND A PROPERTY OF Amphenol LTW. DISCLOSURE TO THIRD PARTY HAS TO BE AUTHORIZED BY Amphenol LTW.




M 8AS - XX P M M R - S F 8 00I

8AS:M8 Sensor
Shielded(w/Key)


02:2Pin
03:3Pin
04:4Pin
05:5Pin
06:6Pin

P:Panel(板端)
M:Male Connector(公座)

00I:Phantom(虛擬料號)
8:IP68(防水等級68)
F:Front Fasten(前鎖式/Enclosure Rear Mount)
S:Screw(螺紋式)
R:90° PCB THT/DIP Type(90° 基板插件式)
M:Male Pin(公Pin)



Recommend PCB Layout



Pin Assignmen Front View

UNIT:mm		TITLE		ITEM NO		DRAWN BY		DATE	
TOLERANCE		M8 Male Conn. Panel		DWG NO		Yulong_wang		2016-06-14	
.X ±0.25		90° PCB Type With Key (Shielded)		M8AS-XXPMMR-SF800I		CHECKED BY		Jinhai	
.XX ±0.1		SCALE 2:1		CUSTOMER		APPROVED BY		Jerry	
.XXX ±0.05		SIZE A4		ALTW		DATE		2016-06-14	
ANGLES ±1°		SHEET 2 OF 2							
		REV. A							
		WC-REV. A.5							
		QC: Inspection item							

Amphenol LTW
安費諾亮泰企業股份有限公司

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru