








SECTION C-C
SCALE 4:1




SECTION D-D
SCALE 4:1

spec ref	-	dr	Eric Jiang	2013/05/15	projection	MM	size	A2	scale	4:1
tolerance std	ASME Y14.5	eng	Eric Jiang	2013/06/24	chr	-	ecn no	-	rel level	Released
surface	✓	appr	Pei-Ming Zheng	2013/06/24	product family	CARD EDGE	cat. no.	-	Product - Customer Drw	sheet 1 of 4
linear	0.X ±0.5 0.XX ±0.25 0.XXX ±0.10	title	VERT RECT ASM (52P-22S) HIGH POWER CARD EDGE			dwg no	10124028	rev	A	
angular	0° ±2°	www.fci.com								

PDS: Rev :A

STATUS:Released

Printed: Jun 24, 2013

1		2		3		4		5		6		7		8																																																																																																	
HPCE PART NUMBER (TABLE 3)																																																																																																															
PART NUMBER		TAIL TYPE	ALIGNMENT KEY	DIM "A" TYPICAL TAIL LENGTH		DIM "B" RECOMMENDED BOARD THICKNESS																																																																																																									
10124028-001LF		SOLDER	YES	3.17 ±0.25		1.59 - 2.38																																																																																																									
10124028-002LF		SOLDER	NO																																																																																																												
10124028-003LF		PRESS-FIT	YES	3.17±0.25		1.57 MIN																																																																																																									
10124028-004LF		PRESS-FIT	NO																																																																																																												
NOTES: 1. CONNECTOR MATERIALS: HOUSING: HIGH TEMPERATURE THERMAL PLASTIC, BLACK UL 94V-0 COMPLIANT CONTACTS: HIGH PERFORMANCE COPPER ALLOY. 2. CONTACT FINISH REF. GS-12-604 SECTION 5.2. 3. PRODUCT SPECIFICATION: GS-12-604. 4. APPLICATION SPECIFICATION: GS-20-128. 5. PRODUCT MARKING (FCI - PART NUMBER & DATE CODE) ON HOUSING IN AREA SHOWN. 6. PACKAGING MEETS FCI SPECIFICATION GS-14-937. 7. HOUSING COMPONENT WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 60 SECONDS IN A CONVECTION, INFRA-RED, OR VAPOR PHASE REFLOW OVEN. 8. COPPER PLATING THICKNESS IN CENTER OF VIA-HOLE CAN BE NO MORE THAN 0.003 LESS THAN OTHER AREAS. 9. ALL HOLE SIZES ARE FINISHED HOLE SIZES. 10. MOUNTING HOLES ARE UNPLATED Ø 2.40 +/- 0.1 FOR PRESS-FIT TAILS Ø 2.18 +/- 0.03 FOR SOLDER TAILS																																																																																																															
<table><tr><td colspan="2">dr</td><td colspan="2">Eric Jiang</td><td colspan="2">2013/05/15</td><td colspan="2">projection</td><td colspan="2">MM</td><td colspan="2">size</td><td colspan="2">A2</td><td colspan="2">scale</td></tr><tr><td colspan="2">eng</td><td colspan="2">Eric Jiang</td><td colspan="2">2013/06/24</td><td colspan="2">⊕</td><td colspan="2">←→</td><td colspan="2">ecn no</td><td colspan="2">-</td><td colspan="2"></td></tr><tr><td colspan="2">chr</td><td colspan="2">-</td><td colspan="2">-</td><td colspan="2">product family</td><td colspan="2">CARD EDGE</td><td colspan="2">rel level</td><td colspan="2">Released</td><td colspan="2">rev</td></tr><tr><td colspan="2">appr</td><td colspan="2">Pei-Ming Zheng</td><td colspan="2">2013/06/24</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2">www.fci.com</td><td colspan="2">title</td><td colspan="2">VERT RECT ASM (52P-22S)</td><td colspan="2">dwg no</td><td colspan="2">10124028</td><td colspan="2">rev</td><td colspan="2">A</td><td colspan="2"></td></tr><tr><td colspan="2"></td><td colspan="2">cat. no.</td><td colspan="2">-</td><td colspan="2">Product - Customer Drw</td><td colspan="2">sheet 4 of 4</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr></table>																dr		Eric Jiang		2013/05/15		projection		MM		size		A2		scale		eng		Eric Jiang		2013/06/24		⊕		←→		ecn no		-				chr		-		-		product family		CARD EDGE		rel level		Released		rev		appr		Pei-Ming Zheng		2013/06/24												www.fci.com		title		VERT RECT ASM (52P-22S)		dwg no		10124028		rev		A						cat. no.		-		Product - Customer Drw		sheet 4 of 4							
dr		Eric Jiang		2013/05/15		projection		MM		size		A2		scale																																																																																																	
eng		Eric Jiang		2013/06/24		⊕		←→		ecn no		-																																																																																																			
chr		-		-		product family		CARD EDGE		rel level		Released		rev																																																																																																	
appr		Pei-Ming Zheng		2013/06/24																																																																																																											
www.fci.com		title		VERT RECT ASM (52P-22S)		dwg no		10124028		rev		A																																																																																																			
		cat. no.		-		Product - Customer Drw		sheet 4 of 4																																																																																																							
2		3		4		5		PDS: Rev :A		STATUS:Released		Printed: Jun 24, 2013																																																																																																			

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru