




FOR P/N:5406491-1&-2
SUGGESTED PC BOARD LAYOUT
COMPONENT SIDE
SEE APPLICATION SPECIFICATION

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
	F6	ECR-10-016042		03AUG2010	KS	M.W	

MATERIAL:
HOUSING - NYLON, COLOR: BLACK, UL94V-0.
OVERMOLDED TERMINAL ARRAY - HTN, BROWN.
TERMINALS-.013 [0.33] THICK PHOS BRONZE
PLATED WITH .000050 [1.27µm] THICK HARD
GOLD IN LOCALIZED AREA AND .000150 [3.81 µm] MIN
THICK MATTE TIN IN SOLDER AREA OVER .000050
[1.27 µm] MIN THICK NICKEL UNDERPLATE
SHIELDS - .010 [0.254] THICK COPPER ALLOY
PLATED WITH 1.27 µm [0.00050] MINIMUM NICKEL
AND 2.03 µm [0.00080] MINIMUM HOT TIN DIP ON
PCB GROUND TABS.

JACK CAVITY COMFORMS TO FCC RULES AND
REGULATIONS, PART 68 SUBPART F.

ALL DIMENSIONS SHOWN ARE NOMINAL UNLESS
OTHERWISE SPECIFIED.

ALL DIMENSIONS SHOWN IN BRACKETS [] ARE
IN MILLIMETERS.

THIS HOLE IS NEEDED FOR -1 AND -3 ONLY.

THIS TAB REMOVED ON -2.

THE PART IS PRELIMINARY

MATERIAL:
HOUSING - NYLON, COLOR: BLACK, UL94V-0.
OVERMOLDED TERMINAL ARRAY - PBT, BROWN.
TERMINALS-.013 [0.33] THICK PHOS BRONZE
PLATED WITH .000050 [1.27µm] THICK HARD
GOLD IN LOCALIZED AREA AND .000150 [3.81 µm] MIN
THICK MATTE TIN IN SOLDER AREA OVER .000050
[1.27 µm] MIN THICK NICKEL UNDERPLATE
SHIELDS - .010 [0.254] THICK COPPER ALLOY
PLATED WITH 1.27 µm [0.00050] MINIMUM NICKEL
AND 2.03 µm [0.00080] MINIMUM HOT TIN DIP ON
PCB GROUND TABS.

OBSOLETE PARTS: OBSOLETE CIS STREAMLINING
PER D.RENAUD/D.SINISI




	.128±.010	.128±.010	WITH REAR PC BOARD GROUND TAB	5406491-5					
	.128±.010	.128±.010	WITH REAR PC BOARD GROUND TAB	5406491-4 					
	.155	.140±.015	WITHOUT REAR PC BOARD GROUND TAB	5406491-2 					
	.155	.140±.015	WITH REAR PC BOARD GROUND TAB	5406491-1					
MATERIAL	DIM B (INCHES)	DIM A (INCHES)	DESCRIPTION	PART NO.					
THIS DRAWING IS A CONTROLLED DOCUMENT.			 Tyco Electronics Corporation Harrisburg, Pa 17105-3608						
		DWN Francis Lee 14APRIL2009							
		CHK Denny Zhu 14APRIL2009							
		APVD Steven Yao 14APRIL2009	NAME MODULAR JACK ASSEMBLY, PANEL GROUND, 8 PORT,8 POSITION, RIGHT ANGLE, SHIELDED, CATEGORY 5						
		PRODUCT SPEC							
		108-1163-2							
		APPLICATION SPEC							
		114-2048							
		WEIGHT -	SIZE A2	CAGE CODE 00779	DRAWING NO C-5406491	RESTRICTED TO -			
SEE NOTE 1		SEE NOTE 1		CUSTOMER DRAWING			SCALE 2:1	SHEET 1 OF 2	REV F6

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT - BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AA	00		—	SEE SHEET 1	—	—	—



UNMARKED DIMENSIONS SAME AS P/N:5406491-1

FOR P/N:5406491-4;-5

SUGGESTED PC BOARD LAYOUT

COMPONENT SIDE

SEE APPLICATION SPECIFICATION

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Francis Lee 14APRIL2009	Tyco Electronics Corporation Harrisburg, Pa 17105-3608			
		CHK Denny Zhu 14APRIL2009				
		APVD Steven Yao 14APRIL2009	NAME			
		PRODUCT SPEC 108-1163-2	MODULAR JACK ASSEMBLY, PANEL GROUND, 8 PORT,8 POSITION, RIGHT ANGLE, SHIELDED, CATEGORY 5			
		APPLICATION SPEC 114-2048				
MATERIAL SEE NOTE 1		WEIGHT —	SIZE A2	CAGE CODE 00779	DRAWING NO C=5406491	RESTRICTED TO —
		CUSTOMER DRAWING	SCALE 2:1	SHEET 2	OF 2	REV F6

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru