


THIS DRAWING IS UNPUBLISHED
 RELEASED FOR PUBLICATION 2017
 © COPYRIGHT 2017 BY -TE CONNECTIVITY ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	REVISED PER PCN E-17-013177	16JUN2017	SS	DM

MIN. INSUL. O.D.	MAX. INSUL. O.D.	WIRE RANGE [mm ²] REF ONLY
.053 [1.35]	.120 [3.05]	14-20 AWG [2.0-0.50]



8 LETTER "E" MARK IDENTIFIES "E" SEAL.

7 PART MODIFICATION: INTERFACE SEALS ARE BONDED TO PLUG HOUSING.

6. MATING TORQUE REQUIREMENT: 25-28 IN-LB [2.82-3.13 Nm].

5. SEE SHEET 2 FOR OTHER KEY ARRANGEMENTS.

4. MATERIAL- PLUG: PLASTIC (BLACK); SEAL/GROMMET: RUBBER; RETAINING BOLT: STEEL.

3. THIS PLUG MATES WITH DRC12-40PX-XXXX; DRC13-40PX-XXXX AND DRC14-40PX-XXXX RECEPTACLE. (X=A,B,C,D KEYS; XXXX=ALL MODIFICATIONS). CONSULT FACTORY FOR MODS.









2. FOR CONTACTS AND WIRE PERFORMANCE AND APPLICATION CHARACTERISTICS, SEE ENVELOPE DRAWING 0425-015-0000.

1. PLUG SUPPLIED WITH DUST CAP. (NOT SHOWN).

NOTES: UNLESS OTHERWISE SPECIFIED

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. APOSTOL 16JUN2017		
DIMENSIONS: INCHES [mm]		CHK R. MESSENGER 08FEB2007		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD R. REED 13FEB2007		
0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ±.025 [.64] 4 PLC ± ANGLES ±0°30'0"		PRODUCT SPEC -		
MATERIAL		FINISH -	NAME PLUG 40 SIZE 16 KEYS: A,B,C,D E SEAL COLOR: BLACK DRC SERIES	
4		WEIGHT -	SIZE A3	CAGE CODE 4AFU8
		CUSTOMER DRAWING	DRAWING NO. DRC18-40SXE-P013	
		SCALE 1.25:1	SHEET 1 OF 2	RESTRICTED TO -
				REV A

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



DRC18-40SAE-P013
KEY: -A-

DRC18-40SBE-P013
KEY: -B-

DRC18-40SCE-P013
KEY: -C-

DRC18-40SDE-P013
KEY: -D-

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. APOSTOL 16 JUN 2017		
		CHK R. MESSENGER 08 FEB 2007		
DIMENSIONS: INCHES [mm]		APVD R. REED 13 FEB 2007	NAME PLUG 40 SIZE 16 KEYS: A,B,C,D E SEAL COLOR: BLACK DRC SERIES	
		PRODUCT SPEC -	SIZE A3	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ±.025 [.64] 4 PLC ± ANGLES ±0°30'0"		APPLICATION SPEC -	CAGE CODE 4AFU8	DRAWING NO DRC18-40SXE-P013
MATERIAL 	FINISH -	WEIGHT -	RESTRICTED TO -	
CUSTOMER DRAWING			SCALE 1:1	SHEET 2 OF 2
			REV A	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкуренспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru