










Product P/N	Flex Cable P/N In Wistron	DIM"A"	DIM"B"	DIM"C"	DIM"D"	DIM"E"	BGA Array Pattern
10127624-13608XXLF	13608	16.55	14.80	12.82	22.30	93.09	6X14
10127624-13609XXLF	13609	19.40	17.65	11.36	25.15	97.12	6X17



SCALE 4:1

spec ref				dr		Zhen Luo	2014/03/14		projection		MM		size		A3	scale		1:1					
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Michael Song	2017/04/13						ecn no				ELX-DG-26616-1				
ASME Y14.5						chr		-	-														
						appr		Heaven Cen	2017/04/13						product family		-	rel level		Released			
surface		linear		0.X		±0.30		Amphenol FCI		title		Flex Cable BGA		dwg no		10127624		rev		C			
																				0.XX		±0.20	
																				0.XXX		±0.10	
ASME Y14.5		angular		0°		±2°		www.fci.com		cat. no.		-	Product - Customer Drw				sheet 1 of 7						


Product P/N	Flex Cable P/N In Wistron	DIM"A"	DIM"B"	DIM"C"	DIM"D"	BGA Array Pattern
10127624-13611XXLF	13611	16.55	14.80	22.0	81.73	6X14
10127624-13614XXLF	13614	26.05	24.30	31.50	79.38	6X24
10127624-13658XXLF	13658	15.60	13.85	31.50	79.43	6X13



DETAIL D
SCALE 5:1






spec ref				dr		Zhen Luo		2014/03/14		projection		MM		size		A3		scale		1:1									
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Michael Song		2017/04/13						ecn no		ELX-DG-26616-1													
ASME Y14.5				chr		-		-						rel level								Released							
				appr		Heaven Cen		2017/04/13						product family								-							
		linear		0.X		±0.30		Amphenol FCI		title		Flex Cable BGA						dwg no		10127624						rev		C	
				0.XX		±0.20																							
				0.XXX		±0.10																							
ASME Y14.5		angular		0°		±2°		www.fci.com		cat. no.		-		Product - Customer Drw						sheet 2 of 7									

Product P/N	Flex Cable P/N In Wistron	DIM"A"	DIM"B"	DIM"C"	BGA Array Pattern
10127624-13612XXLF	13612	16.55	14.80	22.0	6X14
10127624-13616XXLF	13616	27.0	25.25	32.45	6X25



spec ref	dr	Zhen Luo	2014/03/14	projection	MM	size	A3	scale	1:1
tolerance std	eng	Michael Song	2017/04/13	chr	-	ecn no	ELX-DG-26616-1	rel level	Released
ASME Y14.5	app	Heaven Cen	2017/04/13	product family	-	rel level	Released	rev	C
surface	linear	0.X	±0.30	Amphenol FCI	Flex Cable BGA	dwg no	10127624	cat. no.	-
ASME Y14.5	angular	0.XX	±0.20	www.fci.com	-	Product - Customer Drw	sheet 3 of 7	cat. no.	-
		0.XXX	±0.10						
		0°	±2°						


Product P/N	Flex Cable P/N In Wistron	DIM"A"	DIM"B"	DIM"C"	DIM"D"	DIM"E"	BGA Array Pattern
10127624-13610XXLF	13610	27.0	25.25	12.82	32.75	151.11	6X25
10127624-13613XXLF	13613	19.40	17.65	11.36	25.15	159.14	6X17
10127624-13615XXLF	13615	16.55	14.80	12.82	22.30	151.10	6X14



SCALE 4:1

spec ref	dr	Zhen Luo	2014/03/14	projection	MM	size	A3	scale	1:1
tolerance std	eng	Michael Song	2017/04/13	chr	-	ecn no	ELX-DG-26616-1	rel level	Released
ASME Y14.5	app	Heaven Cen	2017/04/13	product family	-	rel level	Released		
surface	linear	0.X	±0.30	Amphenol FCi	Flex Cable BGA	dwg no	10127624	rev	C
ASME Y14.5	angular	0°	±2°	www.fci.com	cat. no.	-	Product - Customer Drw	sheet 4 of 7	

Product P/N	Flex Cable P/N In Wistron	BGA Array Pattern
10127624-13961XXLF	13961	6X25



DETAIL E
SCALE 5:1

spec ref	dr	Zhen Luo	2014/03/14	projection	MM	size	A3	scale	1:1
tolerance std	eng	Michael Song	2017/04/13	chr	-	ecn no	ELX-DG-26616-1	rel level	Released
ASME Y14.5	appr	Heaven Cen	2017/04/13	product family	-	rel level	Released	rev	C
surface	linear	0.X	±0.30	Amphenol FCi	title	Flex Cable BGA	dwg no	10127624	rev
ASME Y14.5	angular	0°	±2°	www.fci.com	cat. no.	-	Product - Customer Drw	sheet 5 of 7	

PRODUCT PART NUMBER

10127624-□□□□XXLF

BASE NUMBER

LEAD FREE
PCB DESIGN:
0: STANDARD
I TO N: NEW STACKUP
SUPPLIER:
M: Multex
T: TTM
CODE (SEE TABLE)

NOTES:
1.MATERIAL:
FLEX CABLE
SOLDER BALL: LEAD FREE 96.5Sn/3Ag/0.5Cu
2.SOLDER BALLS WILL NOT BE PERFECT SHPERICAL SHAPE
DUE TO REFLOW ATTACHMENT.
3.PRODUCT SPECIFICATION: GS-12-1183.
4.APPLICATION SPECIFICATION: GS-20-0391.
5.PACKAGE SPECIFICATION: GS-14-2365.
6.PRODUCT MEET EUROPEAN UNION DIRECTIVES AND
OTHER COUNTRY REGULATIONS DESCRIBED IN GS-22-08.

CODE	Flex Cable P/N In Wistron	DETAIL VIEW	CODE	Flex Cable P/N In Wistron	DETAIL VIEW	CODE	Flex Cable P/N In Wistron	DETAIL VIEW
13608	13608		13658	13658		13613	13613	
13609	13609		13612	13612		13615	13615	
13611	13611		13616	13616		13961	13961	
13614	13614		13610	13610		13962	13962	

spec ref				dr		Zhen Luo	2014/03/14		projection		MM		size		A3		scale		1:1						
tolerance ref std		TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Michael Song		2017/04/13						ecn no		ELX-DG-26616-1							
ASME Y14.5						chr		-		-															
						appr		Heaven Cen		2017/04/13		product family		-		rel level		Released							
surface		linear		0.X		±0.30		Amphenol FCI		title		Flex Cable BGA		dwg no		10127624		rev		C					
																						0.XX		±0.20	
																						0.XXX		±0.10	
ASME Y14.5		angular		0°		±2°		www.fci.com		cat. no.		-		Product - Customer Drw		sheet 7 of 7									

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru