



LOC	DIST	REVISIONS				
AD	00	P	LTR	DESCRIPTION	DATE	DWN
		D		REVISED PER ECR-11-003871	22FEB11	RC

CONNECTOR ASSEMBLY
EXAMPLARY LOADED



CONTACT DIMENSIONS

SCALE 5:1




CONTACT LAYOUT

	z	a	b	c	d	e	f	g	h	i
1		A	A	A	A	A	A	A		
2		A	A	A	A	A	A	A		
3		A	A	A	A	A	A	A		
4		A	A	A	A	A	A	A		
5		A	A	A	A	A	A	A		
6		A	A	A	A	A	A	A		
7		A	A	A	A	A	A	A		
8		A	A	A	A	A	A	A		
9		A	A	A	A	A	A	A		
10		A	A	A	A	A	A	A		
11		A	A	A	A	A	A	A		
GUIDING										

RECOMMENDED PCB-HOLE LAYOUT
COMPONENT SIDE SHOWN

PLATED THRU HOLES PARAMETERS

REFERENCE APPLICATION SPECIFICATION



OBSOLETE	2	3	14	3-5646457-0
	2	6	13	1-5646457-9
	2	5	13	5646457-9
	2	4		5646457-4
	2	3		5646457-1
FINISH				PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. WAITMAN 13JUL05	 Tyco Electronics Corporation Harrisburg, Pa 17105-3608		
DIMENSIONS: mm	 TOLERANCES UNLESS OTHERWISE SPECIFIED: 0. -PLC - - +1 -PLC - - ± 0.2 2. -PLC - - $\phi 0.03$ 3. -PLC - - $\phi 0.05$ 4. -PLC - - ANGLES: - - $\pm 30^\circ$	CHK G. SKIPPER 13JUL05	NAME MALE ASSEMBLY, Z-PACK 2mm HM, TYPE F		
		APVD G. SKIPPER 13JUL05	SIZE A1		
MATERIAL 	 SEE TABLE	PRODUCT SPEC 108-19082	DRAWING NO 100779		
		APPLICATION SPEC 114-19029	REV C=5646457		
		WEIGHT -		RESTRICTED TO -	
		CUSTOMER DRAWING		SCALE 4:1	
				SHEET 1 OF 2	
		REV D			

LOC		DIST		REVISIONS					
AD		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
					—	SEE SHEET 1	—	—	—

- 1

MATERIAL:
CONTACT: PHOSPHOR BRONZE.
HOUSING: GLASS-FILLED POLYESTER.
- 2

GENERAL PLATING SPECIFICATION: UNDERPLATING
(ENTIRE CONTACT): 1.27μm MIN NICKEL AND ACTION
PIN: 0.5μm MIN TIN.
FOR PLATING OF MATING SURFACES SEE APPLICABLE
SPECIFICATION REFERENCE FOR EACH DASH NUMBER.
- 3

CONFORMS TO ALL TESTING ACCORDING TO IEC 61076-4-101
PERFORMANCE LEVEL 2.
- 4

CONFORMS TO ALL TESTING ACCORDING TO IEC 61076-4-101
PERFORMANCE LEVEL 1.
- 5

CONNECTOR TESTED AND QUALIFIED AGAINST TELCORDIA GR-1217-CORE QUALITY LEVEL 3,
CENTRAL OFFICE APPLICATIONS.
- 6

CONNECTOR TESTED AND QUALIFIED AGAINST TELCORDIA GR-1217-CORE QUALITY LEVEL 3,
UNCONTROLLED ENVIROMENT APPLICATIONS.
- 7

CONNECTOR MARKED WITH PART NUMBER AND DATE CODE.
ADDITIONAL CHARACTERS OR MARKINGS, AS WELL AS THE LOCATION OF THE MARKINGS,
MAY BE ADDED FOR TRACEABILITY BASED UPON MANUFACTURERS DISCRETION.
- 8

PLATED-THROUGH HOLES AT 2x2mm SQUARE GRID
PATTERN DEFINED BY CONTACT LAYOUT.
- 9

FOR ACTUAL PIN LOADING SEE "CONTACT LAYOUT".
- 10


FOR ACTUAL PIN DIMENSIONS SEE "CONTACT DIMENSIONS".
- 11

TO BE MEASURED AT BOTTOM OF SHROUD.
- 12

LOCATION PEG.
- 13

CONNECTOR LUBRICATED WITH BELCORE APPROVED LUBRICANT,
TECHNICAL REFERENCE: TR-NWT-001217 ISSUE 1, SEP 1992.
- 14

0.76um MIN GOLD PLATING ON MATING SURFACES

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. WAITMAN 13JUL05	 Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
		CHK G. SKIPPER 13JUL05		
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD G. SKIPPER 13JUL05	NAME	
	0-PLG ±	PRODUCT SPEC	MALE ASSEMBLY, Z-PACK 2mm HM, TYPE F	
	1-PLG ±0.2 ±0.2	108-19082		
	2-PLG ±0.02 ±0.2	APPLICATION SPEC		
	4-PLG ±0.005	114-19029		
	ANGLES FINISH ±0°30'			
MATERIAL SEE SHEET 1	SEE SHEET 1	WEIGHT —	SIZE A1	CAGE CODE 00779
		CUSTOMER DRAWING	DRAWING NO ©=5646457	
			SCALE 4:1	RESTRICTED TO —
			SHEET 2	OF 2
			REV D	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru