







30 POSITION



60 POSITION



120 POSITION



240 POSITION

NOTES: UNLESS OTHERWISE SPECIFIED;

- 1 CONNECTOR MATERIALS:
HOUSING: GLASS FILLED THERMOPLASTIC,
UL94-V0 COMPLIANT.
TERMINAL: PHOSPHOR BRONZE ALLOY
- 2 PACKED IN TUBES.
- ③ FEATURE MAY OR MAY NOT BE PRESENT DEPENDING UPON THE MOLD TOOLING USED TO PRODUCE PRODUCT.
- 4 PRODUCT SPECIFICATION: GS-12-177.
- 5 APPLICATION SPECIFICATION: GS-20-015.
- 6 THE PRODUCTS WHERE THE PART NUMBER ENDS IN "LF" MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- 7 ALL PRODUCTS WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRARED OR VAPOR PHASE REFLOW OVEN.



SPECIAL DATAS:

- VISUAL INSPECTION: 100%
- MARKING FAILURES
 - HOUSING MATERIAL FAILURES
 - SPOILT HOUSING
 - STAINED HOUSING
 - BROKEN CONTACTS (Twisted or Loosen)

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY	www.fciconnect.com title T SERIES STRAIGHT RECEPT ASSY 5 ROW, STB SPECIFY 400		
ltr	ecn no	dr	date	linear	.X ±.3[±.1] .XX ±.13[±.02] .XXX ±.051[±.005]				
A	DG09-0078	Cenh	03/10/09	linear		projection		product family METRAL size dwg no A 10098727	
				angles	0° ±1°	MM			
				dr	Heaven Cen 03/10/09	scale	4:1	code 213 sheet 1 of 2	
				enr	Heaven Cen 03/10/09				
				chr	PM Zheng 03/10/09			cage code 22526	
				appd	Joseph Hsia 03/10/09				
sheet index	revision sheet	A 1	A 2						



A



RECOMMENDED PC BOARD LAYOUT,
COMPONENT SIDE
SEE PRINT 58351 FOR ADDITIONAL
PCB INFORMATION

CATALOG NUMBER	DESCRIPTION
HM1 S 5 - T - R 400 H 6 LF	
PRODUCT FAMILY	HM1 = METRAL HM1
PRODUCT TYPE	S = FEMALE SIGNAL STRAIGHT
NUMBER OF ROWS	5 = 5 ROW
BODY LENGTH	1 = 12.00 2 = 24.00 3 = 48.00 4 = 96.00
MATING CONTACT	T = TWISTED FEMALE
	LF = LEAD FREE Sn PLATING ON TAILS
	PERFORMANCE LEVEL SEE TABLE 2
	INSULATING MATERIAL H = HIGH TEMPERATURE MATERIAL
	VARIATIONS 400 = CUSTOMER SPECIAL
	BOARD ATTACHMENT R = STANDARD STRAIGHT
	PCB TERMINATION TYPE R = SOLDER TAIL, DIM D = 3.30±0.30 S = SOLDER TAIL, DIM D = 4.10±0.30

TABLE 2

CODE	CONTACT AREA	PERFORMANCE LEVEL
6	0.75um Au min over 1.3um Ni min or 0.68um PdNi min +0.08um Au min over 1.3um Ni min	TELCORDIA CO

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY	FCI www.fciconnect.com			
ltr	ecn no	dr	date	linear	NONE ±3[±.1] .X ±.5[±.02] .XX ±.13[±.005]	projection	title			
A				angles	0° ±1°	MM	T SERIES STRAIGHT RECEPT ASSY			
				dr	Heaven Cen 03/10/09	10:1	5 ROW, STB SPECIFY 400			
				enr	Heaven Cen 03/10/09		product family METRAL		code 213	
				chr	PM Zheng 03/10/09		size dwg no		sheet	
				appd	Joseph Hsia 03/10/09		A 10098727		2 of 2	
sheet index	revision sheet									

A

B

1 | 2

3 |

4

1 | 2

3 |

4

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru