





- 1 HOUSING MATERIAL: LIQUID CRYSTAL POLYMER.
COLOR: NATURAL.
- 2 CONTACT MATERIAL: PHOSPHOR BRONZE.
- 3 CONTACT FINISH:(B)
UNDERPLATE (ENTIRE CONTACT):
0.00127 MIN NICKEL PER SAE-AMS-QQ-N-290
ON MATING SURFACES:
CONFORMS TO ALL TESTING SPECIFIED FOR TELCORDIA
UNCONTROLLED ENVIRONMENT.
ON LEADS:
0.0006 MIN MATTE TIN PER ASTM B 545 OVER UNDERPLATE.
LUBRICATION (MIN MATING SURFACES):
SURFACE CONDITIONER AFTER PLATING.
- 4 PART MARKING, LOCATED APPROXIMATELY AS SHOWN.



46.00	23	47.88	96	5223633-3
22.00	11	23.88	48	5223633-2
10.00	5	11.88	24	5223633-1
C	B	A	NUMBER OF POSITIONS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B.MCMMASTER 15DEC04	tyco Electronics		Tyco Electronics Corporation Harrisburg, Pa 17105-3608					
DIMENSIONS: mm		CHK R.WERTZ 15DEC04	NAME		PIN ASSEMBLY, Z-PACK 2mm FB, SIGNAL, VERTICAL, 4 ROW, MULTI POSITION, WITH FEED THROUGH PRESS FIT LEADS					
TOLERANCES, UNLESS OTHERWISE SPECIFIED:		APVD R.WERTZ 15DEC04	PRODUCT SPEC		APPLICATION SPEC					
0 PLC ± - 1 PLC ± - 2 PLC ± 0.13 3 PLC ± - 4 PLC ± - ANGLES ± -		WEIGHT		SIZE		CAGE CODE	DRAWING NO	RESTRICTED TO		
MATERIAL		FINISH		A1		00779		C-5223633		
1 2 3		CUSTOMER DRAWING		SCALE		4:1		SHEET 1 OF 2		REV. A

LOC	DIST	REVISIONS					
AD	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			—	SEE SHEET 1	—	—	—

GG	5.00	13.60
CONTACT LETTER	DIM Y	DIM Z

D	GG	GG	GG	GG	GG	GG	D
C	GG	GG	GG	GG	GG	GG	C
B	GG	GG	GG	GG	GG	GG	B
A	GG	GG	GG	GG	GG	GG	A
ROW	1	2	3	4	5	6	ROW
CONTACT LOAD CHART							

FOR P/N 5223633-1

D	GG	GG	GG	GG	GG	GG	GG	GG	GG	GG	D		
C	GG	GG	GG	GG	GG	GG	GG	GG	GG	GG	C		
B	GG	GG	GG	GG	GG	GG	GG	GG	GG	GG	B		
A	GG	GG	GG	GG	GG	GG	GG	GG	GG	GG	A		
ROW	1	2	3	4	5	6	7	8	9	10	11	12	ROW
CONTACT LOAD CHART													

FOR P/N 5223633-2

[illegible]

FOR P/N 5223633-3

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG. B.MCMMASTER 150EC04		tyco Tyco Electronics Corporation	
		CHK. R.WERTZ 150EC04		Electronics Harrisburg, PA 17105-3608	
DIMENSIONS:		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		NAME	
mm		R.WERTZ		PIN ASSEMBLY, Z-PACK 2mm FB,	
		APPROD. R.WERTZ		SIGNAL, VERTICAL, 4 ROW, MULTI POSITION,	
		PRODUCT SPEC		WITH FEED THROUGH PRESS FIT LEADS	
		APPLICATION SPEC		SIZE	
				CAGE CODE	
				DRAWING NO	
ANGLES		FINISH		RESTRICTED TO	
MATERIAL		WEIGHT		A1 00779 © 5223633	
-		-		SCALE 4:1 SHEET 2 OF 2 REV A	
		CUSTOMER DRAWING			

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru