

1. MATERIAL:
(0.20)/.008 THICK PHOS BRONZE

222 - OVERALL MATTE TIN: (0.00254)/.000100 MIN. TIN OVER
(0.00127)/.000050 MIN NICKEL

231 - SELECT GOLD: (0.00127)/.000050 MIN.
SELECT MATTE TIN: (0.00254)/.000100 MIN.
OVERALL NICKEL UNDERPLATE: (0.00127)/.000050 MIN.

OVERALL GOLD FLASH: (0.00005)/.000002 MIN.
OVERALL NICKEL UNDERPLATE: (0.00076)/.000030 MIN.

OVERALL NICKEL UNDERPLATE: (0.00076)/.000030
558 - SELECT GOLD: (0.00076)/.000030 MIN.


561- SELECT GOLD (0.00076)/.000030 MIN.

4. PACKAGING SPECIFICATION: LOOSE TERMINALS: PER PK-2759-0
CHAIN FORM TERMINALS: NONE

7. TERMINAL RETENTION IN HOUSING IS 26.7N / 6LBS MIN. WHEN PULLED AT THE RATE OF

8. DIMENSIONS GIVEN ACROSS CENTERLINES ARE SYMMETRICAL ABOUT THOSE CENTERLINES WITHIN HALF THE TOTAL TOLERANCE.

WINDING DETAIL A



✓ PAPER INTERLEAF

REMOVED 208 PLT
EC NO: UCP2012-2810
DRWN: JIAGUILAR 2012/0
CHKD: MATT KIPPER 2012/0
APPR: FSMITH 2012/0

REV	DESCRIPTION	SYMBOLS
		= 0
		= 0
		= 0

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .005
2 PLACES	± 0.13	± .010
1 PLACE	± 0.25	± ---
ANGULAR ±1/2°		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		

DRAWN BY	DATE
SAMIEC	01/21/92
CHECKED BY	DATE
PATEL	01/21/92
APPROVED BY	DATE
FSMITH	2012/03/20
MATERIAL NO.	
SEE CHART	
SIZE D	THIS DRAWING CONTAINS INCORPORATED AND

TITLE	KK (2.54)/.100 CRIMP TERMINAL, 22-30 GA WIRE SAME AS 2759 EXCEPT MATL	
	MOLEX INCORPORATED	
DOCUMENT NO.	SD-6459	SHEET NO. 1 OF 2
THIS INFORMATION THAT IS PROPRIETARY TO MOLEX SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		

	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1								
M	6459-(***)*																				M							
	PART NO.			ENG. NO.																								
L		08-52-0101				6459-(P909)																	L					
		08-52-0123				6459-(P909)L																						
K		08-65-0801				6459-(561)																	K					
						6459-(561)L																						
J		08-52-0118				6459-(222)																	J					
						6459-(222)L																						
I		08-65-0811				6459-(558)																	I					
		08-65-0812				6459-(558)L																						
		08-65-0815				6459-(555)																						
		08-65-0816				6459-(555)L																						
H		08-65-0813				6459-(550)																	H					
		08-65-0814				6459-(550)L																						
G		08-65-0817				6459-(231)																	G					
		08-65-0818				6459-(231)L																						
F																							F					
E																							E					
D																							D					
C																					C							
B																					B							
A																					A							
ib_frame.D_P_AM_T Rev. F 2009/06/17																				9	8	7	6	5	4	3	2	1

REMOVE 6459-(208) EC NO: UCP2012-2810 DRAWING: JAGUILAR 2012/02/27 CHK:OMATT KIPFER 2012/02/27 APPROV:FSMITH 2012/03/20 REV	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION	
	▽=0 ▽=0 ▽=0			MM/IN		1:1		INCH		KK (2.54)/.100 CRIMP TERMINAL, 22-30 GA WIRE SAME AS 2759 EXCEPT MATL MOLEX INCORPORATED	

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART		DOCUMENT NO.		SHEET NO.	
SIZE D		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		SD-6459		2 OF 2	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru