




- NOTES:
1. RETRACTORS ARE 100% INSPECTED & PRE-TENSIONED AT FACTORY.
 2. HOUSINGS ARE MADE OF GENERAL PURPOSE ABS TO MEET HARSH INDUSTRIAL ENVIRONMENTS.
 3. ALWAYS READ INSTRUCTIONS MANUAL BEFORE USING RETRACTORS.
 4. RETRACTORS ARE NOT TO BE USED AS BALANCERS THEIR MAIN PURPOSE BEING TO RETRACT A LOAD AND NOT TO BALANCE ONE.
 5. OVERALL DIMENSIONS ARE FOR REFERENCE ONLY.
 6. STANDARD CATALOG RETRACTORS ARE NOT EQUIPED WITH SAFETY CHAIN, BUT IF APPLICATION REQUIRES A SAFETY CHAIN ADD "SC" SUFFIX TO STANDARD BALANCER P/N. EXAMPLE RB2SC. ON MAIN MATERIAL NUMBERS TABLE.
 7. RETRACTORS COME WITH A CLEVIS PIN & A COTTER PIN

ALL DIMENSIONS ARE FOR REFERENCE ONLY.

RELEASE TO GSM EC NO.: WNA2010-0605 DRWN.: RHOTCA 2010/03/25 CH"KD.: DT APPR.: DTITUS 2010/04/01		DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE IN/MM		SCALE NTS	DESIGN UNITS INCH	◎ ◻ THIRD ANGLE PROJECTION	
					mm	INCH	DRAWN BY RHOTCA	DATE 2010/03/25	TITLE RB" SERIES OF RETRACTORS ----			
				4 PLACES	±-	±-	CHECKED BY DT	DATE 2010/03/25				
				3 PLACES	±-	±-	APPROVED BY DTITUS		DATE 2010/03/31	moLEX		MOLEX INCORPORATED
				2 PLACES	±-	±-						
	1 PLACE	±-	±-	ANGULAR ±1°			MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-130173-001	SHEET NO. 1 OF 2		
A		REV		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

	10	9	8	7	6	5	4	3	2	1																																																	
F	<table><tr><td>Material Number:</td><td>Engineering Number:</td><td>Description:</td><td>Weight Range in (KG):</td><td>Cable Travel in (M):</td><td>Weight Range in (LB):</td><td>Cable Travel in (FT):</td><td>Color:</td></tr><tr><td>1301730036</td><td>RB2</td><td>RB2 RETRACTOR [0-2LB/0-0.9KG], 5.2FT</td><td>0 - 0.9</td><td>1.6</td><td>0 - 2.0</td><td>5.2</td><td>PUTTY</td></tr><tr><td>1301730048</td><td>RB4</td><td>RB4 RETRACTOR [2-4LB/0.9-1.8KG], 5.2FT</td><td>0.9 - 1.8</td><td>1.6</td><td>2.0-4.0</td><td>5.2</td><td>PUTTY</td></tr><tr><td>1301730043</td><td>RB2SC</td><td>RB2 RETRACTOR WITH SAFETY CHAIN</td><td>0 - 0.9</td><td>1.6</td><td>0 - 2.0</td><td>5.2</td><td>PUTTY</td></tr><tr><td>1301730050</td><td>RB4SC</td><td>RB4 RETRACTOR WITH SAFETY CHAIN</td><td>0.9 - 1.8</td><td>1.6</td><td>2.0-4.0</td><td>5.2</td><td>PUTTY</td></tr><tr><td>1301730037</td><td>RB210</td><td>RB210 RETRACTOR [0-2LB/0-0.9KG], 10FT</td><td>0 - 0.9</td><td>3.04</td><td>0 - 2.0</td><td>10.0</td><td>PUTTY</td></tr></table>										Material Number:	Engineering Number:	Description:	Weight Range in (KG):	Cable Travel in (M):	Weight Range in (LB):	Cable Travel in (FT):	Color:	1301730036	RB2	RB2 RETRACTOR [0-2LB/0-0.9KG], 5.2FT	0 - 0.9	1.6	0 - 2.0	5.2	PUTTY	1301730048	RB4	RB4 RETRACTOR [2-4LB/0.9-1.8KG], 5.2FT	0.9 - 1.8	1.6	2.0-4.0	5.2	PUTTY	1301730043	RB2SC	RB2 RETRACTOR WITH SAFETY CHAIN	0 - 0.9	1.6	0 - 2.0	5.2	PUTTY	1301730050	RB4SC	RB4 RETRACTOR WITH SAFETY CHAIN	0.9 - 1.8	1.6	2.0-4.0	5.2	PUTTY	1301730037	RB210	RB210 RETRACTOR [0-2LB/0-0.9KG], 10FT	0 - 0.9	3.04	0 - 2.0	10.0	PUTTY	F
Material Number:	Engineering Number:	Description:	Weight Range in (KG):	Cable Travel in (M):	Weight Range in (LB):	Cable Travel in (FT):	Color:																																																				
1301730036	RB2	RB2 RETRACTOR [0-2LB/0-0.9KG], 5.2FT	0 - 0.9	1.6	0 - 2.0	5.2	PUTTY																																																				
1301730048	RB4	RB4 RETRACTOR [2-4LB/0.9-1.8KG], 5.2FT	0.9 - 1.8	1.6	2.0-4.0	5.2	PUTTY																																																				
1301730043	RB2SC	RB2 RETRACTOR WITH SAFETY CHAIN	0 - 0.9	1.6	0 - 2.0	5.2	PUTTY																																																				
1301730050	RB4SC	RB4 RETRACTOR WITH SAFETY CHAIN	0.9 - 1.8	1.6	2.0-4.0	5.2	PUTTY																																																				
1301730037	RB210	RB210 RETRACTOR [0-2LB/0-0.9KG], 10FT	0 - 0.9	3.04	0 - 2.0	10.0	PUTTY																																																				
E											E																																																
D											D																																																
C											C																																																
B											B																																																
A	<table><tr><td rowspan="7">RELEASE TO GSM EC NO: WNA2010-0605 DRWN: RHOTCA 2010/03/25 CHKD: DT APPR: DTTITUS 2010/04/01</td><td rowspan="7">DESCRIPTION REV</td><td rowspan="7">QUALITY SYMBOLS ▽=0 ▽C=0</td><td colspan="3">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE IN/MM</td><td>SCALE NTS</td><td>DESIGN UNITS INCH</td><td rowspan="2"> THIRD ANGLE PROJECTION</td></tr><tr><td></td><td>mm</td><td>INCH</td><td>DRAWN BY RHOTCA</td><td>DATE 2010/03/25</td><td colspan="2" rowspan="2">TITLE RB" SERIES OF RETRACTORS ----</td></tr><tr><td>4 PLACES</td><td>±-</td><td>±-</td><td>CHECKED BY DT</td><td>DATE 2010/03/25</td></tr><tr><td>3 PLACES</td><td>±-</td><td>±-</td><td colspan="2" rowspan="2">APPROVED BY DTITUS</td><td rowspan="2">DATE 2010/03/31</td><td rowspan="2"> MOLEX INCORPORATED</td></tr><tr><td>2 PLACES</td><td>±-</td><td>±-</td></tr><tr><td>1 PLACE</td><td>±-</td><td>±-</td><td colspan="2">MATERIAL NO. SEE TABLE</td><td>DOCUMENT NO. SD-130173-001</td><td>SHEET NO. 2 OF 2</td></tr><tr><td>A</td><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td>SIZE B</td><td colspan="3">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>										RELEASE TO GSM EC NO: WNA2010-0605 DRWN: RHOTCA 2010/03/25 CHKD: DT APPR: DTTITUS 2010/04/01	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE IN/MM		SCALE NTS	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		mm	INCH	DRAWN BY RHOTCA	DATE 2010/03/25	TITLE RB" SERIES OF RETRACTORS ----		4 PLACES	±-	±-	CHECKED BY DT	DATE 2010/03/25	3 PLACES	±-	±-	APPROVED BY DTITUS		DATE 2010/03/31	MOLEX INCORPORATED	2 PLACES	±-	±-	1 PLACE	±-	±-	MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-130173-001	SHEET NO. 2 OF 2	A	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			A	
RELEASE TO GSM EC NO: WNA2010-0605 DRWN: RHOTCA 2010/03/25 CHKD: DT APPR: DTTITUS 2010/04/01	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE IN/MM		SCALE NTS	DESIGN UNITS INCH	THIRD ANGLE PROJECTION																																																	
				mm	INCH	DRAWN BY RHOTCA	DATE 2010/03/25	TITLE RB" SERIES OF RETRACTORS ----																																																			
			4 PLACES	±-	±-	CHECKED BY DT	DATE 2010/03/25																																																				
			3 PLACES	±-	±-	APPROVED BY DTITUS		DATE 2010/03/31	MOLEX INCORPORATED																																																		
			2 PLACES	±-	±-																																																						
			1 PLACE	±-	±-	MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-130173-001	SHEET NO. 2 OF 2																																																		
			A	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																				
	10	9	8	7	6	5	4	3	2	1																																																	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru