

4

THIS DRAWING IS UNPUBLISHED.

3

2

1

© COPYRIGHT 2011

BY -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	E	PARTS -1 AND 1-1 RELEASED FOR PRODUCTION	12SEP2011	MZ	GT
	E1	REVISED MARKINGS	06NOV2012	MZ	JC
	F	PARTS -2, -3, 1-2, 1-3 RELEASED FOR PRODUCTION	26JUN2013	KR	JC

22.00

ACROSS HEXAGON

8.15±0.10

5.60

(TYP X3)

Ø13.10

6

12

5

4

7

11

400V

X-293598-X

IPXX

1.5

16A

25

20A

Ø9.30

M18 X 1.5

THREAD

9

8

14

10

11.0

3D VIEWS,
FOR REFERENCE ONLY

SCALE 1:1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±°

1 PLC ±0.3

2 PLC ±0.20

3 PLC ±°

4 PLC ±°

ANGLES ±3°

FINISH -

MATERIAL

SEE NOTES

DWN
M. ZUCCA
29OCT2009

CHK
M. ZUCCA
29OCT2009

APVD
G. TURCO
29OCT2009

PRODUCT SPEC
108-20304

APPLICATION SPEC
114-20452

WEIGHT
~6.2 g

Customer Drawing

TE

TE Connectivity

NAME

PIN HOUSING
PANEL MOUNT VERSION
NECTOR* M-LINE

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A300779

C-293598

-

SCALE 2:1

SHEET 1 OF 4

REV F

NOTES:

- 1 MATERIAL: POLYAMIDE GLASS FILLED
COLOUR NATURAL
- 2 MATERIAL: POLYAMIDE GLASS FILLED
COLOUR BLACK
- 3) PACKAGING: SEE TE PACKAGING SPECIFICATION
107-20294
- 4 AREA FOR AGENCY APPROVAL LOGO
- 5 TE LOGO
- 6 TE PART NUMBER
- 7 CONDUCTOR SIZE AND CURRENT RATING
- 8 N CODE
- 9 L CODE
- 10 PE CODE
- 11 RATED VOLTAGE
- 12 IP CODE
- 13 PART NOT YET TOOLED AND NOT RELEASED
FOR PRODUCTION
- 14 CAVITY MOULD CODE

1470-19 (3/11)

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
1	-		-	SEE SHEET 1	-	-

PLARIZATION KEYS		
TYPE "A"	TYPE "B"	TYPE "C"
P/Ns: 0-293598-1, 1-293598-1, 2-293598-1	P/Ns: 0-293598-2, 1-293598-2, 2-293598-2	P/Ns: 0-293598-3, 1-293598-3, 2-293598-3
TYPE "D"	TYPE "E"	TYPE "F"
P/Ns: 0-293598-4, 1-293598-4, 2-293598-4	P/Ns: 0-293598-5, 1-293598-5, 2-293598-5	P/Ns: 0-293598-6, 1-293598-6, 2-293598-6

	67	F	BLACK		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	D	2-293598-6
	67	E	BLACK		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	D	2-293598-5
	67	D	BLACK		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	D	2-293598-4
	67	C	BLACK		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	D	2-293598-3
	67	B	BLACK		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	D	2-293598-2
	67	A	BLACK		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	D	2-293598-1
	40	F	BLACK		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	D	1-293598-6
	40	E	BLACK		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	D	1-293598-5
	40	D	BLACK		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	D	1-293598-4
	40	C	BLACK		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	F	1-293598-3
	40	B	BLACK		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	F	1-293598-2
	40	A	BLACK		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	F	1-293598-1
	40	F	NATURAL		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	D	0-293598-6
	40	E	NATURAL		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	D	0-293598-5
	40	D	NATURAL		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	D	0-293598-4
	40	C	NATURAL		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	F	0-293598-3
	40	B	NATURAL		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	F	0-293598-2
	40	A	NATURAL		PIN HSG PANEL MOUNT VERS. NECTOR* M-LINE	F	0-293598-1
NOTE	IP DEGREE CODE	POL. KEYING	COLOUR	MATERIAL	DESCRIPTION	REV.	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±0.3
2 PLC ±0.20
3 PLC ±
4 PLC ±
ANGLES ±3°
FINISH -

MATERIAL

SEE NOTES

DWN
M. ZUCCA
CHK
M. ZUCCA
APVD
G. TURCO

29OCT2009
29OCT2009
29OCT2009

PRODUCT SPEC
108-20304
APPLICATION SPEC
114-20452
WEIGHT
~6.2 g

Customer Drawing

TE Connectivity

NAME
PIN HOUSING
PANEL MOUNT VERSION
NECTOR* M-LINE

SIZE
A3

CAGE CODE
00779

DRAWING NO
C-293598

RESTRICTED TO
-



SCALE
2:1

SHEET
2


OF
4

REV
F

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
	-		-	SEE SHEET 1	-	-



PANEL / WALL
SUGGESTED CUT OUT



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL

SEE NOTES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±0.3

2 PLC ±0.20

3 PLC ±

4 PLC ±

ANGLES ±3°

FINISH -

DWN
M. ZUCCA
CHK
M. ZUCCA
APVD
G. TURCO

29OCT2009
29OCT2009
29OCT2009

PRODUCT SPEC
108-20304

APPLICATION SPEC
114-20452

WEIGHT
~6.2 g

Customer Drawing

TE Connectivity

NAME
PIN HOUSING
PANEL MOUNT VERSION
NECTOR* M-LINE

SIZE
A3

CAGE CODE
00779

DRAWING NO
C-293598

RESTRICTED TO
-

SCALE
2:1

SHEET
3


OF
4

REV
F

LOC 	DIST -	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-


PANEL / WALL
SUGGESTED CUT OUT FOR
MULTIPLE HOLES ON MULTIPLE ROWS


(PITCH CAN BE ADJUSTED TO CUSTOMER
NEED BUT IN ANY CASE MUST NOT BE LESS
THAN 30.00 mm)



PANEL / WALL
SUGGESTED CUT OUT FOR
MULTIPLE HOLES ON SINGLE ROW

(PITCH CAN BE ADJUSTED TO CUSTOMER
NEED BUT IN ANY CASE MUST NOT BE LESS
THAN 30.00 mm)



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. ZUCCA	29OCT2009	 TE Connectivity							
		CHK M. ZUCCA	29OCT2009								
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME PIN HOUSING PANEL MOUNT VERSION NECTOR* M-LINE							
		0 PLC ±° 1 PLC ±0.3 2 PLC ±0.20 3 PLC ±° 4 PLC ±° ANGLES ±3°									
MATERIAL SEE NOTES		FINISH -		SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO	
				WEIGHT ~6.2 g		A300779		C-293598		-	
Customer Drawing						SCALE 2:1		SHEET 4 OF 4		REV F	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru