









REVISIONS				
REV	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR 26/09	
B		B-B APPLICATION ADDED	AUG 13/09	
C		PROPOSAL	MAR 15/12	




U77-A261M-X081



U77-A461M-X081



U77-A661M-X081







DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ± 0.38 ANGLES ± 1° X.X ± 0.38 X.XX ± 0.25		APPROVALS	DATE	Amphenol Canada Corp.	
MATERIAL AND FINISH		DRAWN Chigow.X	MAR14/09	TITLE	
SEE NOTE 1		DESIGNED		1XN SFP+ CAGE ASSY WITH SPRING FINGER GASKET	
REF.		CHECKED J.SJ	MAR14/09	SIZE A3	DWG. NO. P-U77-AX61M-X081
CODE IDENT. NO. 03554		QA APPD		SCALE 2:1	PROJECT
		E APPD			REV C
		DWG APPD A.G.	MAR14/09		SHEET 2 OF 10

PART NUMBER	DIM "C"	DIM "D"
U77-A261M-X081	29.70	31.00
U77-A461M-X081	58.20	59.50
U77-A661M-X081	86.70	88.00

REVISIONS				
REV	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR 26/09	
B		B-B APPLICATION ADDED	AUG 13/09	
C		PROPOSAL	MAR 15/12	




UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:		APPROVALS		DATE		Amphenol Canada Corp.	
DECIMALS	ANGLES	DRAWN	Chigow.X	MAR14/09	TITLE		
X.X ± 0.38	± 1°	DESIGNED			1XN SFP+ CAGE ASSY WITH SPRING FINGER GASKET		
X.XX ± 0.25		CHECKED	J.SJ	MAR14/09			
MATERIAL AND FINISH		QA APPD					
SEE NOTE 1		E APPD			SIZE	DWG. NO.	REV
REF.		DWG APPD	A.G.	MAR14/09	A3	P-U77-AX61M-X081	C
CODE IDENT. NO.	03554	SCALE	2:1	PROJECT	SHEET		3 OF 10



DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

REVISIONS				
REV	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR 26/09	
B		B-B APPLICATION ADDED	AUG 13/09	
C		PROPOSAL	MAR 15/12	



NOTE:  
 PANEL CUTOUT SIZES PER SFF 8433 SPEC. FOR BELLY TO BELLY MOUNTING, DIM "E" (PCB THICKNESS) IS 3.0 mm MIN. DIM "F" RELATED TO DIM "E". FOR DIM "F" = DIM "E" - 0.44 mm. THE PANEL CUTOUT 10.40 mm MIGHT BE INCREASED UP TO 10.80 mm IN ORDER TO ACCOMODATE PCB TOLERANCE.



SECTION E-E  
 SCALE 2 : 1




DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:		APPROVALS		DATE		Amphenol Canada Corp.	
DECIMALS X.X ± 0.38 X.XX ± 0.25		ANGLES ± 1°		DRAWN Chigow.X DESIGNED		MAR14/09	
MATERIAL AND FINISH SEE NOTE 1		CHECKED J.SJ		MAR14/09		TITLE 1XN SFP+ CAGE ASSY WITH SPRING FINGER GASKET	
REF.		E APPD		SCALE		SIZE DWG. NO. PROJECT SHEET	
CODE IDENT. NO. 03554		DWG APPD A.G.		MAR14/09		A3 P-U77-AX61M-X081 C	
				1:1		4 OF 10	

- NOTES:  
 1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.  
 2. PADS AND VIAS ARE CHASSIS GROUND.  
 3. THRU-HOLES, PLATING OPTIONAL.  
 4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

REVISIONS				
REV	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR 26/09	
B		B-B APPLICATION ADDED	AUG 13/09	
C		PROPOSAL	MAR 15/12	



**RECOMMENDED PCB DESIGN  
 FOR SINGLE SIDE MOUNTING  
 (P/N U77-A261M-X081)**

DO NOT SCALE DRAWING


THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.38 ± 1° X.XX ± 0.25		APPROVALS		DATE	<b>Amphenol Canada Corp.</b>  <b>1XN SFP+ CAGE ASSY          WITH SPRING FINGER GASKET</b>
MATERIAL AND FINISH		DRAWN	Chigow.X	MAR14/09	
SEE NOTE 1		DESIGNED			
REF.		CHECKED	J.SJ	MAR14/09	
CODE IDENT NO: 03554		QA APPD			
SIZE	DWG. NO.	E APPD			SCALE
A3	P-U77-AX61M-X081	DWG APPD	A.G.	MAR14/09	2:1
PROJECT	SHEET	REV			
	5 OF 10	C			

NOTES:

1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2. PADS AND VIAS ARE CHASSIS GROUND.
3. THRU-HOLES, PLATING OPTIONAL.
4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

REVISIONS				
REV	EC/N/E/R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR 26/09	
B		B-B APPLICATION ADDED	AUG 13/09	
C		PROPOSAL	MAR 15/12	



**RECOMMENDED PCB DESIGN  
FOR BELLY TO BELLY MOUNTING  
(P/N U77-A261M-X081)**


DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.38 ± 1° X.XX ± 0.25	APPROVALS		DATE		Amphenol Canada Corp.  1XN SFP+ CAGE ASSY WITH SPRING FINGER GASKET
	DRAWN Chigov.X		MAR14/09		
	DESIGNED				
	CHECKED J.SJ		MAR14/09		
	MATERIAL AND FINISH				
SEE NOTE 1					
REF	E APPD			SIZE A3	DWG. NO. P-U77-AX61M-X081
CODE IDENT. NO. 03554	DWG APPD A.G.	MAR14/09	SCALE 3:1	PROJECT	REV C
					SHEET 6 OF 10

- NOTES:  
 1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.  
 2. PADS AND VIAS ARE CHASSIS GROUND.  
 3. THRU-HOLES, PLATING OPTIONAL.  
 4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

REVISIONS				
REV	EC/N/E/R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR 26/09	
B		B-B APPLICATION ADDED	AUG 13/09	
C		PROPOSAL	MAR 15/12	



**RECOMMENDED PCB DESIGN  
 FOR SINGLE SIDE MOUNTING  
 (P/N U77-A461M-X081)**


**DO NOT SCALE DRAWING**

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.38 ± 1° X.XX ± 0.25	<b>APPROVALS</b>	<b>DATE</b>	Amphenol Canada Corp.		
	DRAWN Chigov.X	MAR14/09			
	<b>MATERIAL AND FINISH</b>	CHECKED J.SJ	MAR14/09	1XN SFP+ CAGE ASSY WITH SPRING FINGER GASKET	
	SEE NOTE 1	QA APPD			
REF	E APPD		SIZE A3	DWG. NO. P-U77-AX61M-X081	
CODE IDENT NO. 03554	DWG APPD A.G.	MAR14/09	SCALE 1:1	PROJECT	REV C
					SHEET 7 OF 10

- NOTES:  
 1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.  
 2. PADS AND VIAS ARE CHASSIS GROUND.  
 3. THRU-HOLES, PLATING OPTIONAL.  
 4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

REVISIONS				
REV	EC/N/E/R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR 26/09	
B		B-B APPLICATION ADDED	AUG 13/09	
C		PROPOSAL	MAR 15/12	



**RECOMMENDED PCB DESIGN  
 FOR BELLY TO BELLY MOUNTING  
 (P/N U77-A461M-X081)**

DO NOT SCALE DRAWING


THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.38 ± 1° X.XX ± 0.25		APPROVALS DATE		Amphenol Canada Corp.	
DRAWN Chigow.X		MAR14/09		TITLE	
DESIGNED				1XN SFP+ CAGE ASSY WITH SPRING FINGER GASKET	
CHECKED J.SJ		MAR14/09			
MATERIAL AND FINISH		QA APPD			
SEE NOTE 1					
REF		E APPD		SIZE DWG. NO. REV	
CODE IDENT NO. 03554		DWG APPD A.G. MAR14/09		A3 P-U77-AX61M-X081 C	
		SCALE 2:1		PROJECT SHEET 8 OF 10	



- NOTES:  
 1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.  
 2. PADS AND VIAS ARE CHASSIS GROUND.  
 3. THRU-HOLES, PLATING OPTIONAL.  
 4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

REVISIONS				
REV	EC/N/E/R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR 26/09	
B		B-B APPLICATION ADDED	AUG 13/09	
C		PROPOSAL	MAR 15/12	



**RECOMMENDED PCB DESIGN  
 FOR SINGLE SIDE MOUNTING  
 (P/N U77-A661M-X081)**

DO NOT SCALE DRAWING


THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

<small>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:</small> DECIMALS: X.X ± 0.38, X.XX ± 0.25 ANGLES: ± 1° <small>MATERIAL AND FINISH</small> SEE NOTE 1	<b>APPROVALS</b>	<b>DATE</b>	<b>Amphenol Canada Corp.</b>  <b>1XN SFP+ CAGE ASSY WITH SPRING FINGER GASKET</b>
	DRAWN Chigow.X	MAR14/09	
	DESIGNED		
	CHECKED J.SJ	MAR14/09	
REF	EA APPD		<small>SIZE</small> A3 <small>DWG. NO.</small> P-U77-AX61M-X081 <small>SCALE</small> 1:1 <small>PROJECT</small> <small>SHEET</small> 9 OF 10
<small>CODE IDENT. NO.</small> 03554	<small>DWG APPD</small> A.G.	MAR14/09	

8 7 6 5 4 3 2 1

REVISIONS				
REV	EC/N/E/R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR 26/09	
B		B-B APPLICATION ADDED	AUG 13/09	
C		PROPOSAL	MAR 15/12	

- NOTES:  
 1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.  
 2. PADS AND VIAS ARE CHASSIS GROUND.  
 3. THRU-HOLES, PLATING OPTIONAL.  
 4. SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.



**RECOMMENDED PCB DESIGN  
 FOR BELLY TO BELLY MOUNTING  
 (P/N U77-A661M-X081)**

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

<small>UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:</small> DECIMALS: X.X ± 0.38, X.XX ± 0.25 ANGLES: ± 1° <small>MATERIAL AND FINISH</small> SEE NOTE 1	<b>APPROVALS</b>	<b>DATE</b>	<b>Amphenol Canada Corp.</b>  <b>1XN SFP+ CAGE ASSY WITH SPRING FINGER GASKET</b>
	DRAWN: Chigow.X	MAR14/09	
	DESIGNED:		
	CHECKED: J.SJ	MAR14/09	
REF:	GA APPD:		<small>SIZE</small> A3 <small>DWG. NO.</small> P-U77-AX61M-X081 <small>SCALE</small> 3:2 <small>PROJECT</small> <small>REV</small> C
<small>CODE IDENT NO.</small> 03554	<small>DWG APPD</small> A.G.	MAR14/09	<small>SHEET</small> 10 OF 10

8 7 6 5 4 3 2 1

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)