



THIS DRAWING IS UNPUBLISHED
 RELEASED FOR PUBLICATION 2017
 © COPYRIGHT 2017 BY -TE CONNECTIVITY ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	REVISED PER PCN-E-17-008015	02JUN2017	CM	DM




- 12 SURFACE FINISH: 32 RMS OR BETTER; .005 [.12].
- 11 FULLY SEAT THE FLANGE SEAL IN THE RECESS WITH THE RAISED SEAL FACING OUTWARD.
- 10 RECOMMENDED SCREW: 8-16 [M5 X 2.24] THREAD-FORMING SCREW. TORQUE: 25-30 IN-LB [2.82-3.39 NM].
- 9 RECOMMENDED SCREW: 7-18 [M4.06 X 1.41] THREAD-FORMING SCREW. TORQUE: 10-15 IN-LB [1.13-1.69 NM].
- 8. SEE SHEET 2 FOR OTHER KEY ARRANGEMENTS.
- 7. THIS RECEPTACLE MATES WITH DRC26-24SX-XXXX PLUG (X=A,B,C,D KEYS; XXXX=ALL MODIFICATIONS).

- 6. CONTACT PLATING - MATING SIDE: GOLD; PCB SIDE: TIN.
- 5. MATERIAL - PLASTIC (BLACK); INSERT: STEEL; SEALS: RUBBER.
- 4. RECEPTACLE IS SUPPLIED WITH DUST CAP (NOT SHOWN).
- 3. FLANGE SEAL (P/N 0513-028-2406) IS SHIPPED LOOSE WITH RECEPTACLE.
- 2. DIMENSION TOLERANCE: ±.025 [.64]; PANEL CUTOUT: ±.010 [.25].
- 1. DELETED.


NOTES: UNLESS OTHERWISE SPECIFIED

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J APOSTOL 07NOV2000	TE Connectivity																
DIMENSIONS: INCHES [mm]		CHK M PARRELLA 28DEC2000																	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD R REED 28DEC2000	NAME RECEPTACLE 24 #20 SIZE CONTACTS KEY ARRANGEMENTS A,B,C AND D DRC SERIES																
<table border="1"> <tr> <td>0 PLC</td> <td>±</td> <td rowspan="4">2</td> </tr> <tr> <td>1 PLC</td> <td>±</td> </tr> <tr> <td>2 PLC</td> <td>±</td> </tr> <tr> <td>3 PLC</td> <td>±</td> </tr> <tr> <td>4 PLC</td> <td>±</td> <td></td> </tr> <tr> <td>ANGLES</td> <td>±</td> <td></td> </tr> </table>		0 PLC	±	2	1 PLC	±	2 PLC	±	3 PLC	±	4 PLC	±		ANGLES	±		PRODUCT SPEC -	SIZE A3	
0 PLC	±	2																	
1 PLC	±																		
2 PLC	±																		
3 PLC	±																		
4 PLC	±																		
ANGLES	±																		
MATERIAL 5		APPLICATION SPEC -	CAGE CODE 4AFU8	DRAWING NO. C=DRC23-24PX															
FINISH 6		WEIGHT -	RESTRICTED TO -																
CUSTOMER DRAWING			SCALE 1.25:1	SHEET 1 OF 2															
			REV A																


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-




**KEY ARRANGEMENT -A-
DRC23-24PA**




**KEY ARRANGEMENT -B-
DRC23-24PB**



**KEY ARRANGEMENT -C-
DRC23-24PC**



**KEY ARRANGEMENT -D-
DRC23-24PD**



RECOMMENDED PANEL CUTOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J APOSTOL 07NOV2000	TE Connectivity	
		CHK M PARRELLA 28DEC2000		
DIMENSIONS: INCHES [mm]		APVD R REED 28DEC2000	NAME RECEPTACLE 24 #20 SIZE CONTACTS KEY ARRANGEMENTS A,B,C AND D DRC SERIES	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC -	RESTRICTED TO -	
0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		APPLICATION SPEC -	SIZE A3 CAGE CODE 4AFU8 DRAWING NO. DRC23-24PX	
MATERIAL 5		WEIGHT -	SCALE 1:1 SHEET 2 OF 2 REV A	
FINISH 6		CUSTOMER DRAWING		

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкуренеспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru