







PRODUCT NUMBER	DESCRIPTION
10122504-101LF	SELECTIVE EXTERNAL





SECTION A-A
SCALE 2:1



NOTES:

- MATERIALS:
CONNECTOR HOUSING: HIGH TEMPERATURE THERMOPLASTIC
GLASS FILLED, UL 94V-0
EMI CAGE: NICKEL SILVER ALLOY
EMI FINGERS: COPPER ALLOY
TERMINALS: COPPER ALLOY
- FINISHES:
EMI FINGERS: 0.50um MIN NICKEL
CONTACT AREA: 0.76um MIN GOLD OVER 2.54um MIN NICKEL
TAIL AREA: 0.76um - 1.52um TIN (LEAD FREE) OVER 2.54um MIN NICKEL
- PRODUCT SPECIFICATION: GS-12-651
APPLICATION SPECIFICATION: GS-20-0327
- MOUNTING HARDWARE: M2 X 0.4 BUTTON HEAD SCREW
MOUNTING SCREW LENGTH: BOARD THICKNESS + 1.4mm MAX (0.9mm MIN).
3 REQUIRED PER ASSEMBLY
- THIS CONNECTOR IS DESIGNED TO MEET THE REQUIREMENTS OF
INDUSTRY SPECIFICATION SFF-8644.
- THE USE OF A PCI BRACKET OR EQUIVALENT IS REQUIRED FOR THIS PRODUCT
- A  SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW OR NOTE THAT
HAVE BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.


MATES WITH MINI-SAS HD ENDS IN:			
10112041 SERIES (4X)			
10117771 SERIES (4X)			
10117946 SERIES (4X)			
10117949 SERIES (4X)			
10117947 SERIES (8X)			
10112359 SERIES (8X)			
10117950 SERIES (8X)			
10117948 SERIES (8X)			

spec ref -		dr Qin De-Feng		2012/12/16		projection 	MM 		size A2	scale 4:1
tolerance std ASME Y14.5		eng Qin De-Feng		2014/02/19			ecn no -		Released	
- TOLERANCES UNLESS OTHERWISE SPECIFIED		chr -		-			product family -		rel level	
		appr Pei-Ming Zheng		2014/02/19						
surface 		linear				title 1x4 SELECTIVE PORT		dwg no 10122504		rev A
ASME Y14.5		angular		0° ±2°		www.fci.com		cat. no. -		Product - Customer Drw
										sheet 1 of 5

PDS: Rev :A

STATUS:Released



Printed: Feb 19, 2014



RECOMMENDED TOOLING KEEP OUT AREAS

RECOMMENDED INSERTION TOOL
KEEP OUT AREA
NO COMPONENTS IN THIS AREA
MORE THAN 7.50mm TALL

RECOMMENDED EXTRACTION TOOL
KEEP OUT AREA
NO COMPONENTS IN THESE AREAS




spec ref	-	dr	Qin De-Feng	2012/12/16	projection	MM	size	A2	scale	12:1
tolerance std	ASME Y14.5	eng	Qin De-Feng	2014/02/19	chr	-	ecn no	-	rel level	Released
surface	✓	appr	Pei-Ming Zheng	2014/02/19	product family	-	rel level	-	rel level	Released
linear	0.X ±0.25	linear	0.XX ±0.20	linear	0.XXX ±	angular	0° ±2°	www.fci.com	cat. no.	-
ASME Y14.5	angular	0°	±2°	www.fci.com	cat. no.	-	Product - Customer Drw	sheet 4 of 5	rev	A

PDS: Rev :A

STATUS:Released

Printed: Feb 19, 2014

PIN OUT DESIGNATIONS



spec ref	-	dr	Qin De-Feng	2012/12/16	projection	MM	size	A2	scale	12:1
tolerance std	ASME Y14.5	eng	Qin De-Feng	2014/02/19	chr	-	ecn no	-	rel level	Released
surface	✓	appr	Pei-Ming Zheng	2014/02/19	product family	-	cat. no.	-	Product - Customer Drw	sheet 5 of 5
linear	0.X ±0.25 0.XX ±0.20 0.XXX ±-	title	1x4 SELECTIVE PORT MINI-SAS HD EXTERNAL	cat. no.	-	Product - Customer Drw	sheet 5 of 5	rev	A	
angular	0° ±2°	www.fci.com								

PDS: Rev :A

STATUS:Released

Printed: Feb 19, 2014

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru