

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0674921320

Status:

Active

Overview:

serial_ata_127_host_receptacles

Description:

1.27mm (.050") Pitch Serial ATA Host Receptacle, Right Angle, SMT, Mating Height 5.25mm (.207"), Gold (Au) Flash, 22 Circuits, Tray Packaging, Lead Free

Documents:

3D Model

Drawing (PDF)


Product Specification PS-67492-001 (PDF)

RoHS Certificate of Compliance (PDF)

General	
Product Family	PCB Receptacles
Series	67492
Application	Board-to-Board
Overview	serial_ata_127_host_receptacles
Product Name	Serial ATA
Physical	
Circuits (Loaded)	22
Circuits (maximum)	22
Color - Resin	Black
Durability (mating cycles max)	500
Glow-Wire Compliant	No
Guide to Mating Part	Yes
Keying to Mating Part	Yes
Lock to Mating Part	None
Material - Metal	Copper Alloy
Material - Plating Mating	Gold
Material - Plating Termination	Tin
Material - Resin	High Temperature Thermoplastic
Number of Rows	1
Orientation	Right Angle
PCB Locator	Yes
PCB Retention	Yes
PCB Thickness Recommended (in)	0.045 In
PCB Thickness Recommended (mm)	1.20 mm
Packaging Type	Tray
Pitch - Mating Interface (in)	0.050 In
Pitch - Mating Interface (mm)	1.27 mm
Pitch - Term. Interface (in)	0.050 In
Pitch - Term. Interface (mm)	1.27 mm
Plating min: Mating (µin)	2
Plating min: Mating (µm)	0.05
Plating min: Termination (µin)	50
Plating min: Termination (µm)	1.27
Polarized to Mating Part	Yes
Polarized to PCB	Yes
Stackable	No
Temperature Range - Operating	-35°C to +85°C
Termination Interface: Style	Surface Mount

Electrical	
Current - Maximum per Contact	1.5A
Voltage - Maximum	15V DC

Solder Process Data



EU RoHS

ELV and RoHS

Compliant

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Reviewed

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com

For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

67492Series

Mates With

87703 , 87672 Serial ATA Plugs

Lead-free Process Capability
Process Temperature max. C

Reflow Capable (SMT only)
230

Material Info

Reference - Drawing Numbers





Packaging Specification	PK-67492-001
Product Specification	PS-67492-001
Sales Drawing	SD-67492-001

This document was generated on 05/31/2010




PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

10 9 8 7 6 5 4 3 2 1

F





E



67492-1430/1431/1432
/1325/1326/1327
/1440/1441/1442
/1224/1225/1226
/1450/1451/1452.

D




67492-1430/1431/1432
/1325/1326/1327
/1440/1441/1442
/1224/1225/1226
/1450/1451/1452.

OTHER DIMENSION PER OTHER VIEW

NOTES:

1. MATERIAL:
HOUSING: HIGH TEMPERATURE THERMAL PLASTIC, UL94V-0, COLOR: BLACK;
TERMINAL: COPPER ALLOY;
FORKLOCK: COPPER ALLOY.
2. TERMINAL PLATING:
CONTACT AREA:
(A) GOLD FLASH,
(B) GOLD, THICKNESS=0.76 MICRONS MINIMUM,
(C) GOLD, THICKNESS=0.38 MICRONS MINIMUM,
SOLDER AREA: TIN, THICKNESS=1.27 MICRONS MINIMUM;
UNDER PLATE: NICKEL, THICKNESS=1.27 MICRONS MINIMUM.
3. FORKLOCK PLATING:
SOLDER AREA: TIN, THICKNESS=1.27 MICRONS MINIMUM;
UNDER PLATE: NICKEL, THICKNESS=1.27 MICRONS MINIMUM.
4. PRODUCT SPECIFICATION: REFER TO PS-67492-001.
5. PACKAGING METHOD: TRAY, USE DRYER IN HDPE BAGE TO PREVENT BLISTER.
6. MATING PARTS: 87703/87672.
7. PRODUCT COMPLIANT TO RoSH DIRECTIVE 2002/95/EC AND ELV DIRECTIVE 2000/53/EC.

B



ADD PART NUMBER EC NO: K	DESCRIPTION 2009/07/29 DRWN:XQZHANG 2009/08/07 CHKD:GLI 2009/09/03 APPR:XJ.SONG REV	QUALITY SYMBOLS ▽=0 ◻=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION ⊙ □				
				mm	INCH	DRAWN BY GRATE MA	DATE 2003/10/10	TITLE SATA HOST RECEPTACLE R/A SMT TYPE	MOLEX INCORPORATED molex	DOCUMENT NO. SD-67492-001	SHEET NO. 1 OF 2		
			4 PLACES	± ---	± ---	CHECKED BY YAJUN	DATE 2003/10/10						
			3 PLACES	± ---	± ---	APPROVED BY SAM	DATE 2003/10/10						
			2 PLACES	± 0.15	± ---	MATERIAL NO. SEE SHEET 2						THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
			1 PLACE	± 0.25	± ---								
			ANGULAR ± 3 °										
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS										
						SIZE A3							

9 8 7 6 5 4 3 2 1

	10	9	8	7	6	5	4	3	2	1																																																																																																																											
F	<table><tr><td>P/N</td><td>PLATING</td><td>DIM'A'</td><td>DIM'B'</td><td>DIM'C'</td><td>DIM'D'</td><td>DIM'E'</td><td>REMARK</td></tr><tr><td>67492-1420</td><td>NOTES 2 (A)</td><td rowspan="3">4.15</td><td rowspan="3">5.90</td><td rowspan="3">4.25</td><td rowspan="3">5.90</td><td rowspan="3">2.45±0.10</td><td rowspan="12">TRAY PACKAGE PK-67492-001</td></tr><tr><td>67492-1421</td><td>NOTES 2 (B)</td></tr><tr><td>67492-1422</td><td>NOTES 2 (C)</td></tr><tr><td>67492-1320</td><td>NOTES 2 (A)</td><td rowspan="3">3.50</td><td rowspan="3">5.25</td><td rowspan="3">3.60</td><td rowspan="3">5.25</td><td rowspan="3">2.45±0.10</td></tr><tr><td>67492-1321</td><td>NOTES 2 (B)</td></tr><tr><td>67492-1322</td><td>NOTES 2 (C)</td></tr><tr><td>67492-1120</td><td>NOTES 2 (A)</td><td rowspan="3">1.80</td><td rowspan="3">3.55</td><td rowspan="3">1.90</td><td rowspan="3">3.55</td><td rowspan="3">2.45±0.10</td></tr><tr><td>67492-1121</td><td>NOTES 2 (B)</td></tr><tr><td>67492-1122</td><td>NOTES 2 (C)</td></tr><tr><td>67492-9220</td><td>NOTES 2 (A)</td><td rowspan="3">4.99</td><td rowspan="3">6.74</td><td rowspan="3">5.09</td><td rowspan="3">6.74</td><td rowspan="3">2.45±0.10</td></tr><tr><td>67492-9221</td><td>NOTES 2 (B)</td></tr><tr><td>67492-9222</td><td>NOTES 2 (C)</td></tr><tr><td>67492-1220</td><td>NOTES 2 (A)</td><td rowspan="3">4.99</td><td rowspan="3">6.74</td><td rowspan="3">5.09</td><td rowspan="3">6.74</td><td rowspan="3">2.45±0.10</td><td rowspan="3">TAPE&REEL PACKAGE PK-67492-002</td></tr><tr><td>67492-1221</td><td>NOTES 2 (B)</td></tr><tr><td>67492-1222</td><td>NOTES 2 (C)</td></tr><tr><td>67492-1224</td><td>NOTES 2 (A)</td><td rowspan="3">4.99</td><td rowspan="3">6.74</td><td rowspan="3">5.09</td><td rowspan="3">6.74</td><td rowspan="3">2.33±0.05</td><td rowspan="3">TAPE&REEL PACKAGE WITH CAP PK-67492-002</td></tr><tr><td>67492-1225</td><td>NOTES 2 (B)</td></tr><tr><td>67492-1226</td><td>NOTES 2 (C)</td></tr><tr><td>67492-1430</td><td>NOTES 2 (A)</td><td rowspan="3">4.15</td><td rowspan="3">5.90</td><td rowspan="3">4.25</td><td rowspan="3">5.90</td><td rowspan="3">2.45±0.10</td><td rowspan="17">TAPE&REEL PACKAGE WITH CAP PK-67492-008</td></tr><tr><td>67492-1431</td><td>NOTES 2 (B)</td></tr><tr><td>67492-1432</td><td>NOTES 2 (C)</td></tr><tr><td>67492-1325</td><td>NOTES 2 (A)</td><td rowspan="3">3.50</td><td rowspan="3">5.25</td><td rowspan="3">3.60</td><td rowspan="3">5.25</td><td rowspan="3">2.45±0.10</td></tr><tr><td>67492-1326</td><td>NOTES 2 (B)</td></tr><tr><td>67492-1327</td><td>NOTES 2 (C)</td></tr><tr><td>67492-1440</td><td>NOTES 2 (B)</td><td rowspan="3">4.15</td><td rowspan="3">5.90</td><td rowspan="3">4.25</td><td rowspan="3">5.90</td><td rowspan="3">2.33±0.05</td></tr><tr><td>67492-1441</td><td>NOTES 2 (A)</td></tr><tr><td>67492-1442</td><td>NOTES 2 (C)</td></tr><tr><td>67492-1450</td><td>NOTES 2 (A)</td><td rowspan="3">4.10</td><td rowspan="3">5.85</td><td rowspan="3">4.20</td><td rowspan="3">5.85</td><td rowspan="3">2.33±0.05</td></tr><tr><td>67492-1451</td><td>NOTES 2 (B)</td></tr><tr><td>67492-1452</td><td>NOTES 2 (C)</td></tr></table>										P/N	PLATING	DIM'A'	DIM'B'	DIM'C'	DIM'D'	DIM'E'	REMARK	67492-1420	NOTES 2 (A)	4.15	5.90	4.25	5.90	2.45±0.10	TRAY PACKAGE PK-67492-001	67492-1421	NOTES 2 (B)	67492-1422	NOTES 2 (C)	67492-1320	NOTES 2 (A)	3.50	5.25	3.60	5.25	2.45±0.10	67492-1321	NOTES 2 (B)	67492-1322	NOTES 2 (C)	67492-1120	NOTES 2 (A)	1.80	3.55	1.90	3.55	2.45±0.10	67492-1121	NOTES 2 (B)	67492-1122	NOTES 2 (C)	67492-9220	NOTES 2 (A)	4.99	6.74	5.09	6.74	2.45±0.10	67492-9221	NOTES 2 (B)	67492-9222	NOTES 2 (C)	67492-1220	NOTES 2 (A)	4.99	6.74	5.09	6.74	2.45±0.10	TAPE&REEL PACKAGE PK-67492-002	67492-1221	NOTES 2 (B)	67492-1222	NOTES 2 (C)	67492-1224	NOTES 2 (A)	4.99	6.74	5.09	6.74	2.33±0.05	TAPE&REEL PACKAGE WITH CAP PK-67492-002	67492-1225	NOTES 2 (B)	67492-1226	NOTES 2 (C)	67492-1430	NOTES 2 (A)	4.15	5.90	4.25	5.90	2.45±0.10	TAPE&REEL PACKAGE WITH CAP PK-67492-008	67492-1431	NOTES 2 (B)	67492-1432	NOTES 2 (C)	67492-1325	NOTES 2 (A)	3.50	5.25	3.60	5.25	2.45±0.10	67492-1326	NOTES 2 (B)	67492-1327	NOTES 2 (C)	67492-1440	NOTES 2 (B)	4.15	5.90	4.25	5.90	2.33±0.05	67492-1441	NOTES 2 (A)	67492-1442	NOTES 2 (C)	67492-1450	NOTES 2 (A)	4.10	5.85	4.20	5.85	2.33±0.05	67492-1451	NOTES 2 (B)	67492-1452	NOTES 2 (C)	F
P/N	PLATING	DIM'A'	DIM'B'	DIM'C'	DIM'D'	DIM'E'	REMARK																																																																																																																														
67492-1420	NOTES 2 (A)	4.15	5.90	4.25	5.90	2.45±0.10	TRAY PACKAGE PK-67492-001																																																																																																																														
67492-1421	NOTES 2 (B)																																																																																																																																				
67492-1422	NOTES 2 (C)																																																																																																																																				
67492-1320	NOTES 2 (A)	3.50	5.25	3.60	5.25	2.45±0.10																																																																																																																															
67492-1321	NOTES 2 (B)																																																																																																																																				
67492-1322	NOTES 2 (C)																																																																																																																																				
67492-1120	NOTES 2 (A)	1.80	3.55	1.90	3.55	2.45±0.10																																																																																																																															
67492-1121	NOTES 2 (B)																																																																																																																																				
67492-1122	NOTES 2 (C)																																																																																																																																				
67492-9220	NOTES 2 (A)	4.99	6.74	5.09	6.74	2.45±0.10																																																																																																																															
67492-9221	NOTES 2 (B)																																																																																																																																				
67492-9222	NOTES 2 (C)																																																																																																																																				
67492-1220	NOTES 2 (A)	4.99	6.74	5.09	6.74	2.45±0.10	TAPE&REEL PACKAGE PK-67492-002																																																																																																																														
67492-1221	NOTES 2 (B)																																																																																																																																				
67492-1222	NOTES 2 (C)																																																																																																																																				
67492-1224	NOTES 2 (A)	4.99	6.74	5.09	6.74	2.33±0.05	TAPE&REEL PACKAGE WITH CAP PK-67492-002																																																																																																																														
67492-1225	NOTES 2 (B)																																																																																																																																				
67492-1226	NOTES 2 (C)																																																																																																																																				
67492-1430	NOTES 2 (A)	4.15	5.90	4.25	5.90	2.45±0.10	TAPE&REEL PACKAGE WITH CAP PK-67492-008																																																																																																																														
67492-1431	NOTES 2 (B)																																																																																																																																				
67492-1432	NOTES 2 (C)																																																																																																																																				
67492-1325	NOTES 2 (A)	3.50	5.25	3.60	5.25	2.45±0.10																																																																																																																															
67492-1326	NOTES 2 (B)																																																																																																																																				
67492-1327	NOTES 2 (C)																																																																																																																																				
67492-1440	NOTES 2 (B)	4.15	5.90	4.25	5.90	2.33±0.05																																																																																																																															
67492-1441	NOTES 2 (A)																																																																																																																																				
67492-1442	NOTES 2 (C)																																																																																																																																				
67492-1450	NOTES 2 (A)	4.10	5.85	4.20	5.85	2.33±0.05																																																																																																																															
67492-1451	NOTES 2 (B)																																																																																																																																				
67492-1452	NOTES 2 (C)																																																																																																																																				
E											E																																																																																																																										
D											D																																																																																																																										
C											C																																																																																																																										
B											B																																																																																																																										
A	<table><tr><td rowspan="5">ADD PART NUMBER EC NO: DRWN:XQZHANG CHKD:GLI APPR:XJ SONG K</td><td rowspan="7">2009/07/29 2009/08/07 2009/09/03 DESCRIPTION REV</td><td rowspan="7">QUALITY SYMBOLS ▼=0 ◻=0</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE 1:1</td><td>DESIGN UNITS METRIC</td><td rowspan="2"> THIRD ANGLE PROJECTION</td><td rowspan="2">SATA HOST RECEPTACLE R/A SMT TYPE</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td></td><td></td></tr><tr><td colspan="2">4 PLACES ± --- ± ---</td><td colspan="2">DRAWN BY GRATE MA</td><td>DATE 2003/10/10</td><td colspan="2" rowspan="3"> MOLEX INCORPORATED</td><td rowspan="3">DOCUMENT NO. SD-67492-001</td><td rowspan="3">SHEET NO. 2 OF 2</td></tr><tr><td colspan="2">3 PLACES ± --- ± ---</td><td colspan="2">CHECKED BY YAJUN</td><td>DATE 2003/10/10</td></tr><tr><td colspan="2">2 PLACES ± 0.15 ± ---</td><td colspan="2">APPROVED BY SAM</td><td>DATE 2003/10/10</td></tr><tr><td colspan="2">1 PLACE ± 0.25 ± ---</td><td colspan="2">ANGULAR ± 3 °</td><td colspan="2">MATERIAL NO.</td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE TABLE</td><td colspan="2">SIZE A3</td><td colspan="4">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>										ADD PART NUMBER EC NO: DRWN:XQZHANG CHKD:GLI APPR:XJ SONG K	2009/07/29 2009/08/07 2009/09/03 DESCRIPTION REV	QUALITY SYMBOLS ▼=0 ◻=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	SATA HOST RECEPTACLE R/A SMT TYPE							4 PLACES ± --- ± ---		DRAWN BY GRATE MA		DATE 2003/10/10	MOLEX INCORPORATED		DOCUMENT NO. SD-67492-001	SHEET NO. 2 OF 2	3 PLACES ± --- ± ---		CHECKED BY YAJUN		DATE 2003/10/10	2 PLACES ± 0.15 ± ---		APPROVED BY SAM		DATE 2003/10/10	1 PLACE ± 0.25 ± ---		ANGULAR ± 3 °		MATERIAL NO.						DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				A																																																																		
ADD PART NUMBER EC NO: DRWN:XQZHANG CHKD:GLI APPR:XJ SONG K	2009/07/29 2009/08/07 2009/09/03 DESCRIPTION REV	QUALITY SYMBOLS ▼=0 ◻=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	SATA HOST RECEPTACLE R/A SMT TYPE																																																																																																																											
			4 PLACES ± --- ± ---		DRAWN BY GRATE MA		DATE 2003/10/10	MOLEX INCORPORATED		DOCUMENT NO. SD-67492-001				SHEET NO. 2 OF 2																																																																																																																							
			3 PLACES ± --- ± ---		CHECKED BY YAJUN		DATE 2003/10/10																																																																																																																														
			2 PLACES ± 0.15 ± ---		APPROVED BY SAM		DATE 2003/10/10																																																																																																																														
1 PLACE ± 0.25 ± ---			ANGULAR ± 3 °		MATERIAL NO.																																																																																																																																
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE TABLE		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																														
	10	9	8	7	6	5	4	3	2	1																																																																																																																											

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru