

MATERIAL:


CAGE:
COPPER ALLOY

PLATING OPTION Y=2:
2.54um MIN. NICKEL


PLATING OPTION Y=3:
3.81um MIN. MATTE TIN
OVER 1.27um MIN. NICKEL

PACKAGING:
TRAY PACKAGING

TEMPERATURE RANGE:
-40C TO +85C



P/N U77-A661M-X081 SHOWN



P/N U77-A261M-X081 SHOWN


AMPHENOL PART NUMBER CONFIGURATION

U77 - A X 6 1 M - Y 0 8 1

PACKAGING
1 = TRAY PACKAGING

PLATING
2 = NICKEL PLATING
3 = MATTE TIN PLATING

NUMBER OF PORTS
2 = 2 PORTS
4 = 4 PORTS
6 = 6 PORTS



P/N U77-A461M-X081 SHOWN



DO NOT SCALE DRAWING


THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR26/09	


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.38 ± 1° X.XX ± 0.25		APPROVALS	DATE	Amphenol Canada Corp.	
		DRAWN ChigowX	MAR14/09	TITLE 1XN SFP+ GAGE ASSY WITH SPRING FINGER GASKET	
		DESIGNED			
		CHECKED J.SI	MAR26/09		
MATERIAL AND FINISH SEE NOTE 1		QA APPD			
REF.		IE APPD		SIZE A3	DWG. NO. P-U77-AX61M-X081
CODE IDENT. NO. 03554		DWG APPD A.G	MAR26/09	SCALE 4:1	PROJECT
					SHEET 1 OF 6

PART NUMBER	DIM"A"	DIM"B"
U77-A261M-X081	28.75	30.51
U77-A461M-X081	57.25	59.01
U77-A661M-X081	85.75	87.51


REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR26/09	





U77-A661M-X081 SHOWN



U77-A261M-X081 SHOWN




U77-A461M-X081 SHOWN



UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.38 ± 1° X.XX ± 0.25		APPROVALS	DATE	Amphenol Canada Corp.	
		DRAWN ChigowX	MAR14/09		
		DESIGNED			
		CHECKED J.SI	MAR26/09	TITLE 1XN SFP+ GAGE ASSY WITH SPRING FINGER GASKET	
MATERIAL AND FINISH SEE NOTE 1		QA APPD			
REF.		IE APPD		SIZE A3	DWG. NO. P-U77-AX61M-X081
CODE IDENT. NO. 03554		DWG APPD A.G	MAR26/09	SCALE 1:1	PROJECT
					SHEET 2 OF 6

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.



REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR26/09	

RECOMMENDED BEZEL DESIGN




UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X $\pm$ 0.38 $\pm$ 1° X.XX $\pm$ 0.25		APPROVALS	DATE	Amphenol Canada Corp.	
		DRAWN ChigowX	MAR14/09		
		DESIGNED		1XN SFP+ GAGE ASSY WITH SPRING FINGER GASKET	
		CHECKED J.SI	MAR26/09		
MATERIAL AND FINISH SEE NOTE 1		QA APPD			
REF.		IE APPD		SIZE A3	DWG. NO. P-U77-AX61M-X081
CODE IDENT. NO. 03554		DWG APPD A.G	MAR26/09	SCALE 1:1	PROJECT
					SHEET 3 OF 6

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

- NOTES:
- DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
 - PADS AND VIAS ARE CHASIS GROUND.
 - THRU-HOLES, PLATING OPTIONAL.
 - SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR26/09	



RECOMMENDED PCB DESIGN
(P/N: U77-A241M-X081)


DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS X.X $\pm$ 0.38 X.XX $\pm$ 0.25 MATERIAL AND FINISH SEE NOTE 1 REF. CODE IDENT. NO. 03554		APPROVALS		DATE		Amphenol Canada Corp.	
		DRAWN	ChigowX	MAR14/09			
		DESIGNED				1XN SFP+ GAGE ASSY WITH SPRING FINGER GASKET	
		CHECKED	J.SI	MAR26/09			
		QA APPD					
		IE APPD					
		DWG APPD	A.G	MAR26/09			
		SIZE	A3	DWG. NO.	P-U77-AX61M-X081	REV.	A
		SCALE	2:1	PROJECT		SHEET 4 OF 6	

- NOTES:
- DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
 - PADS AND VIAS ARE CHASIS GROUND.
 - THRU-HOLES, PLATING OPTIONAL.
 - SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR26/09	



RECOMMENDED PCB DESIGN
(P/N: U77-A441M-X081)


DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X $\pm$ 0.38 $\pm$ 1° X.XX $\pm$ 0.25		APPROVALS	DATE	Amphenol Canada Corp.	
		DRAWN ChigowX	MAR14/09	TITLE 1XN SFP+ GAGE ASSY WITH SPRING FINGER GASKET	
		DESIGNED			
		CHECKED J.SI	MAR26/09		
MATERIAL AND FINISH SEE NOTE 1		QA APPD			
REF.		IE APPD		SIZE A3	DWG. NO. P-U77-AX61M-X081
CODE IDENT. NO. 03554		DWG APPD A.G	MAR26/09	SCALE 2:1	PROJECT SHEET 5 OF 6

- NOTES:
- DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
 - PADS AND VIAS ARE CHASIS GROUND.
 - THRU-HOLES, PLATING OPTIONAL.
 - SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR26/09	



RECOMMENDED PCB DESIGN
(P/N: U77-A641M-X081)

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE
OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X $\pm$ 0.38 $\pm$ 1° X.XX $\pm$ 0.25		APPROVALS	DATE	Amphenol Canada Corp.	
		DRAWN ChigowX	MAR14/09	TITLE	
MATERIAL AND FINISH SEE NOTE 1		CHECKED J.SI	MAR26/09	1XN SFP+ GAGE ASSY WITH SPRING FINGER GASKET	
REF.		QA APPD		SIZE A3	DWG. NO. P-U77-AX61M-X081
CODE IDENT. NO. 03554		IE APPD		SCALE 1:1	PROJECT
		DWG APPD A.G	MAR26/09	SHEET 6 OF 6	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru