

THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION	20
©	COPYRIGHT 20	BY -	ALL RIGHTS RESERVED.

- 1

MATERIAL:
RECEPTACLE HOUSING, UL 94V-0 RATED THERMOPLASTIC, COLOR:SEE TABLE
CONTACT, PHOSPHOR BRONZE
FRONT NUT, UL 94V-0 RATED THERMOPLASTIC, COLOR:SEE TABLE
HEX NUT, BRASS
- 2

FINISH:
CONTACT, 0.75µm MIN. GOLD OVER NICKEL
HEX NUT,NICKEL
- 3

SOLDER TERMINATION CONTACT, 22 AWG WIRE MAX.
- 4






10.0 MAXIMUM PANEL THICKNESS
- 5


INSTALLS FROM FRONT OR REAR OF PANEL
- 6

INGRESS PROTECTION: IP50 (MATED)
- 7

PRELIMINARY PART NUMBER.

LOC	DIST	REVISIONS					
AD	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			B3	REVISED PER ECO-11-005027	12MAR2011	RK	HMR



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R.L.KOLLER CHK L.BREKOSKY APVD -		17JUN2005 28JUN2005 -		 TE Connectivity							
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME		RECEPTACLE ASSEMBLY PANEL MOUNT 5 POSITION							
		0 PLC ± 1 PLC ±0.2 2 PLC ±0.08 3 PLC ± 4 PLC ± ANGLES ±1° FINISH		PRODUCT SPEC 108-2249 APPLICATION SPEC 114-13184		SIZE A2		CAGE CODE 00779		DRAWING NO C=1877066		RESTRICTED TO -	
MATERIAL 				CUSTOMER DRAWING				SCALE 5:1		SHEET 1 OF 2		REV B3	

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

DIST

AD

00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

40°

BLUE

BLACK

4-1877066-2

40°

BLUE

GRAY

4-1877066-1

40°

GREEN

BLACK

4-1877066-0

40°

GREEN

GRAY

3-1877066-9

40°

YELLOW

BLACK

3-1877066-8

40°

YELLOW

GRAY

3-1877066-7

40°

WHITE

BLACK

3-1877066-6

40°

WHITE

GRAY

3-1877066-5

40°

RED

BLACK

3-1877066-4

40°

RED

GRAY

3-1877066-3

40°

BLACK

BLACK

3-1877066-2

40°

BLACK

GRAY

3-1877066-1

40°

GRAY

BLACK

3-1877066-0

40°

GRAY

GRAY

2-1877066-9

80°

BLACK

GRAY

2-1877066-8

80°

GRAY

BLACK

2-1877066-7

0°

BLACK

GRAY

2-1877066-6

0°

GRAY

BLACK

2-1877066-5

80°

BLUE

BLACK

2-1877066-4

80°

BLUE

GRAY

2-1877066-3

0°

BLUE

BLACK

2-1877066-2

0°

BLUE

GRAY

2-1877066-1

80°

GREEN

BLACK

2-1877066-0

80°

GREEN

GRAY

1-1877066-9

0°

GREEN

BLACK

1-1877066-8

0°

GREEN

GRAY

1-1877066-7

80°

YELLOW

BLACK

1-1877066-6

80°

YELLOW

GRAY

1-1877066-5

0°

YELLOW

BLACK

1-1877066-4

0°

YELLOW

GRAY

1-1877066-3

80°

WHITE

BLACK

1-1877066-2

80°

WHITE

GRAY

1-1877066-1

0°

WHITE

BLACK

1-1877066-0

0°

WHITE

GRAY

1877066-9

80°

RED

BLACK

1877066-8

80°

RED

GRAY

1877066-7

0°

RED

BLACK

1877066-6

0°

RED

GRAY

1877066-5

80°

BLACK

BLACK

1877066-4

80°

GRAY

GRAY

1877066-3

0°

BLACK

BLACK

1877066-2

0°

GRAY

GRAY

1877066-1

KEYING

FRONT NUT COLOR

HOUSING COLOR

PART NUMBER

60°

BLUE

BLACK

5-1877066-6

60°

BLUE

GRAY

5-1877066-5

60°

GREEN

BLACK

5-1877066-4

60°

GREEN

GRAY

5-1877066-3

60°

YELLOW

BLACK

5-1877066-2

60°

YELLOW

GRAY

5-1877066-1

60°

WHITE

BLACK

5-1877066-0

60°

WHITE

GRAY

4-1877066-9

60°

RED

BLACK

4-1877066-8

60°

RED

GRAY

4-1877066-7

60°

BLACK

BLACK

4-1877066-6

60°

BLACK

GRAY

4-1877066-5

60°

GRAY

BLACK

4-1877066-4

60°

GRAY

GRAY

4-1877066-3

KEYING

FRONT NUT COLOR

HOUSING COLOR

PART NUMBER

80°

RECEPTACLE FRONT VIEW

SCALE 4:1

40°

RECEPTACLE FRONT VIEW

SCALE 4:1

0°

RECEPTACLE FRONT VIEW

SCALE 4:1

60°

RECEPTACLE FRONT VIEW

SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±0.2

2 PLC ±0.08

3 PLC ±

4 PLC ±

ANGLES ±1°

FINISH

MATERIAL

-

DWN R.L.KOLLER 17JUN2005

CHK L.BREKOSKY 28JUN2005

APVD -

PRODUCT SPEC 108-2249

APPLICATION SPEC 114-13184

WEIGHT -

CUSTOMER DRAWING

TE Connectivity

RECEPTACLE ASSEMBLY
PANEL MOUNT
5 POSITION

SIZE A2

CAGE CODE 00779

DRAWING NO C-1877066

RESTRICTED TO -

SCALE 5:1

SHEET 2 OF 2

REV B3

1471-9 (3/11)

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru