

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	H4	ECR-13-019320	26DEC2013	RS	LZ

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151139-1


FOR REPLACEMENT PARTS FOR APPLICATOR 1528079
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.



THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1528079

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R.SHEN		 TE Connectivity			
DIMENSIONS:		CHK LJ.ZHANG					
		APVD U.GUO		NAME FINE ADJ SIDE FD HD-1 APPL			
		PRODUCT SPEC					
		APPLICATION SPEC					
MATERIAL		WEIGHT		SIZE A3	CAGE CODE	DRAWING NO C- 1528079	RESTRICTED TO
FINISH		CUSTOMER DRAWING		SCALE		SHEET 1 OF 2	REV H4

[illegible]

SEAL NO.	INS. RANGE
828920	1.2 - 2.0mm [.047 - .083 IN]
828904	1.2 - 2.0mm [.047 - .083 IN]



POST FEED 40 mm STROKE	POST FEED 30 mm STROKE	PRE FEED 30 mm STROKE	PRE FEED 40 mm STROKE
 Diagram showing the POST FEED 40 mm STROKE configuration. The main body is labeled 44 (REF). The feed mechanism is labeled 49. The stroke length is indicated as 40 mm. A reference point is labeled 47.	 Diagram showing the POST FEED 30 mm STROKE configuration. The main body is labeled 44 (REF). The feed mechanism is labeled 49. The stroke length is indicated as 30 mm. A reference point is labeled 47.	 Diagram showing the PRE FEED 30 mm STROKE configuration. The main body is labeled 44 (REF). The feed mechanism is labeled 49. The stroke length is indicated as 30 mm. A reference point is labeled 48.	 Diagram showing the PRE FEED 40 mm STROKE configuration. The main body is labeled 44 (REF). The feed mechanism is labeled 49. The stroke length is indicated as 40 mm. A reference point is labeled 48.

	-	1	1	1	1	1	1	1528079	PRINT, APPLICATOR LOG SHEET	72
	-	1	1	1	1	1	1	1338705-3	DOCUMENTATION PACKAGE	71
										70
										69
										68
	-	1	1	1	1	1	1	461264-5	PLATE, IDENTIFICATION	67
	-	2	2	2	2	2	2	21017-2	SCR,DRIVE(#2x.19)ID PLATE	66
										65
										64
	-	1	1	1	1	1	1	3-18031-0	SCR,SKT SET(M6X6 LW)RAM	63
										62
	-	2	2	2	2	2	2	2-18032-5	SCR,SET(M5X20)DRAG	61
	-	1	1	1	1	1	1	18024-7	SCR,BHC(M4X10)ANVIL	60
	-	1	1	1	1	1	1	5-18022-2	SCR,HEX(M4X8)FEED FINGER	59
										58
	-	1	1	1	1	1	1	985575-3	SCR,FHC(M3X10)DEP	57
	-	1	1	1	1	1	1	1338685-1	PAWL, FEED	56
										55
6	-	2	2	2	2	2	2	18024-8	SCR,BHC(M4x12)SHEAR HOLDER	54
	-	2	2	2	2	2	2	9-18023-6	SCR,SHC(M4x14)TERM HDWN	53
	-	1	1	1	1	1	1	18030-1	NUT,HEX(M3)HOLD DOWN	52
	-	1	1	1	1	1	1	811242-5	BUMPER, HOLDDOWN	51
	-	1	1	1	1	1	1	690753-2	SPACER, TONKER	50
	-	1	1	1	1	1	1	18024-3	SCR,BHC(M3X10)CAM	49
	-	-	1	-	-	1	-	1338675-1	CAM, PRE FEED 30 & 40 mm ST	48
	-	1	-	1	1	-	1	1338676-1	CAM, POST FEED 30 & 40 mm ST	47
	-	1	1	1	1	1	1	1320999-3	APPLICATOR BASIC SUBASSY	46
	-	1	1	1	1	1	1	690191-1	PLUG, NYLON	45
	-	1	1	1	1	1	1	1338660-1	RAM	44
										43
										42
	-	1	1	1	1	1	1	2-18024-6	SCR,BHC(M8X25)RAM	41
										40
	-	1	1	1	1	1	1	690125-1	SHIM SUBASSY	39
	-	1	1	1	1	1	1	469367-9	SPACER, FINE ADJUST	38
	-	1	1	1	1	1	1	879103-3	FINE ADJUST HEAD SUBASSY	37
										36
										35
										34
	-	2	2	2	2	2	2	1-18024-0	SCR,BHC(M4X20)STRIP GUIDE	33
	-	1	1	1	1	1	1	18027-2	WASHER, FLAT(M4)	32
	-	1	1	1	1	1	1	1-18023-2	SCR,SKT CAP(M4X12)MOUNT BLOCK	31
	-	1	1	1	1	1	1	1320908-2	SPACER, STRIP GUIDE	30
	-	1	1	1	1	1	1	1633073-1	STRIP GUIDE PLATE ASSY	29
	-	1	1	1	1	1	1	1-455888-9	SPACER, FRONT SHEAR DEP	28
	-	2	2	2	2	2	2	1-22284-0	SPRING, DRAG	27
	-	1	1	1	1	1	1	356835-1	LEVER, DRAG RELEASE	26
	-	1	1	1	1	1	1	240792-1	DRAG, TERMINAL	25
	-	1	1	1	1	1	1	1320928-1	GUIDE, STRIP (REAR)	24
	-	1	1	1	1	1	1	980371-4	SCR,SHC SHLD	23
	-	1	-	1	1	-	1	690472-2	STRIPPER	22
	-	1	1	1	1	1	1	1-18023-1	SCR,SHC(M4X10)STRIPPER	21
	-	4	4	4	4	4	4	18025-2	WASHER,LOCK(M4)STRIPPER	20
	-	-	1	-	-	1	-	690472-1	STRIPPER	19
										18
1	-	1	-	-	1	-	-	1338684-2	HOLDER, SHEAR, FRONT (NO-CUT)	17
										16
										15
										14
										13
	-	1	1	1	1	1	1	3-22280-3	SPRING, SHEAR	12
	-	1	1	1	1	1	1	356885-5	STOP, SHEAR	11
}	-	-	1	1	-	1	1	1-1320921-0	HOLDER, SHEAR, FRONT (CUT)	10
	-	1	1	1	1	1	1	318707-1	SHEAR, FLOAT (FRONT)	9
	1	2	2	2	1	1	1	1338693-1	ANVIL	8
	-	1	1	1	1	1	1	3-240641-8	SPACER, DEPRESSOR (REAR)	7
										6
	-	1	1	1	1	1	1	1338680-1	DEPRESSOR, SHEAR (FRONT)	5
	-	1	1	1	1	1	1	3-238011-3	SPACER, BLOCK CRIMPER	4
1	1	2	2	2	1	1	1	8-683454-9	CRIMPER, INSULATION	3
	-	1	1	1	1	1	1	1-455888-1	SPACER, CRIMPER	2
1	1	2	2	2	1	1	1	1-456405-6	CRIMPER, WIRE	1
	-77	-76	-72	-71	-6	-2	-1	PART NO	DESCRIPTION	ITEM NO

QTY			REDD			PER ASSY			PARTS LIST		
THIS DRAWING IS A CONTROLLED DOCUMENT.						DWN L LOFTHOUSE 11JAN02		 Tyco Electronics Corporation Harrisburg, PA 17105-3508			
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:				APVO E BACKHUIRST 11JAN02		NAME			
		0 PLG ± -				PRODUCT SPEC		FINE ADJ SIDE FD HD-I APPL			
		1 PLG ± -				APPLICATION SPEC		-			
		2 PLG ± -				SIZE		CASE CODE		DRAWING NO.	
		3 PLG ± -				H2		A1 00779			
		4 PLG ± -				C 1528079					
MATERIAL		FINISH		WEIGHT		SCALE		SHEET		1 OF 1	
-		-		H2		1 OF 1		REV		1	
CUSTOMER DRAWING											

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru