





1

2

3

4

PART NUMBER SEE SHEET 2




spec ref *				dr Eddy Zeng		2013/12/19		projection 	MM 	size A3		scale 3:2	
tolerance std				eng Xie Bob		2014/02/17				ecn no -			
ASME Y14.5				chr Li- He		2014/02/16				rel level Released			
TOLERANCES UNLESS OTHERWISE SPECIFIED				appr Pei-Ming Zheng		2014/02/17		product family PwrBlade+					
surface ✓		linear	0.X	±0.5		title 3HP + 20S + 2HP VERTICAL PF HEADER				dwg no 10106129-5005001	rev A		
			0.XX	±0.25									
			0.XXX	±0.10									
ASME Y14.5		angular	0°	±2°	www.fci.com		cat. no.		Product - Customer Drw			sheet 1 of 3	



Copyright FCI.

PRODUCT NO.	ROWS	HP				SIGNAL					HP		E2
		E1	P1	P2	P3	1	2	3	4	5	P4	P5	
10106129-5005001LF	D C B A		H4	H4	H4	G	G	G	G	G	H4	H4	

CODE	DESCRIPTION
G	STD SIGNAL CONTACT
H4	STD HIGH POWER CONTACT



dr	Eddy Zeng	2013/12/19	projection	MM	size	A3	scale	3:2	
eng	Xie Bob	2014/02/17			ecn no				-
chr	Li- He	2014/02/16							
appr	Pei-Ming Zheng	2014/02/17	product family		PwrBlade+		rel level	Released	
FCi		title			3HP + 20S + 2HP			rev	
		VERTICAL PF HEADER			dwg no			A	
www.fci.com		cat. no.		Product - Customer Drw			sheet 2 of 3		
		10106129-5005001							

A

B

C

D

A

B

C

D

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02±0.07MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.



Copyright FCI.

dr	Eddy Zeng	2013/12/19	projection	MM	size	A3	scale	3:2		
eng	Xie Bob	2014/02/17			ecn no					
chr	Li- He	2014/02/16								
appr	Pei-Ming Zheng	2014/02/17	product family		PwrBlade+	rel level			Released	
FCi		title			3HP + 20S + 2HP			dwg no		rev
		VERTICAL PF HEADER			10106129-5005001					A
www.fci.com		cat. no.		Product - Customer Drw				sheet 3 of 3		

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru