




Detail1



NOTES:

1.MATERIAL:

HOUSING: LCP, GLASS FILLED, UL94V-0. COLOR: BLACK;
FORKLOCK: COPPER ALLOY;
TERMINALS: COPPER ALLOY.

2.TERMINAL PLATING:

CONTACT AREA:

- (a) GOLD FLASH(0.025 MICRONS MINIMUM);
 - (b) GOLD, THICKNESS=0.76 MICRONS MINIMUM;
 - (c) GOLD, THICKNESS=0.38 MICRONS MINIMUM;
- SOLDER AREA: TIN, THICKNESS=2.00 MICRONS MINIMUM;
UNDER PLATE: NICKEL, THICKNESS=1.27 MICRONS MINIMUM.

3.FORLOCK PLATING:

SOLDER AREA: TIN, THICKNESS=2.00 MICRONS MINIMUM;
UNDER PLATING: NICKEL, THICKNESS=1.27 MICRONS MINIMUM.


4.PRODUCT SPECIFICATION: PS-67492-001.

5.PACKAGING METHOD: 47018-400*, TAPE REEL, DETAIL REFER TO PK-47018-003;
47018-210*, TAPE REEL, DETAIL REFER TO PK-47018-001;
OTHERS, TRAY, DETAIL REFER TO PK-67492-001.


6.MATING PARTS: 87703/87672.

7.PRODUCT COMPLIANT TO RoSH DIRECTIVE 2002/95/EC AND 2000/53/EC.

REVISED EC NO: SH2016-0027 DRW:GILLI CHKD: APPR:AYIN REV	DESCRIPTION 2015/12/08 2016/01/18	QUALITY SYMBOLS F_A=0 F_C=0 F_B=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 2:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	SERIAL ATA DOCKING CONNECTOR TOP MOUNT TYPE MOLEX INCORPORATED SD-47018-001 1 OF 2		
			mm INCH		DRAWN BY DATE		TITLE					
			4 PLACES ± --- ± ---		GLL I 2011/12/12							
			3 PLACES ± --- ± ---		CHECKED BY DATE							
			2 PLACES ± 0.25 ± ---		APPROVED BY DATE							
1 PLACE ± 0.25 ± ---		XJSONG 2011/12/12		DOCUMENT NO.			SHEET NO.					
ANGULAR ± 3 °		MATERIAL NO.		SEE SHEET 2			SD-47018-001			1 OF 2		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								



RECOMMENDED P.C.B LAYOUT (COMPONENT SIDE)



- NOTES:
1. RECOMMENDED P.C.B THICKNESS: 1.60 +/- 0.05.
- △ CONNECTOR PROFILE, ALL THE TRACE SHOULD BE AVOIDED THIS AREA.

PRODUCT	CONTACT PLATING SPEC	DIM'A	DIM'B	DIM'C	DIM'D	PACKAGE	REMARK
47018-2100	NOTES 2 (A) OF SHEET 1						PURE TIN
47018-2101	NOTES 2 (B) OF SHEET 1	2.55	4.30	9.65	3.65	TAPE REEL	(LIGHT TIN)
47018-2102	NOTES 2 (C) OF SHEET 1						WITH CAP
47018-4000	NOTES 2 (A) OF SHEET 1						PURE TIN
47018-4001	NOTES 2 (B) OF SHEET 1	3.40	5.15	10.50	4.50	TAPE REEL	(LIGHT TIN)
47018-4002	NOTES 2 (C) OF SHEET 1						WITH CAP
47018-2010	NOTES 2 (A) OF SHEET 1						PURE TIN
47018-2011	NOTES 2 (B) OF SHEET 1	2.55	4.30	9.65	3.65	TRAY	(MATTE TIN)
47018-2012	NOTES 2 (C) OF SHEET 1						
47018-2000	NOTES 2 (A) OF SHEET 1						PURE TIN
47018-2001	NOTES 2 (B) OF SHEET 1	2.55	4.30	9.65	3.65	TRAY	(LIGHT TIN)
47018-2002	NOTES 2 (C) OF SHEET 1						

REVISED EC NO: SH2016-0027 DRW:GLL1 CHKD: APPR:AYIN REV	DESCRIPTION 2015/12/08 2016/01/18	QUALITY SYMBOLS F_A=0 F_B=0 F_C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
				mm	INCH	DRAWN BY GLL1	DATE 2011/12/12	TITLE SERIAL ATA DOCKING CONNECTOR TOP MOUNT TYPE				
			4 PLACES	± ---	± ---	CHECKED BY	DATE					
			3 PLACES	± ---	± ---	MOLEX INCORPORATED						
			2 PLACES	± 0.25	± ---							
			1 PLACE	± 0.25	± ---							
			ANGULAR ± 3 °		APPROVED BY XJ SONG	DATE 2011/12/12						
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.		DOCUMENT NO.		SHEET NO.			
					SEE TABLE		SD-47018-001		2 OF 2			
					SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru